

usage heterogeneity (as in Rossi et al, JASA (01)),
Bayesian Analysis of Aggregate Random Coefficient Logit Models as in BLP (see
Jiang, Manchanda, Rossi 2009)
For further reference, consult our book, Bayesian Statistics and
Marketing by Rossi, Allenby and McCulloch (Wiley first edition 2005 and second forthcom-
ing) and Bayesian Non- and Semi-Parametric
Methods and Applications (Princeton U Press 2014).

RoxygenNote 6.0.1
NeedsCompilation yes
Repository CRAN
Date/Publication 2023-09-23 23:20:06 UTC

Contents

- bank 3
- breg 6
- camera 7
- cgetC 8
- cheese 9
- clusterMix 11
- condMom 12
- createX 14
- customerSat 15
- detailing 16
- eMixMargDen 18
- ghkvec 19
- llmnl 21
- llmnp 22
- llnhlogit 24
- lndIChisq 25
- lndIWishart 26
- lndMvn 27
- lndMvst 28
- logMargDenNR 29
- margarine 30
- mixDen 32
- mixDenBi 33
- mnlHess 35
- mnpProb 36
- momMix 37
- nmat 38
- numEff 39
- orangeJuice 40
- plot.bayesm.hcoef 42
- plot.bayesm.mat 43
- plot.bayesm.nmix 45

Usage

data(bank)

Format

The bank object is a list containing two data frames. The first, choiceAtt, provides choice attributes for the partial credit card profiles. The second, demo, provides demographic information on the respondents.

Details

In the choiceAtt data frame:

... \$id	respondent id
... \$choice	profile chosen
... \$Med_FInt	medium fixed interest rate
... \$Low_FInt	low fixed interest rate
... \$Med_VInt	variable interest rate
... \$Rewrd_2	reward level 2
... \$Rewrd_3	reward level 3
... \$Rewrd_4	reward level 4
... \$Med_Fee	medium annual fee level
... \$Low_Fee	low annual fee level
... \$Bank_B	bank offering the credit card
... \$Out_State	location of the bank offering the credit card
... \$Med_Rebate	medium rebate level
... \$High_Rebate	high rebate level
... \$High_CredLine	high credit line level
... \$Long_Grace	grace period

The profiles are coded as the difference in attribute levels. Thus, that a "-1" means the profile coded as a choice of "0" has the attribute. A value of 0 means that the attribute was not present in the comparison.

In the demo data frame:

... \$id	respondent id
... \$age	respondent age in years
... \$income	respondent income category
... \$gender	female=1

Source

Allenby, Gregg and James Ginter (1995), "Using Extremes to Design Products and Segment Markets," *Journal of Marketing Research*, 392–403.

References

Appendix A, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```

data(bank)
cat(" table of Binary Dep Var", fill=TRUE)
print(table(bank$choiceAtt[,2]))
cat(" table of Attribute Variables", fill=TRUE)
mat = apply(as.matrix(bank$choiceAtt[,3:16]), 2, table)
print(mat)
cat(" means of Demographic Variables", fill=TRUE)
mat=apply(as.matrix(bank$demo[,2:3]), 2, mean)
print(mat)

## example of processing for use with rhierBinLogit
if(0) {

  choiceAtt = bank$choiceAtt
  Z = bank$demo

  ## center demo data so that mean of random-effects
  ## distribution can be interpreted as the average respondent
  Z[,1] = rep(1,nrow(Z))
  Z[,2] = Z[,2] - mean(Z[,2])
  Z[,3] = Z[,3] - mean(Z[,3])
  Z[,4] = Z[,4] - mean(Z[,4])
  Z = as.matrix(Z)

  hh = levels(factor(choiceAtt$id))
  nhh = length(hh)
  lgtdata = NULL
  for (i in 1:nhh) {
    y = choiceAtt[choiceAtt[,1]==hh[i], 2]
    nobs = length(y)
    X = as.matrix(choiceAtt[choiceAtt[,1]==hh[i], c(3:16)])
    lgtdata[[i]] = list(y=y, X=X)
  }
  cat("Finished Reading data", fill=TRUE)

  Data = list(lgtdata=lgtdata, Z=Z)
  Mcmc = list(R=10000, sbeta=0.2, keep=20)

  set.seed(66)
  out = rhierBinLogit(Data=Data, Mcmc=Mcmc)

  begin = 5000/20
  summary(out$Deltadraw, burnin=begin)
  summary(out$Vbetadraw, burnin=begin)

  ## plotting examples
  if(0){

    ## plot grand means of random effects distribution (first row of Delta)
    index = 4*c(0:13)+1
    matplot(out$Deltadraw[,index], type="l", xlab="Iterations/20", ylab="",

```

```

        main="Average Respondent Part-Worths")

## plot hierarchical coefs
plot(out$betadraw)

## plot log-likelihood
plot(out$llike, type="l", xlab="Iterations/20", ylab="",
      main="Log Likelihood")
}
}

```

breg	<i>Posterior Draws from a Univariate Regression with Unit Error Variance</i>
------	--

Description

breg makes one draw from the posterior of a univariate regression (scalar dependent variable) given the error variance = 1.0. A natural conjugate (normal) prior is used.

Usage

```
breg(y, X, betabar, A)
```

Arguments

y	<i>n</i> x1 vector of values of dep variable
X	<i>n</i> x <i>k</i> design matrix
betabar	<i>k</i> x1 vector for the prior mean of the regression coefficients
A	<i>k</i> x <i>k</i> prior precision matrix

Details

model: $y = X'\beta + e$ with $e \sim N(0, 1)$.
 prior: $\beta \sim N(\text{betabar}, A^{-1})$.

Value

*k*x1 vector containing a draw from the posterior distribution

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type. In particular, X must be a matrix. If you have a vector for X, coerce it into a matrix with one column.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=1000} else {R=10}

## simulate data
set.seed(66)
n = 100
X = cbind(rep(1,n), runif(n)); beta = c(1,2)
y = X %*% beta + rnorm(n)

## set prior
betabar = c(0,0)
A = diag(c(0.05, 0.05))

## make draws from posterior
betadraw = matrix(double(R*2), ncol = 2)
for (rep in 1:R) {betadraw[rep,] = breg(y,X,betabar,A)}

## summarize draws
mat = apply(betadraw, 2, quantile, probs=c(0.01, 0.05, 0.50, 0.95, 0.99))
mat = rbind(beta,mat); rownames(mat)[1] = "beta"
print(mat)

```

camera

Conjoint Survey Data for Digital Cameras

Description

Panel dataset from a conjoint survey for digital cameras with 332 respondents. Data exclude respondents that always answered none, always picked the same brand, always selected the highest priced offering, or who appeared to be answering randomly.

Usage

```
data(camera)
```

Format

A list of lists. Each inner list corresponds to one survey respondent and contains a numeric vector (y) of choice indicators and a numeric matrix (X) of covariates. Each respondent participated in 16 choice scenarios each including 4 camera options (and an outside option) for a total of 80 rows per respondent.

Details

The covariates included in each X matrix are:

... \$canon	an indicator for brand Canon
... \$sony	an indicator for brand Sony
... \$nikon	an indicator for brand Nikon
... \$panasonic	an indicator for brand Panasonic
... \$pixels	an indicator for a higher pixel count
... \$zoom	an indicator for a higher level of zoom
... \$video	an indicator for the ability to capture video
... \$swivel	an indicator for a swivel video display
... \$wifi	an indicator for wifi capability
... \$price	in hundreds of U.S. dollars

Source

Allenby, Greg, Jeff Brazell, John Howell, and Peter Rossi (2014), "Economic Valuation of Product Features," *Quantitative Marketing and Economics* 12, 421–456.

Allenby, Greg, Jeff Brazell, John Howell, and Peter Rossi (2014), "Valuation of Patented Product Features," *Journal of Law and Economics* 57, 629–663.

References

For analysis of a similar dataset, see Case Study 4, *Bayesian Statistics and Marketing* Rossi, Allenby, and McCulloch.

cgetC

Obtain A List of Cut-offs for Scale Usage Problems

Description

cgetC obtains a list of censoring points, or cut-offs, used in the ordinal multivariate probit model of Rossi et al (2001). This approach uses a quadratic parameterization of the cut-offs. The model is useful for modeling correlated ordinal data on a scale from 1 to k with different scale usage patterns.

Usage

cgetC(e, k)

Arguments

e quadratic parameter ($0 < e < 1$)
k items are on a scale from $1, \dots, k$

Value

A vector of $k + 1$ cut-offs.

Warning

This is a utility function which implements **no** error-checking.

Author(s)

Rob McCulloch and Peter Rossi, Anderson School, UCLA. <perossichi@gmail.com>.

References

Rossi et al (2001), “Overcoming Scale Usage Heterogeneity,” *JASA* 96, 20–31.

See Also

[rscaleUsage](#)

Examples

```
cgetC(0.1, 10)
```

cheese

Sliced Cheese Data

Description

Panel data with sales volume for a package of Borden Sliced Cheese as well as a measure of display activity and price. Weekly data aggregated to the "key" account or retailer/market level.

Usage

```
data(cheese)
```

Format

A data frame with 5555 observations on the following 4 variables:

... \$RETAILER	a list of 88 retailers
... \$VOLUME	unit sales
... \$DISP	percent ACV on display (a measure of advertising display activity)
... \$PRICE	in U.S. dollars

Source

Boatwright, Peter, Robert McCulloch, and Peter Rossi (1999), "Account-Level Modeling for Trade Promotion," *Journal of the American Statistical Association* 94, 1063–1073.

References

Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
data(cheese)
cat(" Quantiles of the Variables ",fill=TRUE)
mat = apply(as.matrix(cheese[,2:4]), 2, quantile)
print(mat)

## example of processing for use with rhierLinearModel
if(0) {
  retailer = levels(cheese$RETAILER)
  nreg = length(retailer)
  nvar = 3
  regdata = NULL
  for (reg in 1:nreg) {
    y = log(cheese$VOLUME[cheese$RETAILER==retailer[reg]])
    iota = c(rep(1,length(y)))
    X = cbind(iota, cheese$DISP[cheese$RETAILER==retailer[reg]],
              log(cheese$PRICE[cheese$RETAILER==retailer[reg]]))
    regdata[[reg]] = list(y=y, X=X)
  }
  Z = matrix(c(rep(1,nreg)), ncol=1)
  nz = ncol(Z)

  ## run each individual regression and store results
  lscoef = matrix(double(nreg*nvar), ncol=nvar)
  for (reg in 1:nreg) {
    coef = lsfit(regdata[[reg]]$X, regdata[[reg]]$y, intercept=FALSE)$coef
    if (var(regdata[[reg]]$X[,2])==0) {
      lscoef[reg,1]=coef[1]
      lscoef[reg,3]=coef[2]
    }
    else {lscoef[reg,]=coef}
  }

  R = 2000
  Data = list(regdata=regdata, Z=Z)
  Mcmc = list(R=R, keep=1)

  set.seed(66)
  out = rhierLinearModel(Data=Data, Mcmc=Mcmc)

  cat("Summary of Delta Draws", fill=TRUE)
  summary(out$Deltadraw)
  cat("Summary of Vbeta Draws", fill=TRUE)
  summary(out$Vbetadraw)

  # plot hier coeffs
  if(0) {plot(out$betadraw)}
}
```

clusterMix

Cluster Observations Based on Indicator MCMC Draws

Description

clusterMix uses MCMC draws of indicator variables from a normal component mixture model to cluster observations based on a similarity matrix.

Usage

```
clusterMix(zdraw, cutoff=0.9, SILENT=FALSE, nprint=BayesmConstant.nprint)
```

Arguments

zdraw	<i>Rxnobs</i> array of draws of indicators
cutoff	cutoff probability for similarity (def: 0.9)
SILENT	logical flag for silent operation (def: FALSE)
nprint	print every nprint'th draw (def: 100)

Details

Define a similarity matrix, *Sim* with $Sim[i, j]=1$ if observations *i* and *j* are in same component. Compute the posterior mean of *Sim* over indicator draws.

Clustering is achieved by two means:

Method A: Find the indicator draw whose similarity matrix minimizes $loss(E[Sim] - Sim(z))$, where loss is absolute deviation.

Method B: Define a Similarity matrix by setting any element of $E[Sim] = 1$ if $E[Sim] > cutoff$. Compute the clustering scheme associated with this "windsorized" Similarity matrix.

Value

A list containing:

clustera:	indicator function for clustering based on method A above
clusterb:	indicator function for clustering based on method B above

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch Chapter 3.

See Also

[rnmixGibbs](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {

  ## simulate data from mixture of normals
  n = 500
  pvec = c(.5,.5)
  mu1 = c(2,2)
  mu2 = c(-2,-2)
  Sigma1 = matrix(c(1,0.5,0.5,1), ncol=2)
  Sigma2 = matrix(c(1,0.5,0.5,1), ncol=2)
  comps = NULL
  comps[[1]] = list(mu1, backsolve(chol(Sigma1),diag(2)))
  comps[[2]] = list(mu2, backsolve(chol(Sigma2),diag(2)))
  dm = rmixture(n, pvec, comps)

  ## run MCMC on normal mixture
  Data = list(y=dm$x)
  ncomp = 2
  Prior = list(ncomp=ncomp, a=c(rep(100,ncomp)))
  R = 2000
  Mcmc = list(R=R, keep=1)
  out = rnmixGibbs(Data=Data, Prior=Prior, Mcmc=Mcmc)

  ## find clusters
  begin = 500
  end = R
  outclusterMix = clusterMix(out$nmix$zdraw[begin:end,])

  ## check on clustering versus "truth"
  ## note: there could be switched labels
  table(outclusterMix$clustera, dm$z)
  table(outclusterMix$clusterb, dm$z)
}
```

Description

condMom compute moments of conditional distribution of the i th element of a multivariate normal given all others.

Usage

```
condMom(x, mu, sigi, i)
```

Arguments

x vector of values to condition on; i th element not used
mu mean vector with $\text{length}(x) = n$
sigi inverse of covariance matrix; dimension $n \times n$
i conditional distribution of i th element

Details

$x \sim MVN(\mu, \text{sigi}^{-1})$.

condMom computes moments of x_i given x_{-i} .

Value

A list containing:

cmean conditional mean
cvar conditional variance

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
sig = matrix(c(1, 0.5, 0.5, 0.5, 1, 0.5, 0.5, 0.5, 1), ncol=3)
sigi = chol2inv(chol(sig))
mu = c(1,2,3)
x = c(1,1,1)

condMom(x, mu, sigi, 2)
```

`createX`*Create X Matrix for Use in Multinomial Logit and Probit Routines*

Description

`createX` makes up an X matrix in the form expected by Multinomial Logit ([`rmnlIndepMetrop`](#) and [`rhierMnlRwMixture`](#)) and Probit ([`rmnpGibbs`](#) and [`rmvpGibbs`](#)) routines. Requires an array of alternative-specific variables and/or an array of "demographics" (or variables constant across alternatives) which may vary across choice occasions.

Usage

```
createX(p, na, nd, Xa, Xd, INT = TRUE, DIFF = FALSE, base=p)
```

Arguments

<code>p</code>	integer number of choice alternatives
<code>na</code>	integer number of alternative-specific vars in <code>Xa</code>
<code>nd</code>	integer number of non-alternative specific vars
<code>Xa</code>	$n \times p * na$ matrix of alternative-specific vars
<code>Xd</code>	$n \times nd$ matrix of non-alternative specific vars
<code>INT</code>	logical flag for inclusion of intercepts
<code>DIFF</code>	logical flag for differencing wrt to base alternative
<code>base</code>	integer index of base choice alternative

Note: `na`, `nd`, `Xa`, `Xd` can be NULL to indicate lack of `Xa` or `Xd` variables.

Value

X matrix of dimension $n * (p - DIFF) * [(INT + nd) * (p - 1) + na]$.

Note

[`rmnpGibbs`](#) assumes that the base alternative is the default.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[`rmnlIndepMetrop`](#), [`rmnpGibbs`](#)

Examples

```

na=2; nd=1; p=3
vec = c(1, 1.5, 0.5, 2, 3, 1, 3, 4.5, 1.5)
Xa = matrix(vec, byrow=TRUE, ncol=3)
Xa = cbind(Xa,-Xa)
Xd = matrix(c(-1,-2,-3), ncol=1)
createX(p=p, na=na, nd=nd, Xa=Xa, Xd=Xd)
createX(p=p, na=na, nd=nd, Xa=Xa, Xd=Xd, base=1)
createX(p=p, na=na, nd=nd, Xa=Xa, Xd=Xd, DIFF=TRUE)
createX(p=p, na=na, nd=nd, Xa=Xa, Xd=Xd, DIFF=TRUE, base=2)
createX(p=p, na=na, nd=NULL, Xa=Xa, Xd=NULL)
createX(p=p, na=NULL, nd=nd, Xa=NULL, Xd=Xd)

```

customerSat

*Customer Satisfaction Data***Description**

Responses to a satisfaction survey for a Yellow Pages advertising product. All responses are on a 10 point scale from 1 to 10 (1 is "Poor" and 10 is "Excellent").

Usage

```
data(customerSat)
```

Format

A data frame with 1811 observations on the following 10 variables:

... \$q1	Overall Satisfaction
... \$q2	Setting Competitive Prices
... \$q3	Holding Price Increase to a Minimum
... \$q4	Appropriate Pricing given Volume
... \$q5	Demonstrating Effectiveness of Purchase
... \$q6	Reach a Large Number of Customers
... \$q7	Reach of Advertising
... \$q8	Long-term Exposure
... \$q9	Distribution
... \$q10	Distribution to Right Geographic Areas

Source

Rossi, Peter, Zvi Gilula, and Greg Allenby (2001), "Overcoming Scale Usage Heterogeneity," *Journal of the American Statistical Association* 96, 20–31.

References

Case Study 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
data(customerSat)
apply(as.matrix(customerSat),2,table)
## see also examples for 'rscaleUsage'
```

detailing

Physician Detailing Data

Description

Monthly data on physician detailing (sales calls). 23 months of data for each of 1000 physicians; includes physician covariates.

Usage

```
data(detailing)
```

Format

The detailing object is a list containing two data frames, counts and demo.

Details

In the counts data frame:

...\$id	identifies the physician
...\$scrips	the number of new precriptions ordered by the physician for the drug detailed
...\$detailing	the number of sales called made to each physician per month
...\$lagged_scrips	scrips value for prior month

In the demo data frame:

...\$\$id	identifies the physician
...\$generalphys	dummy for if doctor is a "general practitioner"
...\$specialist	dummy for if the physician is a specialist in the theraputic class for which the drug is intended
...\$mean_samples	the mean number of free drug samples given the doctor over the sample period

Source

Manchanda, Puneet, Pradeep Chintagunta, and Peter Rossi (2004), "Response Modeling with Non-Random Marketing Mix Variables," *Journal of Marketing Research* 41, 467–478.

Examples

```

data(detailing)

cat(" table of Counts Dep Var", fill=TRUE)
print(table(detailing$counts[,2]))

cat(" means of Demographic Variables",fill=TRUE)
mat = apply(as.matrix(detailing$demo[,2:4]), 2, mean)
print(mat)

## example of processing for use with 'rhierNegbinRw'
if(0) {
  data(detailing)
  counts = detailing$counts
  Z = detailing$demo

  # Construct the Z matrix
  Z[,1] = 1
  Z[,2] = Z[,2] - mean(Z[,2])
  Z[,3] = Z[,3] - mean(Z[,3])
  Z[,4] = Z[,4] - mean(Z[,4])
  Z = as.matrix(Z)
  id = levels(factor(counts$id))
  nreg = length(id)
  nobs = nrow(counts$id)

  regdata = NULL
  for (i in 1:nreg) {
    X = counts[counts[,1] == id[i], c(3:4)]
    X = cbind(rep(1, nrow(X)), X)
    y = counts[counts[,1] == id[i], 2]
    X = as.matrix(X)
    regdata[[i]] = list(X=X, y=y)
  }
  rm(detailing, counts)
  cat("Finished reading data", fill=TRUE)
  fsh()
  Data = list(regdata=regdata, Z=Z)

  nvar = ncol(X)          # Number of X variables
  nz = ncol(Z)           # Number of Z variables
  deltabar = matrix(rep(0,nvar*nz), nrow=nz)
  Vdelta = 0.01*diag(nz)
  nu = nvar+3
  V = 0.01*diag(nvar)
  a = 0.5
  b = 0.1
  Prior = list(deltabar=deltabar, Vdelta=Vdelta, nu=nu, V=V, a=a, b=b)

  R = 10000
  keep = 1

```

```

s_beta = 2.93/sqrt(nvar)
s_alpha = 2.93
c = 2
Mcmc = list(R=R, keep=keep, s_beta=s_beta, s_alpha=s_alpha, c=c)

out = rhierNegbinRw(Data, Prior, Mcmc)

## Unit level mean beta parameters
Mbeta = matrix(rep(0,nreg*nvar), nrow=nreg)
ndraws = length(out$alphadraw)
for (i in 1:nreg) { Mbeta[i,] = rowSums(out$Betadraw[i,])/ndraws }

cat(" Deltadraws ", fill=TRUE)
summary(out$Deltadraw)
cat(" Vbetadraws ", fill=TRUE)
summary(out$Vbetadraw)
cat(" alphadraws ", fill=TRUE)
summary(out$alphadraw)

## plotting examples
if(0){
  plot(out$betadraw)
  plot(out$alphadraw)
  plot(out$Deltadraw)
}
}

```

eMixMargDen

Compute Marginal Densities of A Normal Mixture Averaged over MCMC Draws

Description

eMixMargDen assumes that a multivariate mixture of normals has been fitted via MCMC (using rnmixGibbs). For each MCMC draw, eMixMargDen computes the marginal densities for each component in the multivariate mixture on a user-supplied grid and then averages over the MCMC draws.

Usage

```
eMixMargDen(grid, probdraw, compdraw)
```

Arguments

grid	array of grid points, grid[, i] are ordinates for ith dimension of the density
probdraw	array where each row contains a draw of probabilities of the mixture component
compdraw	list of lists of draws of mixture component moments

Details

length(compdraw)	is the number of MCMC draws.
compdraw[[i]]	is a list draws of mu and of the inverse Cholesky root for each of mixture components.
compdraw[[i]][[j]]	is jth component.
compdraw[[i]][[j]]\$mu	is mean vector.
compdraw[[i]][[j]]\$rooti	is the UL decomp of Σ^{-1} .

Value

An array of the same dimension as `grid` with density values.

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type. To avoid errors, call with output from `rnmixGibbs`.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rnmixGibbs](#)

`ghkvec`*Compute GHK approximation to Multivariate Normal Integrals*

Description

`ghkvec` computes the GHK approximation to the integral of a multivariate normal density over a half plane defined by a set of truncation points.

Usage

```
ghkvec(L, trunpt, above, r, HALTON=TRUE, pn)
```

Arguments

L	lower triangular Cholesky root of covariance matrix
trunpt	vector of truncation points
above	vector of indicators for truncation above(1) or below(0) on an element by element basis
r	number of draws to use in GHK
HALTON	if TRUE, uses Halton sequence. If FALSE, uses R::runif random number generator (def: TRUE)
pn	prime number used for Halton sequence (def: the smallest prime numbers, i.e. 2, 3, 5, ...)

Value

Approximation to integral

Note

ghkvec can accept a vector of truncations and compute more than one integral. That is, $\text{length}(\text{trunpt})/\text{length}(\text{above})$ number of different integrals, each with the same variance and mean 0 but different truncation points. See 'examples' below for an example with two integrals at different truncation points. The above argument specifies truncation from above (1) or below (0) on an element by element basis. Only one vector of above is allowed but multiple truncation points are allowed.

The user can choose between two random number generators for the numerical integration: pseudo-random numbers by R::runif or quasi-random numbers by a Halton sequence. Generally, the quasi-random (Halton) sequence is more uniformly distributed within domain, so it shows lower error and improved convergence than the pseudo-random (runif) sequence (Morokoff and Caflisch, 1995).

For the prime numbers generating Halton sequence, we suggest to use the first smallest prime numbers. Halton (1960) and Kocis and Whiten (1997) prove that their discrepancy measures (how uniformly the sample points are distributed) have the upper bounds, which decrease as the generating prime number decreases.

Note: For a high dimensional integration (10 or more dimension), we suggest use of the pseudo-random number generator (R::runif) because, according to Kocis and Whiten (1997), Halton sequences may be highly correlated when the dimension is 10 or more.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.
Keunwoo Kim, Anderson School, UCLA, <keunwoo.kim@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch, Chapter 2.

For Halton sequence, see Halton (1960, *Numerische Mathematik*), Morokoff and Caflisch (1995, *Journal of Computational Physics*), and Kocis and Whiten (1997, *ACM Transactions on Mathematical Software*).

Examples

```
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=2)
L = t(chol(Sigma))
trunpt = c(0,0,1,1)
above = c(1,1)
# here we have a two dimensional integral with two different truncation points
# (0,0) and (1,1)
# however, there is only one vector of "above" indicators for each integral
# above=c(1,1) is applied to both integrals.

# drawn by Halton sequence
ghkvec(L, trunpt, above, r=100)

# use prime number 11 and 13
ghkvec(L, trunpt, above, r=100, HALTON=TRUE, pn=c(11,13))

# drawn by R::runif
ghkvec(L, trunpt, above, r=100, HALTON=FALSE)
```

llmnl

Evaluate Log Likelihood for Multinomial Logit Model

Description

llmnl evaluates log-likelihood for the multinomial logit model.

Usage

```
llmnl(beta, y, X)
```

Arguments

beta	<i>k</i> x1 coefficient vector
y	<i>n</i> x1 vector of obs on y (1,..., p)
X	<i>n</i> * <i>p</i> x <i>k</i> design matrix (use createX to create X)

Details

Let $\mu_i = X_i \text{beta}$, then $Pr(y_i = j) = \exp(\mu_{i,j}) / \sum_k \exp(\mu_{i,k})$.
 X_i is the submatrix of X corresponding to the i th observation. X has $n * p$ rows.

Use `createX` to create X .

Value

Value of log-likelihood (sum of log prob of observed multinomial outcomes).

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[createX](#), [rnm1IndepMetrop](#)

Examples

```
## Not run: ll=llmnl(beta,y,X)
```

llmnp

Evaluate Log Likelihood for Multinomial Probit Model

Description

llmnp evaluates the log-likelihood for the multinomial probit model.

Usage

```
llmnp(beta, Sigma, X, y, r)
```

Arguments

beta	k x 1 vector of coefficients
Sigma	(p-1) x (p-1) covariance matrix of errors
X	n*(p-1) x k array where X is from differenced system
y	vector of n indicators of multinomial response (1, ..., p)
r	number of draws used in GHK

Details

X is $(p-1) * n * k$ matrix. Use `createX` with `DIFF=TRUE` to create X .

Model for each obs: $w = Xbeta + e$ with $e \sim N(0, Sigma)$.

Censoring mechanism:

if $y = j (j < p)$, $w_j > \max(w_{-j})$ and $w_j > 0$

if $y = p$, $w < 0$

To use GHK, we must transform so that these are rectangular regions e.g. if $y = 1$, $w_1 > 0$ and $w_1 - w_{-1} > 0$.

Define A_j such that if $j = 1, \dots, p-1$ then $A_j w = A_j \mu + A_j e > 0$ is equivalent to $y = j$. Thus, if $y = j$, we have $A_j e > -A_j \mu$. Lower truncation is $-A_j \mu$ and $cov = A_j Sigma A_j'$. For $j = p$, $e < -\mu$.

Value

Value of log-likelihood (sum of log prob of observed multinomial outcomes)

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapters 2 and 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

`createX`, `rmnpGibbs`

Examples

```
## Not run: ll=llmnp(beta, Sigma, X, y, r)
```

llnhlogit

Evaluate Log Likelihood for non-homothetic Logit Model

Description

llnhlogit evaluates log-likelihood for the Non-homothetic Logit model.

Usage

```
llnhlogit(theta, choice, lnprices, Xexpend)
```

Arguments

theta	parameter vector (see details section)
choice	$n \times 1$ vector of choice (1,...,p)
lnprices	$n \times p$ array of log-prices
Xexpend	$n \times d$ array of vars predicting expenditure

Details

Non-homothetic logit model, $Pr(i) = \exp(\tau u v_i) / \sum_j \exp(\tau u v_j)$

$$v_i = \alpha_i - e^{\kappa \text{Star}_i} u^i - \ln p_i$$

tau is the scale parameter of extreme value error distribution.

$$u^i \text{ solves } u^i = \psi_i(u^i) E / p_i.$$

$$\ln(\psi_i(U)) = \alpha_i - e^{\kappa \text{Star}_i} U.$$

$$\ln(E) = \gamma' X \text{expend}.$$

Structure of theta vector:

alpha: $p \times 1$ vector of utility intercepts.

kappaStar: $p \times 1$ vector of utility rotation parms expressed on natural log scale.

gamma: $k \times 1$ – expenditure variable coefs.

tau: 1×1 – logit scale parameter.

Value

Value of log-likelihood (sum of log prob of observed multinomial outcomes).

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[simnhlogit](#)

Examples

```
N=1000; p=3; k=1
theta = c(rep(1,p), seq(from=-1,to=1,length=p), rep(2,k), 0.5)
lnprices = matrix(runif(N*p), ncol=p)
Xexpend = matrix(runif(N*k), ncol=k)
simdata = simnhlogit(theta, lnprices, Xexpend)

## evaluate likelihood at true theta
llstar = llnhlogit(theta, simdata$y, simdata$lnprices, simdata$Xexpend)
```

IndIChisq

Compute Log of Inverted Chi-Squared Density

Description

IndIChisq computes the log of an Inverted Chi-Squared Density.

Usage

```
IndIChisq(nu, ssq, X)
```

Arguments

nu	d.f. parameter
ssq	scale parameter
X	ordinate for density evaluation (this must be a matrix)

Details

$Z = nu * ssq / \chi_{nu}^2$ with $Z \sim$ Inverted Chi-Squared.

IndIChisq computes the complete log-density, including normalizing constants.

Value

Log density value

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[dchisq](#)

Examples

```
IndIChisq(3, 1, matrix(2))
```

IndIWishart

Compute Log of Inverted Wishart Density

Description

IndIWishart computes the log of an Inverted Wishart density.

Usage

```
IndIWishart(nu, V, IW)
```

Arguments

nu	d.f. parameter
V	"location" parameter
IW	ordinate for density evaluation

Details

$Z \sim \text{Inverted Wishart}(nu, V)$.

In this parameterization, $E[Z] = 1/(nu - k - 1)V$, where V is a $k \times k$ matrix

IndIWishart computes the complete log-density, including normalizing constants.

Value

Log density value

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rwishart](#)

Examples

```
IndIWishart(5, diag(3), diag(3)+0.5)
```

IndMvn

Compute Log of Multivariate Normal Density

Description

IndMvn computes the log of a Multivariate Normal Density.

Usage

```
IndMvn(x, mu, rooti)
```

Arguments

x	density ordinate
mu	mu vector
rooti	inv of upper triangular Cholesky root of Σ

Details

$$z \sim N(\mu, \Sigma)$$
Value

Log density value

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[IndMvst](#)

Examples

```
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=2)
IndMvn(x=c(rep(0,2)), mu=c(rep(0,2)), rooti=backsolve(chol(Sigma),diag(2)))
```

IndMvst

Compute Log of Multivariate Student-t Density

Description

IndMvst computes the log of a Multivariate Student-t Density.

Usage

```
IndMvst(x, nu, mu, rooti, NORMC)
```

Arguments

x	density ordinate
nu	d.f. parameter
mu	mu vector
rooti	inv of Cholesky root of Σ
NORMC	include normalizing constant (def: FALSE)

Details

$$z \sim MVst(mu, nu, \Sigma)$$
Value

Log density value

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[lndMvn](#)

Examples

```
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=2)
lndMvst(x=c(rep(0,2)), nu=4,mu=c(rep(0,2)), rooti=backsolve(chol(Sigma),diag(2)))
```

logMargDenNR

Compute Log Marginal Density Using Newton-Raftery Approx

Description

logMargDenNR computes log marginal density using the Newton-Raftery approximation.

Usage

```
logMargDenNR(l1)
```

Arguments

`l1` vector of log-likelihoods evaluated at `length(l1)` MCMC draws

Value

Approximation to log marginal density value.

Warning

This approximation can be influenced by outliers in the vector of log-likelihoods; use with **care**. This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 6, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

margarine *Household Panel Data on Margarine Purchases*

Description

Panel data on purchases of margarine by 516 households. Demographic variables are included.

Usage

```
data(margarine)
```

Format

The detailing object is a list containing two data frames, `choicePrice` and `demos`.

Details

In the `choicePrice` data frame:

```
... $hhid   household ID
... $choice multinomial indicator of one of the 10 products
```

The products are indicated by brand and type.

Brands:

```
... $Pk   Parkay
... $BB   BlueBonnett
... $F1   Fleischmanns
... $Hse  house
... $Gen  generic
... $Imp  Imperial
... $SS   Shed Spread
```

Product type:

```
... $_Stk  stick
... $_Tub  tub
```

In the `demos` data frame:

```
... $Fs3_4  dummy for family size 3-4
... $Fs5    dummy for family size >= 5
... $college dummy for education status
... $whtcollar dummy for job status
... $retired  dummy for retirement status
```

All prices are in U.S. dollars.

Source

Allenby, Greg and Peter Rossi (1991), "Quality Perceptions and Asymmetric Switching Between Brands," *Marketing Science* 10, 185–205.

References

Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```

data(margarine)
cat(" Table of Choice Variable ", fill=TRUE)
print(table(margarine$choicePrice[,2]))

cat(" Means of Prices", fill=TRUE)
mat=apply(as.matrix(margarine$choicePrice[,3:12]), 2, mean)
print(mat)

cat(" Quantiles of Demographic Variables", fill=TRUE)
mat=apply(as.matrix(margarine$demos[,2:8]), 2, quantile)
print(mat)

## example of processing for use with 'rhierMnlRwMixture'
if(0) {
  select = c(1:5,7) ## select brands
  chPr = as.matrix(margarine$choicePrice)

  ## make sure to log prices
  chPr = cbind(chPr[,1], chPr[,2], log(chPr[,2+select]))
  demos = as.matrix(margarine$demos[,c(1,2,5)])

  ## remove obs for other alts
  chPr = chPr[chPr[,2] <= 7,]
  chPr = chPr[chPr[,2] != 6,]

  ## recode choice
  chPr[chPr[,2] == 7,2] = 6

  hhidl = levels(as.factor(chPr[,1]))
  lgtdata = NULL
  nlgt = length(hhidl)
  p = length(select) ## number of choice alts

  ind = 1
  for (i in 1:nlgt) {
    nob = sum(chPr[,1]==hhidl[i])
    if(nob >=5) {
      data = chPr[chPr[,1]==hhidl[i],]
      y = data[,2]
      names(y) = NULL
      X = createX(p=p, na=1, Xa=data[,3:8], nd=NULL, Xd=NULL, INT=TRUE, base=1)
    }
  }
}

```

```

    lgtdata[[ind]] = list(y=y, X=X, hhid=hhid1[i])
    ind = ind+1
  }
}
nlt = length(lgtdata)

## now extract demos corresponding to hhs in lgtdata
Z = NULL
nlt = length(lgtdata)
for(i in 1:nlt){
  Z = rbind(Z, demos[demos[,1]==lgtdata[[i]]$hhid, 2:3])
}

## take log of income and family size and demean
Z = log(Z)
Z[,1] = Z[,1] - mean(Z[,1])
Z[,2] = Z[,2] - mean(Z[,2])

keep = 5
R = 20000
mcmc1 = list(keep=keep, R=R)

out = rhierMnlRwMixture(Data=list(p=p,lgtdata=lgtdata, Z=Z),
                      Prior=list(ncomp=1), Mcmc=mcmc1)

summary(out$Deltadraw)
summary(out$nmix)

## plotting examples
if(0){
  plot(out$nmix)
  plot(out$Deltadraw)
}
}

```

mixDen

Compute Marginal Density for Multivariate Normal Mixture

Description

mixDen computes the marginal density for each dimension of a normal mixture at each of the points on a user-specified grid.

Usage

```
mixDen(x, pvec, comps)
```

Arguments

x	array where i th column gives grid points for i th variable
pvec	vector of mixture component probabilities
comps	list of lists of components for normal mixture

Details

length(comps)	is the number of mixture components
comps[[j]]	is a list of parameters of the j th component
comps[[j]]\$mu	is mean vector
comps[[j]]\$root	is the UL decomp of Σ^{-1}

Value

An array of the same dimension as grid with density values

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rnmixGibbs](#)

 mixDenBi

Compute Bivariate Marginal Density for a Normal Mixture

Description

mixDenBi computes the implied bivariate marginal density from a mixture of normals with specified mixture probabilities and component parameters.

Usage

```
mixDenBi(i, j, xi, xj, pvec, comps)
```

Arguments

i	index of first variable
j	index of second variable
xi	grid of values of first variable
xj	grid of values of second variable
pvec	normal mixture probabilities
comps	list of lists of components

Details

length(comps)	is the number of mixture components
comps[[j]]	is a list of parameters of the j th component
comps[[j]]\$mu	is mean vector
comps[[j]]\$rooti	is the UL decomp of Σ^{-1}

Value

An array (length(xi)=length(xj) × 2) with density value

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rnmixGibbs](#), [mixDen](#)

mnlHess *Computes -Expected Hessian for Multinomial Logit*

Description

mnlHess computes expected Hessian ($E[H]$) for Multinomial Logit Model.

Usage

```
mnlHess(beta, y, X)
```

Arguments

beta	<i>kx1</i> vector of coefficients
y	<i>nx1</i> vector of choices, $(1, \dots, p)$
X	<i>n * pxk</i> Design matrix

Details

See [llmnl](#) for information on structure of X array. Use [createX](#) to make X.

Value

kxk matrix

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[llmnl](#), [createX](#), [rmnlIndepMetrop](#)

Examples

```
## Not run: mnlHess(beta, y, X)
```

mnpProb

Compute MNP Probabilities

Description

mnpProb computes MNP probabilities for a given X matrix corresponding to one observation. This function can be used with output from `rmnpGibbs` to simulate the posterior distribution of market shares or fitted probabilities.

Usage

```
mnpProb(beta, Sigma, X, r)
```

Arguments

beta	MNP coefficients
Sigma	Covariance matrix of latents
X	X array for one observation – use <code>createX</code> to make
r	number of draws used in GHK (def: 100)

Details

See `rmnpGibbs` for definition of the model and the interpretation of the beta and Sigma parameters. Uses the GHK method to compute choice probabilities. To simulate a distribution of probabilities, loop over the beta and Sigma draws from `rmnpGibbs` output.

Value

$px1$ vector of choice probabilities

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapters 2 and 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

`rmnpGibbs`, `createX`

Examples

```
## example of computing MNP probabilities
## here Xa has the prices of each of the 3 alternatives

Xa = matrix(c(1,.5,1.5), nrow=1)
X  = createX(p=3, na=1, nd=NULL, Xa=Xa, Xd=NULL, DIFF=TRUE)
beta = c(1,-1,-2) ## beta contains two intercepts and the price coefficient
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=2)

mnpProb(beta, Sigma, X)
```

momMix

*Compute Posterior Expectation of Normal Mixture Model Moments***Description**

momMix averages the moments of a normal mixture model over MCMC draws.

Usage

```
momMix(probdraw, compdraw)
```

Arguments

probdraw	<i>Rxncomp</i> list of draws of mixture probs
compdraw	list of length <i>R</i> of draws of mixture component moments

Details

<i>R</i>	is the number of MCMC draws in argument list above.
<i>ncomp</i>	is the number of mixture components fitted.
<i>compdraw</i>	is a list of lists of lists with mixture components.
<i>compdraw[[i]]</i>	is <i>i</i> th draw.
<i>compdraw[[i]][[j]][[1]]</i>	is the mean parameter vector for the <i>j</i> th component, <i>i</i> th MCMC draw.
<i>compdraw[[i]][[j]][[2]]</i>	is the UL decomposition of Σ^{-1} for the <i>j</i> th component, <i>i</i> th MCMC draw

Value

A list containing:

<i>mu</i>	posterior expectation of mean
<i>sigma</i>	posterior expectation of covariance matrix
<i>sd</i>	posterior expectation of vector of standard deviations
<i>corr</i>	posterior expectation of correlation matrix

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmixGibbs](#)

 nmat

Convert Covariance Matrix to a Correlation Matrix

Description

nmat converts a covariance matrix (stored as a vector, col by col) to a correlation matrix (also stored as a vector).

Usage

nmat(vec)

Arguments

vec $k \times k$ Cov matrix stored as a $k * k \times 1$ vector (col by col)

Details

This routine is often used with apply to convert an $R \times (k * k)$ array of covariance MCMC draws to correlations. As in corrdraws = apply vardraws, 1, nmat).

Value

$k * k \times 1$ vector with correlation matrix

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

Examples

```
set.seed(66)
X = matrix(rnorm(200,4), ncol=2)
Varmat = var(X)
nmat(as.vector(Varmat))
```

numEff	<i>Compute Numerical Standard Error and Relative Numerical Efficiency</i>
--------	---

Description

numEff computes the numerical standard error for the mean of a vector of draws as well as the relative numerical efficiency (ratio of variance of mean of this time series process relative to iid sequence).

Usage

```
numEff(x, m = as.integer(min(length(x), (100/sqrt(5000))*sqrt(length(x)))))
```

Arguments

x	<i>R</i> x1 vector of draws
m	number of lags for autocorrelations

Details

default for number of lags is chosen so that if $R = 5000$, $m = 100$ and increases as the \sqrt{R} .

Value

A list containing:

stderr	standard error of the mean of x
f	variance ratio (relative numerical efficiency)

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
numEff(rnorm(1000), m=20)
numEff(rnorm(1000))
```

orangeJuice *Store-level Panel Data on Orange Juice Sales*

Description

Weekly sales of refrigerated orange juice at 83 stores. Contains demographic information on those stores.

Usage

```
data(orangeJuice)
```

Format

The orangeJuice object is a list containing two data frames, yx and storedemo.

Details

In the yx data frame:

...\$store	store number
...\$brand	brand indicator
...\$week	week number
...\$logmove	log of the number of units sold
...\$constant	a vector of 1s
...\$price#	price of brand #
...\$deal	in-store coupon activity
...\$feature	feature advertisement
...\$profit	profit

The price variables correspond to the following brands:

1	Tropicana Premium 64 oz
2	Tropicana Premium 96 oz
3	Florida's Natural 64 oz
4	Tropicana 64 oz
5	Minute Maid 64 oz
6	Minute Maid 96 oz

7	Citrus Hill 64 oz
8	Tree Fresh 64 oz
9	Florida Gold 64 oz
10	Dominicks 64 oz
11	Dominicks 128 oz

In the storedemo data frame:

...\$STORE	store number
...\$AGE60	percentage of the population that is aged 60 or older
...\$EDUC	percentage of the population that has a college degree
...\$ETHNIC	percent of the population that is black or Hispanic
...\$INCOME	median income
...\$HHLARGE	percentage of households with 5 or more persons
...\$WORKWOM	percentage of women with full-time jobs
...\$HVAL150	percentage of households worth more than \$150,000
...\$SSTRDIST	distance to the nearest warehouse store
...\$SSTRVOL	ratio of sales of this store to the nearest warehouse store
...\$CPDIST5	average distance in miles to the nearest 5 supermarkets
...\$CPWVOL5	ratio of sales of this store to the average of the nearest five stores

Source

Alan L. Montgomery (1997), "Creating Micro-Marketing Pricing Strategies Using Supermarket Scanner Data," *Marketing Science* 16(4) 315–337.

References

Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
## load data
data(orangeJuice)

## print some quantiles of yx data
cat("Quantiles of the Variables in yx data",fill=TRUE)
mat = apply(as.matrix(orangeJuice$yx), 2, quantile)
print(mat)

## print some quantiles of storedemo data
cat("Quantiles of the Variables in storedemo data",fill=TRUE)
mat = apply(as.matrix(orangeJuice$storedemo), 2, quantile)
print(mat)

## processing for use with rhierLinearModel
if(0) {

  ## select brand 1 for analysis
```

```

brand1 = orangeJuice$yx[(orangeJuice$yx$brand==1),]

store = sort(unique(brand1$store))
nreg = length(store)
nvar = 14

regdata=NULL
for (reg in 1:nreg) {
  y = brand1$logmove[brand1$store==store[reg]]
  iota = c(rep(1,length(y)))
  X = cbind(iota,log(brand1$price1[brand1$store==store[reg]]),
            log(brand1$price2[brand1$store==store[reg]]),
            log(brand1$price3[brand1$store==store[reg]]),
            log(brand1$price4[brand1$store==store[reg]]),
            log(brand1$price5[brand1$store==store[reg]]),
            log(brand1$price6[brand1$store==store[reg]]),
            log(brand1$price7[brand1$store==store[reg]]),
            log(brand1$price8[brand1$store==store[reg]]),
            log(brand1$price9[brand1$store==store[reg]]),
            log(brand1$price10[brand1$store==store[reg]]),
            log(brand1$price11[brand1$store==store[reg]]),
            brand1$deal[brand1$store==store[reg]],
            brand1$feat[brand1$store==store[reg]] )
  regdata[[reg]] = list(y=y, X=X)
}

## storedemo is standardized to zero mean.
Z = as.matrix(orangeJuice$storedemo[,2:12])
dmean = apply(Z, 2, mean)
for (s in 1:nreg) {Z[s,] = Z[s,] - dmean}
iotaz = c(rep(1,nrow(Z)))
Z = cbind(iotaz, Z)
nz = ncol(Z)

Data = list(regdata=regdata, Z=Z)
Mcmc = list(R=R, keep=1)

out = rhierLinearModel(Data=Data, Mcmc=Mcmc)

summary(out$Deltadraw)
summary(out$Vbetadraw)

## plotting examples
if(0){ plot(out$betadraw) }
}

```

Description

plot.bayesm.hcoef is an S3 method to plot 3 dim arrays of hierarchical coefficients. Arrays are of class bayesm.hcoef with dimensions: cross-sectional unit x coef x MCMC draw.

Usage

```
## S3 method for class 'bayesm.hcoef'  
plot(x,names,burnin,...)
```

Arguments

x	An object of S3 class, bayesm.hcoef
names	a list of names for the variables in the hierarchical model
burnin	no draws to burnin (def: $0.1 * R$)
...	standard graphics parameters

Details

Typically, plot.bayesm.hcoef will be invoked by a call to the generic plot function as in plot(object) where object is of class bayesm.hcoef. All of the bayesm hierarchical routines return draws of hierarchical coefficients in this class (see example below). One can also simply invoke plot.bayesm.hcoef on any valid 3-dim array as in plot.bayesm.hcoef(betadraws).

plot.bayesm.hcoef is also exported for use as a standard function, as in plot.bayesm.hcoef(array).

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[rhierMnlRwMixture](#), [rhierLinearModel](#), [rhierLinearMixture](#), [rhierNegbinRw](#)

Examples

```
## Not run: out=rhierLinearModel(Data,Prior,Mcmc); plot(out$betadraws)
```

plot.bayesm.mat

Plot Method for Arrays of MCMC Draws

Description

plot.bayesm.mat is an S3 method to plot arrays of MCMC draws. The columns in the array correspond to parameters and the rows to MCMC draws.

Usage

```
## S3 method for class 'bayesm.mat'
plot(x,names,burnin,tvalues,TRACEPLOT,DEN,INT,CHECK_NDRAWS, ...)
```

Arguments

x	An object of either S3 class, bayesm.mat, or S3 class, mcmc
names	optional character vector of names for coefficients
burnin	number of draws to discard for burn-in (def: $0.1 * nrow(X)$)
tvalues	vector of true values
TRACEPLOT	logical, TRUE provide sequence plots of draws and acfs (def: TRUE)
DEN	logical, TRUE use density scale on histograms (def: TRUE)
INT	logical, TRUE put various intervals and points on graph (def: TRUE)
CHECK_NDRAWS	logical, TRUE check that there are at least 100 draws (def: TRUE)
...	standard graphics parameters

Details

Typically, plot.bayesm.mat will be invoked by a call to the generic plot function as in plot(object) where object is of class bayesm.mat. All of the bayesm MCMC routines return draws in this class (see example below). One can also simply invoke plot.bayesm.mat on any valid 2-dim array as in plot.bayesm.mat(betadraws).

plot.bayesm.mat paints (by default) on the histogram:

green "[]" delimiting 95% Bayesian Credibility Interval
yellow "(" showing +/- 2 numerical standard errors
red "|" showing posterior mean

plot.bayesm.mat is also exported for use as a standard function, as in plot.bayesm.mat(matrix)

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

Examples

```
## Not run: out=runiregGibbs(Data,Prior,Mcmc); plot(out$betadraw)
```

plot.bayesm.nmix *Plot Method for MCMC Draws of Normal Mixtures*

Description

plot.bayesm.nmix is an S3 method to plot aspects of the fitted density from a list of MCMC draws of normal mixture components. Plots of marginal univariate and bivariate densities are produced.

Usage

```
## S3 method for class 'bayesm.nmix'  
plot(x, names, burnin, Grid, bi.sel, nstd, marg, Data, ngrid, ndraw, ...)
```

Arguments

x	An object of S3 class bayesm.nmix
names	optional character vector of names for each of the dimensions
burnin	number of draws to discard for burn-in (def: $0.1 * nrow(X)$)
Grid	matrix of grid points for densities, def: mean +/- nstd std deviations (if Data no supplied), range of Data if supplied)
bi.sel	list of vectors, each giving pairs for bivariate distributions (def: <code>list(c(1,2))</code>)
nstd	number of standard deviations for default Grid (def: 2)
marg	logical, if TRUE display marginals (def: TRUE)
Data	matrix of data points, used to paint histograms on marginals and for grid
ngrid	number of grid points for density estimates (def: 50)
ndraw	number of draws to average Mcmc estimates over (def: 200)
...	standard graphics parameters

Details

Typically, plot.bayesm.nmix will be invoked by a call to the generic plot function as in plot(object) where object is of class bayesm.nmix. These objects are lists of three components. The first component is an array of draws of mixture component probabilities. The second component is not used. The third is a lists of lists of lists with draws of each of the normal components.

plot.bayesm.nmix can also be used as a standard function, as in plot.bayesm.nmix(list).

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[rnmixGibbs](#), [rhierMnlRwMixture](#), [rhierLinearMixture](#), [rDPGibbs](#)

Examples

```
## not run
# out = rnmixGibbs(Data, Prior, Mcmc)

## plot bivariate distributions for dimension 1,2; 3,4; and 1,3
# plot(out,bi.sel=list(c(1,2),c(3,4),c(1,3)))
```

rbayesBLP

Bayesian Analysis of Random Coefficient Logit Models Using Aggregate Data

Description

rbayesBLP implements a hybrid MCMC algorithm for aggregate level sales data in a market with differentiated products. bayesm version 3.1-0 and prior verions contain an error when using instruments with this function; this will be fixed in a future version.

Usage

```
rbayesBLP(Data, Prior, Mcmc)
```

Arguments

Data	list(X, share, J, Z)
Prior	list(sigmasqR, theta_hat, A, deltabar, Ad, nu0, s0_sq, VOmega)
Mcmc	list(R, keep, nprint, H, initial_theta_bar, initial_r, initial_tau_sq, initial_Omega, initial_delta, s, cand_cov, tol)

Value

A list containing:

thetabardraw	$K \times R / \text{keep}$ matrix of random coefficient mean draws
Sigmadraw	$K * K \times R / \text{keep}$ matrix of random coefficient variance draws
rdraw	$K * K \times R / \text{keep}$ matrix of r draws (same information as in Sigmadraw)
tausqdraw	$R / \text{keep} \times 1$ vector of aggregate demand shock variance draws
Omegadraw	$2 * 2 \times R / \text{keep}$ matrix of correlated endogenous shock variance draws
deltadraw	$I \times R / \text{keep}$ matrix of endogenous structural equation coefficient draws
acceptrate	scalor of acceptance rate of Metropolis-Hasting
s	scale parameter used for Metropolis-Hasting
cand_cov	var-cov matrix used for Metropolis-Hasting

Argument Details

Data = list(X, share, J, Z) [Z optional]

- J: number of alternatives, excluding an outside option
X: $J * TxK$ matrix (no outside option, which is normalized to 0).
If IV is used, the last column of X is the endogeneous variable.
share: $J * T$ vector (no outside option).
Note that both the share vector and the X matrix are organized by the jt index.
 j varies faster than t , i.e. $(j = 1, t = 1), (j = 2, t = 1), \dots, (j = J, T = 1), \dots, (j = J, t = T)$
Z: $J * TxI$ matrix of instrumental variables (optional)

Prior = list(sigmasqR, theta_hat, A, deltabar, Ad, nu0, s0_sq, V0omega) [optional]

- sigmasqR: $K * (K + 1)/2$ vector for r prior variance (def: diffuse prior for Σ)
theta_hat: K vector for θ_{bar} prior mean (def: 0 vector)
A: KxK matrix for θ_{bar} prior precision (def: $0.01 * \text{diag}(K)$)
deltabar: I vector for δ prior mean (def: 0 vector)
Ad: IxI matrix for δ prior precision (def: $0.01 * \text{diag}(I)$)
nu0: d.f. parameter for τ_{sq} and Ω prior (def: $K+1$)
s0_sq: scale parameter for τ_{sq} prior (def: 1)
V0omega: $2x2$ matrix parameter for Ω prior (def: $\text{matrix}(c(1, 0.5, 0.5, 1), 2, 2)$)

Mcmc = list(R, keep, nprint, H, initial_theta_bar, initial_r, initial_tau_sq, initial_Omega, initial_delta, s, cand_cov, tol) [only R and H required]

- R: number of MCMC draws
keep: MCMC thinning parameter – keep every keepth draw (def: 1)
nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
H: number of random draws used for Monte-Carlo integration
initial_theta_bar: initial value of θ_{bar} (def: 0 vector)
initial_r: initial value of r (def: 0 vector)
initial_tau_sq: initial value of τ_{sq} (def: 0.1)
initial_Omega: initial value of Ω (def: $\text{diag}(2)$)
initial_delta: initial value of δ (def: 0 vector)
s: scale parameter of Metropolis-Hasting increment (def: automatically tuned)
cand_cov: var-cov matrix of Metropolis-Hasting increment (def: automatically tuned)
tol: convergence tolerance for the contraction mapping (def: $1e-6$)

Model Details**Model and Priors (without IV)::**

$$u_{ijt} = X_{jt}\theta_i + \eta_{jt} + e_{ijt}$$

$$e_{ijt} \sim \text{type I Extreme Value (logit)}$$

$$\theta_i \sim N(\theta_{bar}, \Sigma)$$

$$\eta_{jt} \sim N(0, \tau_{sq})$$


```
If acceptance rate < 30% => update s1 = s0/5.
If acceptance rate > 50% => update s1 = s0*3.
(Store r draws if acceptance rate is 20~80%.)
s0 = s1
} until acceptance rate is 30~50%
Scale matrix C = s1*sqrt(cand_cov0)
Correlation matrix R = Corr(r draws)
Use C*R*C as s^2*cand_cov.
```

Author(s)

Peter Rossi and K. Kim, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Analysis of Random Coefficient Logit Models Using Aggregate Data* by Jiang, Manchanda, and Rossi, *Journal of Econometrics*, 2009.

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {

## Simulate aggregate level data
simulData <- function(para, others, Hbatch) {
  # Hbatch does the integration for computing market shares
  #   in batches of size Hbatch

  ## parameters
  theta_bar <- para$theta_bar
  Sigma <- para$Sigma
  tau_sq <- para$tau_sq

  T <- others$T
  J <- others$J
  p <- others$p
  H <- others$H
  K <- J + p

  ## build X
  X <- matrix(runif(T*J*p), T*J, p)
  inter <- NULL
  for (t in 1:T) { inter <- rbind(inter, diag(J)) }
  X <- cbind(inter, X)

  ## draw eta ~ N(0, tau_sq)
  eta <- rnorm(T*J)*sqrt(tau_sq)
  X <- cbind(X, eta)

  share <- rep(0, J*T)
  for (HH in 1:(H/Hbatch)){
    ## draw theta ~ N(theta_bar, Sigma)
```

```

cho <- chol(Sigma)
theta <- matrix(rnorm(K*Hbatch), nrow=K, ncol=Hbatch)
theta <- t(cho)%*%theta + theta_bar

## utility
V <- X%*%rbind(theta, 1)
expV <- exp(V)
expSum <- matrix(colSums(matrix(expV, J, T*Hbatch)), T, Hbatch)
expSum <- expSum %x% matrix(1, J, 1)
choiceProb <- expV / (1 + expSum)
share <- share + rowSums(choiceProb) / H
}

## the last K+1'th column is eta, which is unobservable.
X <- X[,c(1:K)]
return (list(X=X, share=share))
}

## true parameter
theta_bar_true <- c(-2, -3, -4, -5)
Sigma_true <- rbind(c(3,2,1.5,1), c(2,4,-1,1.5), c(1.5,-1,4,-0.5), c(1,1.5,-0.5,3))
cho <- chol(Sigma_true)
r_true <- c(log(diag(cho)), cho[1,2:4], cho[2,3:4], cho[3,4])
tau_sq_true <- 1

## simulate data
set.seed(66)
T <- 300
J <- 3
p <- 1
K <- 4
H <- 1000000
Hbatch <- 5000

dat <- simulData(para=list(theta_bar=theta_bar_true, Sigma=Sigma_true, tau_sq=tau_sq_true),
                 others=list(T=T, J=J, p=p, H=H), Hbatch)
X <- dat$X
share <- dat$share

## Mcmc run
R <- 2000
H <- 50
Data1 <- list(X=X, share=share, J=J)
Mcmc1 <- list(R=R, H=H, nprint=0)
set.seed(66)
out <- rbayesBLP(Data=Data1, Mcmc=Mcmc1)

## acceptance rate
out$acceptrate

## summary of draws
summary(out$thetabardraw)
summary(out$Sigmadraw)

```


References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmnpGibbs](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

## function to simulate from binary probit including x variable
simbprobit = function(X, beta) {
  y = ifelse((X%%beta + rnorm(nrow(X)))<0, 0, 1)
  list(X=X, y=y, beta=beta)
}

nobs = 200
X = cbind(rep(1,nobs), runif(nobs), runif(nobs))
beta = c(0,1,-1)
nvar = ncol(X)
simout = simbprobit(X, beta)

Data1 = list(X=simout$X, y=simout$y)
Mcmc1 = list(R=R, keep=1)

out = rbprobitGibbs(Data=Data1, Mcmc=Mcmc1)
summary(out$betadraw, tvalues=beta)

## plotting example
if(0){plot(out$betadraw, tvalues=beta)}
```

rdirichlet

Draw From Dirichlet Distribution

Description

rdirichlet draws from Dirichlet

Usage

```
rdirichlet(alpha)
```

Arguments

alpha vector of Dirichlet parms (must be > 0)

Value

Vector of draws from Dirichlet

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
set.seed(66)
rdirichlet(c(rep(3,5)))
```

 rDPGibbs

Density Estimation with Dirichlet Process Prior and Normal Base

Description

rDPGibbs implements a Gibbs Sampler to draw from the posterior for a normal mixture problem with a Dirichlet Process prior. A natural conjugate base prior is used along with priors on the hyper parameters of this distribution. One interpretation of this model is as a normal mixture with a random number of components that can grow with the sample size.

Usage

```
rDPGibbs(Prior, Data, Mcmc)
```

Arguments

Data	list(y)
Prior	list(Prioralpha, lambda_hyper)
Mcmc	list(R, keep, nprint, maxuniq, SCALE, gridsize)

Details

Model and Priors: $y_i \sim N(\mu_i, \Sigma_i)$
 $\theta_i = (\mu_i, \Sigma_i) \sim DP(G_0(\lambda), \text{alpha})$

$G_0(\lambda)$:
 $\mu_i | \Sigma_i \sim N(0, \Sigma_i(x)a^{-1})$
 $\Sigma_i \sim IW(\text{nu}, \text{nu} * v * I)$
 $\lambda(a, \text{nu}, v)$:
 $a \sim \text{uniform on grid}[\text{alim}[1], \text{alimb}[2]]$
 $\text{nu} \sim \text{uniform on grid}[\text{dim}(\text{data})-1 + \exp(\text{nulim}[1]), \text{dim}(\text{data})-1 + \exp(\text{nulim}[2])]$
 $v \sim \text{uniform on grid}[\text{vlim}[1], \text{vlim}[2]]$
 $\text{alpha} \sim (1 - (\alpha - \text{alphamin})/(\text{alphamax} - \text{alphamin}))^{\text{power}}$
 $\text{alpha} = \text{alphamin}$ then expected number of components = Istarmin
 $\text{alpha} = \text{alphamax}$ then expected number of components = Istarmax

We parameterize the prior on Σ_i such that $\text{mode}(\Sigma) = \text{nu}/(\text{nu} + 2)vI$. The support of nu enforces valid IW density; $\text{nulim}[1] > 0$

We use the structure for nmix that is compatible with the bayesm routines for finite mixtures of normals. This allows us to use the same summary and plotting methods.

The default choices of alim, nulim, and vlim determine the location and approximate size of candidate "atoms" or possible normal components. The defaults are sensible given that we scale the data. Without scaling, you want to insure that alim is set for a wide enough range of values (remember a is a precision parameter) and the v is big enough to propose Sigma matrices wide enough to cover the data range.

A careful analyst should look at the posterior distribution of a, nu, v to make sure that the support is set correctly in alim, nulim, vlim. In other words, if we see the posterior bunched up at one end of these support ranges, we should widen the range and rerun.

If you want to force the procedure to use many small atoms, then set nulim to consider only large values and set vlim to consider only small scaling constants. Set Istarmax to a large number. This will create a very "lumpy" density estimate somewhat like the classical Kernel density estimates. Of course, this is not advised if you have a prior belief that densities are relatively smooth.

Argument Details: Data = list(y)

y: $n \times k$ matrix of observations on k dimensional data

Prior = list(Prioralpha, lambda_hyper) [optional]

Prioralpha: list(Istarmin, Istarmax, power)
 \$Istarmin: is expected number of components at lower bound of support of alpha (def: 1)
 \$Istarmax: is expected number of components at upper bound of support of alpha (def: min(50, 0.1*nrow(y)))
 \$power: is the power parameter for alpha prior (def: 0.8)
 lambda_hyper: list(alim, nulim, vlim)
 \$alim: defines support of a distribution (def: c(0.01, 10))
 \$nulim: defines support of nu distribution (def: c(0.01, 3))
 \$vlim: defines support of v distribution (def: c(0.1, 4))

Mcmc = list(R, keep, nprint, maxuniq, SCALE, gridsizes) [only R required]


```

out1 = rDPGibbs(Prior=Prior1, Data=Data1, Mcmc=Mcmc)

if(0){
  ## plotting examples
  rgi = c(0,20)
  grid = matrix(seq(from=rgi[1],to=rgi[2],length.out=50), ncol=1)
  deltax = (rgi[2]-rgi[1]) / nrow(grid)
  plot(out1$nmix, Grid=grid, Data=y1)

  ## plot true density with histogram
  plot(range(grid[,1]), 1.5*range(dchisq(grid[,1],df=chisqdf)),
        type="n", xlab=paste("Chisq ; ",N," obs",sep=""), ylab="")
  hist(y1, xlim=rgi, freq=FALSE, col="yellow", breaks=20, add=TRUE)
  lines(grid[,1], dchisq(grid[,1],df=chisqdf) / (sum(dchisq(grid[,1],df=chisqdf))*deltax),
        col="blue", lwd=2)
}

## simulate bivariate data from the "Banana" distribution (Meng and Barnard)

banana = function(A, B, C1, C2, N, keep=10, init=10) {
  R = init*keep + N*keep
  x1 = x2 = 0
  bimat = matrix(double(2*N), ncol=2)
  for (r in 1:R) {
    x1 = rnorm(1,mean=(B*x2+C1) / (A*(x2^2)+1), sd=sqrt(1/(A*(x2^2)+1)))
    x2 = rnorm(1,mean=(B*x2+C2) / (A*(x1^2)+1), sd=sqrt(1/(A*(x1^2)+1)))
    if (r>init*keep && r%%keep==0) {
      mkeep = r/keep
      bimat[mkeep-init,] = c(x1,x2)
    }
  }
  return(bimat)
}

set.seed(66)
nvar2 = 2
A = 0.5
B = 0
C1 = C2 = 3
y2 = banana(A=A, B=B, C1=C1, C2=C2, 1000)

Data2 = list(y=y2)
Prioralpha = list(Istarmin=1, Istarmax=10, power=0.8)
Prior2 = list(Prioralpha=Prioralpha)
Mcmc = list(R=R, keep=1, maxuniq=200)

out2 = rDPGibbs(Prior=Prior2, Data=Data2, Mcmc=Mcmc)

if(0){
  ## plotting examples

```

```
rx1 = range(y2[,1])
rx2 = range(y2[,2])
x1 = seq(from=rx1[1], to=rx1[2], length.out=50)
x2 = seq(from=rx2[1], to=rx2[2], length.out=50)
grid = cbind(x1,x2)
plot(out2$nmix, Grid=grid, Data=y2)

## plot true bivariate density
tden = matrix(double(50*50), ncol=50)
for (i in 1:50) {
  for (j in 1:50) {
    tden[i,j] = exp(-0.5*(A*(x1[i]^2)*(x2[j]^2) +
      (x1[i]^2) + (x2[j]^2) - 2*B*x1[i]*x2[j] -
      2*C1*x1[i] - 2*C2*x2[j]))
  }
}
tden = tden / sum(tden)
image(x1, x2, tden, col=terrain.colors(100), xlab="", ylab="")
contour(x1, x2, tden, add=TRUE, drawlabels=FALSE)
title("True Density")
}
```

rhierBinLogit

MCMC Algorithm for Hierarchical Binary Logit

Description

This function has been deprecated. Please use `rhierMnlRwMixture` instead.

`rhierBinLogit` implements an MCMC algorithm for hierarchical binary logits with a normal heterogeneity distribution. This is a hybrid sampler with a RW Metropolis step for unit-level logit parameters.

`rhierBinLogit` is designed for use on choice-based conjoint data with partial profiles. The Design matrix is based on differences of characteristics between two alternatives. See Appendix A of *Bayesian Statistics and Marketing* for details.

Usage

```
rhierBinLogit(Data, Prior, Mcmc)
```

Arguments

Data	list(lgtdata, Z)
Prior	list(Deltabar, ADelta, nu, V)
Mcmc	list(R, keep, sbeta)

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rhierMnlRwMixture](#)

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=10000} else {R=10}
set.seed(66)

nvar = 5           ## number of coefficients
nlgt = 1000       ## number of cross-sectional units
nobs = 10         ## number of observations per unit
nz = 2            ## number of regressors in mixing distribution

Z = matrix(c(rep(1,nlgt),runif(nlgt,min=-1,max=1)), nrow=nlgt, ncol=nz)
Delta = matrix(c(-2, -1, 0, 1, 2, -1, 1, -0.5, 0.5, 0), nrow=nz, ncol=nvar)
iota = matrix(1, nrow=nvar, ncol=1)
Vbeta = diag(nvar) + 0.5*iota%*%t(iota)

lgtdata=NULL
for (i in 1:nlgt) {
  beta = t(Delta)%*%Z[i,] + as.vector(t(chol(Vbeta))%*%rnorm(nvar))
  X = matrix(runif(nobs*nvar), nrow=nobs, ncol=nvar)
  prob = exp(X%*%beta) / (1+exp(X%*%beta))
  unif = runif(nobs, 0, 1)
  y = ifelse(unif<prob, 1, 0)
  lgtdata[[i]] = list(y=y, X=X, beta=beta)
}

Data1 = list(lgtdata=lgtdata, Z=Z)
Mcmc1 = list(R=R)

out = rhierBinLogit(Data=Data1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)
summary(out$Deltadraw, tvalues=as.vector(Delta))

cat("Summary of Vbeta draws", fill=TRUE)
summary(out$Vbetadraw, tvalues=as.vector(Vbeta[upper.tri(Vbeta,diag=TRUE)]))

if(0){
## plotting examples
plot(out$Deltadraw,tvalues=as.vector(Delta))
plot(out$betadraw)
plot(out$Vbetadraw,tvalues=as.vector(Vbeta[upper.tri(Vbeta,diag=TRUE)]))
}

```


See Also[rhierLinearModel](#)**Examples**

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

nreg = 300
nobs = 500
nvar = 3
nz = 2

Z = matrix(runif(nreg*nz), ncol=nz)
Z = t(t(Z) - apply(Z,2,mean))
Delta = matrix(c(1,-1,2,0,1,0), ncol=nz)
tau0 = 0.1
iota = c(rep(1,nobs))

## create arguments for rmixture

tcomps = NULL
a = matrix(c(1,0,0,0.5773503,1.1547005,0,-0.4082483,0.4082483,1.2247449), ncol=3)
tcomps[[1]] = list(mu=c(0,-1,-2), rooti=a)
tcomps[[2]] = list(mu=c(0,-1,-2)*2, rooti=a)
tcomps[[3]] = list(mu=c(0,-1,-2)*4, rooti=a)
tpvec = c(0.4, 0.2, 0.4)

## simulated data with Z
regdata = NULL
betas = matrix(double(nreg*nvar), ncol=nvar)
tind = double(nreg)

for (reg in 1:nreg) {
  tempout = rmixture(1,tpvec,tcomps)
  betas[reg,] = Delta%%Z[reg,] + as.vector(tempout$x)
  tind[reg] = tempout$z
  X = cbind(iota, matrix(runif(nobs*(nvar-1)),ncol=(nvar-1)))
  tau = tau0*runif(1,min=0.5,max=1)
  y = X%%betas[reg,] + sqrt(tau)*rnorm(nobs)
  regdata[[reg]] = list(y=y, X=X, beta=betas[reg,], tau=tau)
}

## run rhierLinearMixture

Data1 = list(regdata=regdata, Z=Z)
Prior1 = list(ncomp=3)
Mcmc1 = list(R=R, keep=1)

out1 = rhierLinearMixture(Data=Data1, Prior=Prior1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)

```


regdata[[i]]\$X: $n_i \times nvar$ design matrix for equation i
 regdata[[i]]\$y: $n_i \times 1$ vector of observations for equation i
 Z: $nreg \times nz$ matrix of unit characteristics (def: vector of ones)

Prior = list(Deltabar, A, nu.e, ssq, nu, V) [optional]

Deltabar: $n \times n \times nvar$ matrix of prior means (def: 0)
 A: $n \times n \times nz$ matrix for prior precision (def: 0.01I)
 nu.e: d.f. parameter for regression error variance prior (def: 3)
 ssq: scale parameter for regression error var prior (def: var(y_i))
 nu: d.f. parameter for Vbeta prior (def: nvar+3)
 V: Scale location matrix for Vbeta prior (def: nu*I)

Mcmc = list(R, keep, nprint) [only R required]

R: number of MCMC draws
 keep: MCMC thinning parm – keep every keepth draw (def: 1)
 nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)

Value

A list containing:

betadraw $nreg \times nvar \times R/keep$ array of individual regression coef draws
 taudraw $R/keep \times nreg$ matrix of error variance draws
 Deltadraw $R/keep \times nz * nvar$ matrix of Deltadraws
 Vbetadraw $R/keep \times nvar * nvar$ matrix of Vbeta draws

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rhierLinearMixture](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)
```

```
nreg = 100
nobs = 100
nvar = 3
```

```

Vbeta = matrix(c(1, 0.5, 0, 0.5, 2, 0.7, 0, 0.7, 1), ncol=3)

Z = cbind(c(rep(1,nreg)), 3*runif(nreg))
Z[,2] = Z[,2] - mean(Z[,2])
nz = ncol(Z)
Delta = matrix(c(1,-1,2,0,1,0), ncol=2)
Delta = t(Delta) # first row of Delta is means of betas
Beta = matrix(rnorm(nreg*nvar),nrow=nreg)%%chol(Vbeta) + Z%*%Delta

tau = 0.1
iota = c(rep(1,nobs))
regdata = NULL
for (reg in 1:nreg) {
  X = cbind(iota, matrix(runif(nobs*(nvar-1)),ncol=(nvar-1)))
  y = X%*%Beta[reg,] + sqrt(tau)*rnorm(nobs)
  regdata[[reg]] = list(y=y, X=X)
}

Data1 = list(regdata=regdata, Z=Z)
Mcmc1 = list(R=R, keep=1)

out = rhierLinearModel(Data=Data1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)
summary(out$Deltadraw, tvalues=as.vector(Delta))

cat("Summary of Vbeta draws", fill=TRUE)
summary(out$Vbetadraw, tvalues=as.vector(Vbeta[upper.tri(Vbeta,diag=TRUE)]))

## plotting examples
if(0){
  plot(out$betadraw)
  plot(out$Deltadraw)
}

```

rhierMnlDP

MCMC Algorithm for Hierarchical Multinomial Logit with Dirichlet Process Prior Heterogeneity

Description

rhierMnlDP is a MCMC algorithm for a hierarchical multinomial logit with a Dirichlet Process prior for the distribution of heterogeneity. A base normal model is used so that the DP can be interpreted as allowing for a mixture of normals with as many components as there are panel units. This is a hybrid Gibbs Sampler with a RW Metropolis step for the MNL coefficients for each panel unit. This procedure can be interpreted as a Bayesian semi-parameteric method in the sense that the DP prior can accomodate heterogeneity of an unknown form.

Usage

```
rhierMnlDP(Data, Prior, Mcmc)
```


nudraw	<i>R/keep</i> draws of hyperparm nu
Istardraw	<i>R/keep</i> draws of number of unique components
alphadraw	<i>R/keep</i> draws of number of DP tightness parameter
loglike	<i>R/keep</i> draws of log-likelihood

Note

As is well known, Bayesian density estimation involves computing the predictive distribution of a "new" unit parameter, θ_{n+1} (here "n"=nlgt). This is done by averaging the normal base distribution over draws from the distribution of θ_{n+1} given $\theta_1, \dots, \theta_n$, alpha, lambda, data. To facilitate this, we store those draws from the predictive distribution of θ_{n+1} in a list structure compatible with other bayesm routines that implement a finite mixture of normals.

Large R values may be required (>20,000).

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rhierMnlRwMixture](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=20000} else {R=10}
set.seed(66)

p = 3                                # num of choice alterns
ncoef = 3
nlgt = 300                            # num of cross sectional units
nz = 2
Z = matrix(runif(nz*nlgt),ncol=nz)
Z = t(t(Z)-apply(Z,2,mean))           # demean Z
ncomp = 3                              # no of mixture components
Delta=matrix(c(1,0,1,0,1,2),ncol=2)

comps = NULL
comps[[1]] = list(mu=c(0,-1,-2), rooti=diag(rep(2,3)))
comps[[2]] = list(mu=c(0,-1,-2)*2, rooti=diag(rep(2,3)))
comps[[3]] = list(mu=c(0,-1,-2)*4, rooti=diag(rep(2,3)))
pvec=c(0.4, 0.2, 0.4)

## simulate from MNL model conditional on X matrix
simmnlwX = function(n,X,beta) {
  k = length(beta)
```

```

Xbeta = X%%beta
j = nrow(Xbeta) / n
Xbeta = matrix(Xbeta, byrow=TRUE, ncol=j)
Prob = exp(Xbeta)
iota = c(rep(1,j))
denom = Prob%%iota
Prob = Prob / as.vector(denom)
y = vector("double", n)
ind = 1:j
for (i in 1:n) {
  yvec = rmultinom(1, 1, Prob[i,])
  y[i] = ind%%yvec}
return(list(y=y, X=X, beta=beta, prob=Prob))
}

## simulate data with a mixture of 3 normals
simlgtdata = NULL
ni = rep(50,300)
for (i in 1:nlgt) {
  betai = Delta%%Z[i,] + as.vector(rmixture(1,pvec,comps)$x)
  Xa = matrix(runif(ni[i]*p,min=-1.5,max=0), ncol=p)
  X = createX(p, na=1, nd=NULL, Xa=Xa, Xd=NULL, base=1)
  outa = simmnlwX(ni[i], X, betai)
  simlgtdata[[i]] = list(y=outa$y, X=X, beta=betai)
}

## plot betas
if(0){
  bmat = matrix(0, nlgt, ncoef)
  for(i in 1:nlgt) { bmat[i,] = simlgtdata[[i]]$beta }
  par(mfrow = c(ncoef,1))
  for(i in 1:ncoef) { hist(bmat[,i], breaks=30, col="magenta") }
}

## set Data and Mcmc lists
keep = 5
Mcmc1 = list(R=R, keep=keep)
Data1 = list(p=p, lgtdata=simlgtdata, Z=Z)

out = rhierMnlDP(Data=Data1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)
summary(out$Deltadraw, tvalues=as.vector(Delta))

## plotting examples
if(0) {
  plot(out$betadraw)
  plot(out$nmix)
}

```

Note

Note: as of version 2.0-2 of bayesm, the fractional weight parameter has been changed to a weight between 0 and 1. w is the fractional weight on the normalized pooled likelihood. This differs from what is in Rossi et al chapter 5, i.e.

$$like_i^{(1-w)} xlike_{pooled}^{((n_i/N)*w)}$$

Large R values may be required (>20,000).

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmnlIndepMetrop](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=10000} else {R=10}
set.seed(66)

p = 3 # num of choice alterns
ncoef = 3
nlgt = 300 # num of cross sectional units
nz = 2
Z = matrix(runif(nz*nlgt),ncol=nz)
Z = t(t(Z) - apply(Z,2,mean)) # demean Z
ncomp = 3 # num of mixture components
Delta = matrix(c(1,0,1,0,1,2),ncol=2)

comps=NULL
comps[[1]] = list(mu=c(0,-1,-2), rooti=diag(rep(1,3)))
comps[[2]] = list(mu=c(0,-1,-2)*2, rooti=diag(rep(1,3)))
comps[[3]] = list(mu=c(0,-1,-2)*4, rooti=diag(rep(1,3)))
pvec = c(0.4, 0.2, 0.4)

## simulate from MNL model conditional on X matrix
simmnlwX= function(n,X,beta) {
  k = length(beta)
  Xbeta = X*%beta
  j = nrow(Xbeta) / n
  Xbeta = matrix(Xbeta, byrow=TRUE, ncol=j)
  Prob = exp(Xbeta)
  iota = c(rep(1,j))
  denom = Prob*%iota
  Prob = Prob/as.vector(denom)
```

```

y = vector("double",n)
ind = 1:j
for (i in 1:n) {
  yvec = rmultinom(1, 1, Prob[i,])
  y[i] = ind*%*%yvec
}
return(list(y=y, X=X, beta=beta, prob=Prob))
}

## simulate data
simlgtdata = NULL
ni = rep(50, 300)
for (i in 1:nlgt) {
  betai = Delta*%*%Z[i,] + as.vector(rmixture(1,pvec,comps)$x)
  Xa = matrix(runif(ni[i]*p,min=-1.5,max=0), ncol=p)
  X = createX(p, na=1, nd=NULL, Xa=Xa, Xd=NULL, base=1)
  outa = simmnlwX(ni[i], X, betai)
  simlgtdata[[i]] = list(y=outa$y, X=X, beta=betai)
}

## plot betas
if(0){
  bmat = matrix(0, nlgt, ncoef)
  for(i in 1:nlgt) {bmat[i,] = simlgtdata[[i]]$beta}
  par(mfrow = c(ncoef,1))
  for(i in 1:ncoef) { hist(bmat[,i], breaks=30, col="magenta") }
}

## set parms for priors and Z
Prior1 = list(ncomp=5)
keep = 5
Mcmc1 = list(R=R, keep=keep)
Data1 = list(p=p, lgtdata=simlgtdata, Z=Z)

## fit model without sign constraints
out1 = rhierMnlRwMixture(Data=Data1, Prior=Prior1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)
summary(out1$Deltadraw, tvalues=as.vector(Delta))

cat("Summary of Normal Mixture Distribution", fill=TRUE)
summary(out1$nmix)

## plotting examples
if(0) {
  plot(out1$betadraw)
  plot(out1$nmix)
}

## fit model with constraint that beta_i2 < 0 forall i
Prior2 = list(ncomp=5, SignRes=c(0,-1,0))
out2 = rhierMnlRwMixture(Data=Data1, Prior=Prior2, Mcmc=Mcmc1)

```

```

cat("Summary of Delta draws", fill=TRUE)
summary(out2$Deltadraw, tvalues=as.vector(Delta))

cat("Summary of Normal Mixture Distribution", fill=TRUE)
summary(out2$nmix)

## plotting examples
if(0) {
  plot(out2$betadraw)
  plot(out2$nmix)
}

```

rhierNegbinRw

*MCMC Algorithm for Hierarchical Negative Binomial Regression***Description**

rhierNegbinRw implements an MCMC algorithm for the hierarchical Negative Binomial (NBD) regression model. Metropolis steps for each unit-level set of regression parameters are automatically tuned by optimization. Over-dispersion parameter (α) is common across units.

Usage

```
rhierNegbinRw(Data, Prior, Mcmc)
```

Arguments

Data	list(regdata, Z)
Prior	list(Deltabar, Adelta, nu, V, a, b)
Mcmc	list(R, keep, nprint, s_beta, s_alpha, alpha, c, Vbeta0, Delta0)

Details

Model and Priors: $y_i \sim \text{NBD}(\text{mean}=\lambda, \text{over-dispersion}=\alpha)$

$$\lambda = \exp(X_i \beta_i)$$

$$\beta_i \sim N(\Delta' z_i, Vbeta)$$

$$\text{vec}(\Delta | Vbeta) \sim N(\text{vec}(Deltabar), Vbeta(x) Adelta)$$

$$Vbeta \sim IW(nu, V)$$

$$\alpha \sim \text{Gamma}(a, b) \text{ (unless Mcmc\$alpha specified)}$$

Note: prior mean of $\alpha = a/b$, variance = $a/(b^2)$

Argument Details: Data = list(regdata, Z) [Z optional]

regdata:	list of lists with data on each of nreg units
regdata[[i]]\$X:	nobs _i xnvar matrix of X variables
regdata[[i]]\$y:	nobs _i x1 vector of count responses
Z:	nregxnz matrix of unit characteristics (def: vector of ones)

```
Prior = list(Deltabar, Adelta, nu, V, a, b) [optional]
```

```
Deltabar:  nzxncvar prior mean matrix (def: 0)
Adelta:    nzxncz PDS prior precision matrix (def: 0.01*I)
nu:        d.f. parameter for Inverted Wishart prior (def: nvar+3)
V:         location matrix of Inverted Wishart prior (def: nu*I)
a:         Gamma prior parameter (def: 0.5)
b:         Gamma prior parameter (def: 0.1)
```

```
Mcmc = list(R, keep, nprint, s_beta, s_alpha, alpha, c, Vbeta0, Delta0) [only R required]
```

```
R:          number of MCMC draws
keep:       MCMC thinning parameter – keep every keepth draw (def: 1)
nprint:     print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
s_beta:     scaling for beta | alpha RW inc cov (def: 2.93/sqrt(nvar))
s_alpha:    scaling for alpha | beta RW inc cov (def: 2.93)
alpha:      over-dispersion parameter (def: alpha ~ Gamma(a,b))
c:          fractional likelihood weighting parm (def: 2)
Vbeta0:     starting value for Vbeta (def: I)
Delta0:     starting value for Delta (def: 0)
```

Value

A list containing:

```
llike       R/keepx1 vector of values of log-likelihood
betadraw    nregxnvarxR/keep array of beta draws
alphadraw   R/keepx1 vector of alpha draws
acceptrbeta acceptance rate of the beta draws
acceptralpha acceptance rate of the alpha draws
```

Note

The NBD regression encompasses Poisson regression in the sense that as alpha goes to infinity the NBD distribution tends to the Poisson.

For "small" values of alpha, the dependent variable can be extremely variable so that a large number of observations may be required to obtain precise inferences.

For ease of interpretation, we recommend demeaning Z variables.

Author(s)

Sridhar Narayanan (Stanford GSB) and Peter Rossi (Anderson School, UCLA), <perossichi@gmail.com>.

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also[rnegbinRw](#)**Examples**

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

# Simulate from the Negative Binomial Regression
simnegbin = function(X, beta, alpha) {
  lambda = exp(X%*%beta)
  y = NULL
  for (j in 1:length(lambda)) {y = c(y, rnbinom(1, mu=lambda[j], size=alpha)) }
  return(y)
}

nreg = 100      # Number of cross sectional units
T = 50         # Number of observations per unit
nobs = nreg*T
nvar = 2       # Number of X variables
nz = 2         # Number of Z variables

## Construct the Z matrix
Z = cbind(rep(1,nreg), rnorm(nreg,mean=1,sd=0.125))

Delta = cbind(c(4,2), c(0.1,-1))
alpha = 5
Vbeta = rbind(c(2,1), c(1,2))

## Construct the regdata (containing X)
simnegbindata = NULL
for (i in 1:nreg) {
  betai = as.vector(Z[i,]%*%Delta) + chol(Vbeta)%*%rnorm(nvar)
  X = cbind(rep(1,T),rnorm(T,mean=2,sd=0.25))
  simnegbindata[[i]] = list(y=simnegbin(X,betai,alpha), X=X, beta=betai)
}

Beta = NULL
for (i in 1:nreg) {Beta = rbind(Beta,matrix(simnegbindata[[i]]$beta,nrow=1))}
Data1 = list(regdata=simnegbindata, Z=Z)
Mcmc1 = list(R=R)

out = rhierNegbinRw(Data=Data1, Mcmc=Mcmc1)

cat("Summary of Delta draws", fill=TRUE)
summary(out$Deltadraw, tvalues=as.vector(Delta))

cat("Summary of Vbeta draws", fill=TRUE)
summary(out$Vbetadraw, tvalues=as.vector(Vbeta[upper.tri(Vbeta,diag=TRUE)]))

cat("Summary of alpha draws", fill=TRUE)
summary(out$alpha, tvalues=alpha)

```

```

## plotting examples
if(0){
  plot(out$betadraw)
  plot(out$alpha, tvalues=alpha)
  plot(out$Deltadraw, tvalues=as.vector(Delta))
}

```

rivDP

Linear "IV" Model with DP Process Prior for Errors

Description

rivDP is a Gibbs Sampler for a linear structural equation with an arbitrary number of instruments. rivDP uses a mixture-of-normals for the structural and reduced form equations implemented with a Dirichlet Process prior.

Usage

```
rivDP(Data, Prior, Mcmc)
```

Arguments

Data	list(y, x, w, z)
Prior	list(md, Ad, mbg, Abg, lambda, Prioralpha, lambda_hyper)
Mcmc	list(R, keep, nprint, maxuniq, SCALE, gridsize)

Details

Model and Priors: $x = z'\delta + e1$

$y = \beta * x + w'\gamma + e2$

$e1, e2 \sim N(\theta_i)$ where θ_i represents μ_i, Σ_i

Note: Error terms have non-zero means. DO NOT include intercepts in the z or w matrices. This is different from rivGibbs which requires intercepts to be included explicitly.

$\delta \sim N(md, Ad^{-1})$

$vec(\beta, \gamma) \sim N(mbg, Abg^{-1})$

$\theta_i \sim G$

$G \sim DP(alpha, G_0)$

$alpha \sim (1 - (alpha - alpha_{min}) / (alpha_{max} - alpha_{min}))^{power}$

where $alpha_{min}$ and $alpha_{max}$ are set using the arguments in the reference below. It is highly recommended that you use the default values for the hyperparameters of the prior on alpha.

G_0 is the natural conjugate prior for (μ, Σ) : $\Sigma \sim IW(nu, vI)$ and $\mu|\Sigma \sim N(0, \Sigma(x)a^{-1})$

These parameters are collected together in the list λ . It is highly recommended that you use the default settings for these hyper-parameters.

$\lambda(a, nu, v)$:

$a \sim \text{uniform}[alim[1], alimb[2]]$

$nu \sim \text{dim}(\text{data})-1 + \exp(z)$
 $z \sim \text{uniform}[\text{dim}(\text{data})-1+\text{nulim}[1], \text{nulim}[2]]$
 $v \sim \text{uniform}[\text{vlim}[1], \text{vlim}[2]]$

Argument Details: Data = list(y, x, w, z)

y: $nx1$ vector of obs on LHS variable in structural equation
x: $nx1$ vector of obs on "endogenous" variable in structural equation
w: nxj matrix of obs on "exogenous" variables in the structural equation
z: nxp matrix of obs on instruments

Prior = list(md, Ad, mbg, Abg, lambda, Prioralpha, lambda_hyper) [optional]

md: p -length prior mean of delta (def: 0)
Ad: pxp PDS prior precision matrix for prior on delta (def: $0.01*I$)
mbg: $(j+1)$ -length prior mean vector for prior on beta,gamma (def: 0)
Abg: $(j+1)x(j+1)$ PDS prior precision matrix for prior on beta,gamma (def: $0.01*I$)
Prioralpha: list(Istarmin, Istarmax, power)
\$Istarmin: is expected number of components at lower bound of support of alpha (def: 1)
\$Istarmax: is expected number of components at upper bound of support of alpha (def: $\text{floor}(0.1*\text{length}(y))$)
\$power: is the power parameter for alpha prior (def: 0.8)
lambda_hyper: list(alim, nulim, vlim)
\$alim: defines support of a distribution (def: $c(0.01, 10)$)
\$nulim: defines support of nu distribution (def: $c(0.01, 3)$)
\$vlim: defines support of v distribution (def: $c(0.1, 4)$)

Mcmc = list(R, keep, nprint, maxuniq, SCALE, gridsize) [only R required]

R: number of MCMC draws
keep: MCMC thinning parameter: keep every keepth draw (def: 1)
nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
maxuniq: storage constraint on the number of unique components (def: 200)
SCALE: scale data (def: TRUE)
gridsize: gridsize parameter for alpha draws (def: 20)

nmix Details: nmix is a list with 3 components. Several functions in the bayesm package that involve a Dirichlet Process or mixture-of-normals return nmix. Across these functions, a common structure is used for nmix in order to utilize generic summary and plotting functions.

probdraw: $ncomp \times R/keep$ matrix that reports the probability that each draw came from a particular component (here, a or
zdraw: $R/keep \times nobs$ matrix that indicates which component each draw is assigned to (here, null)
compdraw: A list of $R/keep$ lists of $ncomp$ lists. Each of the inner-most lists has 2 elemens: a vector of draws for mu and a

Value

A list containing:

deltadraw $R/keep \times p$ array of delta draws
betadraw $R/keep \times 1$ vector of beta draws

alphadraw	R/keepx1 vector of draws of Dirichlet Process tightness parameter
Istardraw	R/keepx1 vector of draws of the number of unique normal components
gammadraw	R/keepxj array of gamma draws
nmix	a list containing: probdraw, zdraw, compdraw (see “nmix Details” section)

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see "A Semi-Parametric Bayesian Approach to the Instrumental Variable Problem," by Conley, Hansen, McCulloch and Rossi, *Journal of Econometrics* (2008).

See also, Chapter 4, *Bayesian Non- and Semi-parametric Methods and Applications* by Peter Rossi.

See Also

rivGibbs

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

## simulate scaled log-normal errors and run
k = 10
delta = 1.5
Sigma = matrix(c(1, 0.6, 0.6, 1), ncol=2)
N = 1000
tbeta = 4
scalefactor = 0.6
root = chol(scalefactor*Sigma)
mu = c(1,1)

## compute interquartile ranges
ninterq = qnorm(0.75) - qnorm(0.25)
error = matrix(rnorm(100000*2), ncol=2)%*%root
error = t(t(error)+mu)
Err = t(t(exp(error))-exp(mu+0.5*scalefactor*diag(Sigma)))
lnNinterq = quantile(Err[,1], prob=0.75) - quantile(Err[,1], prob=0.25)

## simulate data
error = matrix(rnorm(N*2), ncol=2)%*%root
error = t(t(error)+mu)
Err = t(t(exp(error))-exp(mu+0.5*scalefactor*diag(Sigma)))

## scale appropriately
Err[,1] = Err[,1]*ninterq/lnNinterq
Err[,2] = Err[,2]*ninterq/lnNinterq
z = matrix(runif(k*N), ncol=k)
x = z%*(delta*c(rep(1,k))) + Err[,1]

```

```

y = x*tbeta + Err[,2]

## specify data input and mcmc parameters
Data = list();
Data$z = z
Data$x = x
Data$y = y

Mcmc = list()
Mcmc$maxuniq = 100
Mcmc$R = R
end = Mcmc$R

out = rivDP(Data=Data, Mcmc=Mcmc)

cat("Summary of Beta draws", fill=TRUE)
summary(out$betadraw, tvalues=tbeta)

## plotting examples
if(0){
  plot(out$betadraw, tvalues=tbeta)
  plot(out$nmix) # plot "fitted" density of the errors
}

```

rivGibbs

Gibbs Sampler for Linear "IV" Model

Description

rivGibbs is a Gibbs Sampler for a linear structural equation with an arbitrary number of instruments.

Usage

```
rivGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y, x, w, z)
Prior	list(md, Ad, mbg, Abg, nu, V)
Mcmc	list(R, keep, nprint)

Details

Model and Priors: $x = z'\delta + e1$

$y = \beta * x + w'\gamma + e2$

$e1, e2 \sim N(0, \Sigma)$

Note: if intercepts are desired in either equation, include vector of ones in z or w

$$\delta \sim N(md, Ad^{-1})$$

$$vec(\beta, \gamma) \sim N(mbg, Abg^{-1})$$

$$\Sigma \sim IW(nu, V)$$

Argument Details: Data = list(y, x, w, z)

y: $nx1$ vector of obs on LHS variable in structural equation
 x: $nx1$ vector of obs on "endogenous" variable in structural equation
 w: nxj matrix of obs on "exogenous" variables in the structural equation
 z: nxp matrix of obs on instruments

Prior = list(md, Ad, mbg, Abg, nu, V) [optional]

md: p -length prior mean of delta (def: 0)
 Ad: pxp PDS prior precision matrix for prior on delta (def: 0.01*I)
 mbg: $(j + 1)$ -length prior mean vector for prior on beta,gamma (def: 0)
 Abg: $(j + 1)x(j + 1)$ PDS prior precision matrix for prior on beta,gamma (def: 0.01*I)
 nu: d.f. parameter for Inverted Wishart prior on Sigma (def: 5)
 V: $2x2$ location matrix for Inverted Wishart prior on Sigma (def: nu*I)

Mcmc = list(R, keep, nprint) [only R required]

R: number of MCMC draws
 keep: MCMC thinning parameter: keep every keepth draw (def: 1)
 nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)

Value

A list containing:

deltadraw $R/keepxp$ matrix of delta draws
 betadraw $R/keepx1$ vector of beta draws
 gammadraw $R/keepxj$ matrix of gamma draws
 Sigmadraw $R/keepx4$ matrix of Sigma draws – each row is the vector form of Sigma

Author(s)

Rob McCulloch and Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 5, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

simIV = function(delta, beta, Sigma, n, z, w, gamma) {
  eps = matrix(rnorm(2*n),ncol=2) %%% chol(Sigma)
  x = z%%delta + eps[,1]
  y = beta*x + eps[,2] + w%%gamma
  list(x=as.vector(x), y=as.vector(y))
}

n = 200
p=1 # number of instruments
z = cbind(rep(1,n), matrix(runif(n*p),ncol=p))
w = matrix(1,n,1)
rho = 0.8
Sigma = matrix(c(1,rho,rho,1), ncol=2)
delta = c(1,4)
beta = 0.5
gamma = c(1)
simiv = simIV(delta, beta, Sigma, n, z, w, gamma)

Data1 = list(); Data1$z = z; Data1$w=w; Data1$x=simiv$x; Data1$y=simiv$y
Mcmc1=list(); Mcmc1$R = R; Mcmc1$keep=1

out = rivGibbs(Data=Data1, Mcmc=Mcmc1)

cat("Summary of Beta draws", fill=TRUE)
summary(out$betadraw, tvalues=beta)

cat("Summary of Sigma draws", fill=TRUE)
summary(out$Sigmadraw, tvalues=as.vector(Sigma[upper.tri(Sigma,diag=TRUE)]))

## plotting examples
if(0){plot(out$betadraw)}

```

 rmixGibbs

Gibbs Sampler for Normal Mixtures w/o Error Checking

Description

rmixGibbs makes one draw using the Gibbs Sampler for a mixture of multivariate normals. rmixGibbs is not designed to be called directly. Instead, use rnmixGibbs wrapper function.

Usage

```
rmixGibbs(y, Bbar, A, nu, V, a, p, z)
```

Arguments

y	data array where rows are obs
Bbar	prior mean for mean vector of each norm comp
A	prior precision parameter
nu	prior d.f. parm
V	prior location matrix for covariance prior
a	Dirichlet prior parms
p	prior prob of each mixture component
z	component identities for each observation – "indicators"

Value

a list containing:

p	draw of mixture probabilities
z	draw of indicators of each component
comps	new draw of normal component parameters

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Rob McCulloch (Arizona State University) and Peter Rossi (Anderson School, UCLA), <perossichi@gmail.com>.

References

For further discussion, see Chapter 5 *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmixGibbs](#)

`rmixture`*Draw from Mixture of Normals*

Description

`rmixture` simulates iid draws from a Multivariate Mixture of Normals

Usage

```
rmixture(n, pvec, comps)
```

Arguments

<code>n</code>	number of observations
<code>pvec</code>	<i>ncomp</i> \times 1 vector of prior probabilities for each mixture component
<code>comps</code>	list of mixture component parameters

Details

`comps` is a list of length `ncomp` with `ncomp = length(pvec)`.
`comps[[j]][[1]]` is mean vector for the j th component.
`comps[[j]][[2]]` is the inverse of the cholesky root of Σ for j th component

Value

A list containing:

<code>x</code> :	an $n \times \text{length}(\text{comps}[[1]][[1]])$ array of iid draws
<code>z</code> :	an $n \times 1$ vector of indicators of which component each draw is taken from

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[rnmixGibbs](#)

rmnlIndepMetrop	<i>MCMC Algorithm for Multinomial Logit Model</i>
-----------------	---

Description

rmnlIndepMetrop implements Independence Metropolis algorithm for the multinomial logit (MNL) model.

Usage

```
rmnlIndepMetrop(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X, p)
Prior	list(A, betabar)
Mcmc	list(R, keep, nprint, nu)

Details

Model and Priors: $y \sim \text{MNL}(X, \beta)$

$$\Pr(y = j) = \exp(x'_j \beta) / \sum_k \exp(x'_k \beta)$$

$$\beta \sim N(\text{betabar}, A^{-1})$$

Argument Details: Data = list(y, X, p)

y:	<i>n</i> x1 vector of multinomial outcomes (1, ..., p)
X:	<i>n</i> * <i>p</i> x <i>k</i> matrix
p:	number of alternatives

Prior = list(A, betabar) [*optional*]

A:	<i>k</i> x <i>k</i> prior precision matrix (def: 0.01*I)
betabar:	<i>k</i> x1 prior mean (def: 0)

Mcmc = list(R, keep, nprint, nu) [*only R required*]

R:	number of MCMC draws
keep:	MCMC thinning parameter – keep every keepth draw (def: 1)
nprint:	print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
nu:	d.f. parameter for independent t density (def: 6)

Value

A list containing:

betadraw	<i>R</i> / <i>keep</i> x <i>k</i> matrix of beta draws
loglike	<i>R</i> / <i>keep</i> x1 vector of log-likelihood values evaluated at each draw
acceptr	acceptance rate of Metropolis draws

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rhierMnlRwMixture](#)

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

simmnl = function(p, n, beta) {
  ## note: create X array with 2 alt.spec vars
  k = length(beta)
  X1 = matrix(runif(n*p,min=-1,max=1), ncol=p)
  X2 = matrix(runif(n*p,min=-1,max=1), ncol=p)
  X = createX(p, na=2, nd=NULL, Xd=NULL, Xa=cbind(X1,X2), base=1)
  Xbeta = X%*%beta
  ## now do probs
  p = nrow(Xbeta) / n
  Xbeta = matrix(Xbeta, byrow=TRUE, ncol=p)
  Prob = exp(Xbeta)
  iota = c(rep(1,p))
  denom = Prob%*%iota
  Prob = Prob / as.vector(denom)
  ## draw y
  y = vector("double",n)
  ind = 1:p
  for (i in 1:n) {
    yvec = rmultinom(1, 1, Prob[i,])
    y[i] = ind%*%yvec
  }
  return(list(y=y, X=X, beta=beta, prob=Prob))
}

n = 200
p = 3
beta = c(1, -1, 1.5, 0.5)

simout = simmnl(p,n,beta)

Data1 = list(y=simout$y, X=simout$X, p=p)
Mcmc1 = list(R=R, keep=1)

out = rmnlIndepMetrop(Data=Data1, Mcmc=Mcmc1)

```

```

cat("Summary of beta draws", fill=TRUE)
summary(out$betadraw, tvalues=beta)

## plotting examples
if(0){plot(out$betadraw)}

```

 rmnpGibbs

Gibbs Sampler for Multinomial Probit

Description

rmnpGibbs implements the McCulloch/Rossi Gibbs Sampler for the multinomial probit model.

Usage

```
rmnpGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X, p)
Prior	list(betabar, A, nu, V)
Mcmc	list(R, keep, nprint, beta0, sigma0)

Details

Model and Priors: $w_i = X_i\beta + e$ with $e \sim N(0, \Sigma)$. Note: w_i and e are $(p-1) \times 1$.
 $y_i = j$ if $w_{ij} > \max(0, w_{i,-j})$ for $j = 1, \dots, p-1$ and where $w_{i,-j}$ means elements of w_i other than the j th.

$y_i = p$, if all $w_i < 0$

β is not identified. However, $\beta/\sqrt{\sigma_{11}}$ and Σ/σ_{11} are identified. See reference or example below for details.

$\beta \sim N(\text{betabar}, A^{-1})$

$\Sigma \sim IW(\text{nu}, V)$

Argument Details: Data = list(y, X, p)

y: $n \times 1$ vector of multinomial outcomes (1, ..., p)
 X: $n \times (p-1) \times k$ design matrix. To make X matrix use `createX` with `DIFF=TRUE`
 p: number of alternatives

Prior = list(betabar, A, nu, V) [optional]

betabar:	$k \times 1$ prior mean (def: 0)
A:	$k \times k$ prior precision matrix (def: $0.01 \times I$)
nu:	d.f. parameter for Inverted Wishart prior (def: $(p-1)+3$)

V: PDS location parameter for Inverted Wishart prior (def: nu*I)

Mcmc = list(R, keep, nprint, beta0, sigma0) *[only R required]*

R: number of MCMC draws
 keep: MCMC thinning parameter – keep every keepth draw (def: 1)
 nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
 beta0: initial value for beta (def: 0)
 sigma0: initial value for sigma (def: I)

Value

A list containing:

betadraw $R/keep \times k$ matrix of betadraws
 sigmadraw $R/keep \times (p - 1) \times (p - 1)$ matrix of sigma draws – each row is the vector form of sigma

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmvpGibbs](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

simnp = function(X, p, n, beta, sigma) {
  indmax = function(x) {which(max(x)==x)}
  Xbeta = X%%beta
  w = as.vector(crossprod(chol(sigma),matrix(rnorm((p-1)*n),ncol=n))) + Xbeta
  w = matrix(w, ncol=(p-1), byrow=TRUE)
  maxw = apply(w, 1, max)
  y = apply(w, 1, indmax)
  y = ifelse(maxw < 0, p, y)
  return(list(y=y, X=X, beta=beta, sigma=sigma))
}

p = 3
n = 500
beta = c(-1,1,1,2)
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=2)
```

```

k = length(beta)
X1 = matrix(runif(n*p,min=0,max=2),ncol=p)
X2 = matrix(runif(n*p,min=0,max=2),ncol=p)
X = createX(p, na=2, nd=NULL, Xa=cbind(X1,X2), Xd=NULL, DIFF=TRUE, base=p)

simout = simmnp(X,p,500,beta,Sigma)

Data1 = list(p=p, y=simout$y, X=simout$X)
Mcmc1 = list(R=R, keep=1)

out = rmnpGibbs(Data=Data1, Mcmc=Mcmc1)

cat(" Summary of Betadraws ", fill=TRUE)
betatilde = out$betadraw / sqrt(out$sigmadraw[,1])
attributes(betatilde)$class = "bayesm.mat"
summary(betatilde, tvalues=beta)

cat(" Summary of Sigmadraws ", fill=TRUE)
sigmadraw = out$sigmadraw / out$sigmadraw[,1]
attributes(sigmadraw)$class = "bayesm.var"
summary(sigmadraw, tvalues=as.vector(Sigma[upper.tri(Sigma,diag=TRUE)]))

## plotting examples
if(0){plot(betatilde,tvalues=beta)}

```

 rmultireg

Draw from the Posterior of a Multivariate Regression

Description

rmultireg draws from the posterior of a Multivariate Regression model with a natural conjugate prior.

Usage

```
rmultireg(Y, X, Bbar, A, nu, V)
```

Arguments

Y	$n \times m$ matrix of observations on m dep vars
X	$n \times k$ matrix of observations on indep vars (supply intercept)
Bbar	$k \times m$ matrix of prior mean of regression coefficients
A	$k \times k$ Prior precision matrix
nu	d.f. parameter for Sigma
V	$m \times m$ pdf location parameter for prior on Sigma

Details**Model:**

$$Y = XB + U \text{ with } \text{cov}(u_i) = \Sigma$$

B is $k \times m$ matrix of coefficients; Σ is $m \times m$ covariance matrix.

Priors:

$$\beta | \Sigma \sim N(\text{betabar}, \Sigma(x)A^{-1})$$

$$\text{betabar} = \text{vec}(\text{Bbar}); \beta = \text{vec}(B)$$

$$\Sigma \sim \text{IW}(\text{nu}, V)$$

Value

A list of the components of a draw from the posterior

B draw of regression coefficient matrix

Sigma draw of Sigma

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)
```

```
n = 200
m = 2
X = cbind(rep(1,n),runif(n))
k = ncol(X)
B = matrix(c(1,2,-1,3), ncol=m)
Sigma = matrix(c(1, 0.5, 0.5, 1), ncol=m)
RSigma = chol(Sigma)
Y = X%B + matrix(rnorm(m*n),ncol=m)%*%RSigma
```

```
betabar = rep(0,k*m)
Bbar = matrix(betabar, ncol=m)
A = diag(rep(0.01,k))
nu = 3
V = nu*diag(m)
```

```

betadraw = matrix(double(R*k*m), ncol=k*m)
Sigmadraw = matrix(double(R*m*m), ncol=m*m)

for (rep in 1:R) {
  out = rmultireg(Y, X, Bbar, A, nu, V)
  betadraw[rep,] = out$B
  Sigmadraw[rep,] = out$Sigma
}

cat(" Betadraws ", fill=TRUE)
mat = apply(betadraw, 2, quantile, probs=c(0.01, 0.05, 0.5, 0.95, 0.99))
mat = rbind(as.vector(B),mat)
rownames(mat)[1] = "beta"
print(mat)

cat(" Sigma draws", fill=TRUE)
mat = apply(Sigmadraw, 2, quantile, probs=c(0.01, 0.05, 0.5, 0.95, 0.99))
mat = rbind(as.vector(Sigma),mat); rownames(mat)[1]="Sigma"
print(mat)

```

 rmvpGibbs

Gibbs Sampler for Multivariate Probit

Description

rmvpGibbs implements the Edwards/Allenby Gibbs Sampler for the multivariate probit model.

Usage

```
rmvpGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X, p)
Prior	list(betabar, A, nu, V)
Mcmc	list(R, keep, nprint, beta0 ,sigma0)

Details

Model and Priors: $w_i = X_i\beta + e$ with $e \sim N(0, \Sigma)$. Note: w_i is $px1$.
 $y_{ij} = 1$ if $w_{ij} > 0$, else $y_{ij} = 0$. $j = 1, \dots, p$

beta and Sigma are not identified. Correlation matrix and the betas divided by the appropriate standard deviation are. See reference or example below for details.

$$\beta \sim N(\text{betabar}, A^{-1})$$

$$\Sigma \sim IW(\text{nu}, V)$$

To make X matrix use createX

Argument Details: Data = list(y, X, p)

X: $n * pxk$ Design Matrix
y: $n * px1$ vector of 0/1 outcomes
p: dimension of multivariate probit

Prior = list(betabar, A, nu, V) [optional]

betabar: $kx1$ prior mean (def: 0)
A: kxk prior precision matrix (def: 0.01*I)
nu: d.f. parameter for Inverted Wishart prior (def: (p-1)+3)
V: PDS location parameter for Inverted Wishart prior (def: nu*I)

Mcmc = list(R, keep, nprint, beta0, sigma0) [only R required]

R: number of MCMC draws
keep: MCMC thinning parameter – keep every keepth draw (def: 1)
nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
beta0: initial value for beta
sigma0: initial value for sigma

Value

A list containing:

betadraw $R/keepxk$ matrix of betadraws
sigmadraw $R/keepxp * p$ matrix of sigma draws – each row is the vector form of sigma

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmnpGibbs](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}  
set.seed(66)
```

```
simmvp = function(X, p, n, beta, sigma) {  
  w = as.vector(crossprod(chol(sigma),matrix(rnorm(p*n),ncol=n))) + X*%beta  
  y = ifelse(w<0, 0, 1)  
  return(list(y=y, X=X, beta=beta, sigma=sigma))  
}
```

```

}

p = 3
n = 500
beta = c(-2,0,2)
Sigma = matrix(c(1, 0.5, 0.5, 0.5, 1, 0.5, 0.5, 0.5, 1), ncol=3)
k = length(beta)
I2 = diag(rep(1,p))
xadd = rbind(I2)
for(i in 2:n) { xadd=rbind(xadd,I2) }
X = xadd

simout = simmvp(X,p,500,beta,Sigma)

Data1 = list(p=p, y=simout$y, X=simout$X)
Mcmc1 = list(R=R, keep=1)

out = rmvpGibbs(Data=Data1, Mcmc=Mcmc1)

ind = seq(from=0, by=p, length=k)
inda = 1:3
ind = ind + inda
cat(" Betadraws ", fill=TRUE)
betatilde = out$betadraw / sqrt(out$sigmadraw[,ind])
attributes(betatilde)$class = "bayesm.mat"
summary(betatilde, tvalues=beta/sqrt(diag(Sigma)))

rdraw = matrix(double((R)*p*p), ncol=p*p)
rdraw = t(apply(out$sigmadraw, 1, nmat))
attributes(rdraw)$class = "bayesm.var"
tvalue = nmat(as.vector(Sigma))
dim(tvalue) = c(p,p)
tvalue = as.vector(tvalue[upper.tri(tvalue,diag=TRUE)])
cat(" Draws of Correlation Matrix ", fill=TRUE)
summary(rdraw, tvalues=tvalue)

## plotting examples
if(0){plot(betatilde, tvalues=beta/sqrt(diag(Sigma)))}

```

 rmvst

Draw from Multivariate Student-t

Description

rmvst draws from a multivariate student-t distribution.

Usage

```
rmvst(nu, mu, root)
```

Arguments

nu	d.f. parameter
mu	mean vector
root	Upper Tri Cholesky Root of Sigma

Value

length(mu) draw vector

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[lndMvst](#)

Examples

```
set.seed(66)
rmvst(nu=5, mu=c(rep(0,2)), root=chol(matrix(c(2,1,1,2), ncol=2)))
```

rnegbinRw

MCMC Algorithm for Negative Binomial Regression

Description

rnegbinRw implements a Random Walk Metropolis Algorithm for the Negative Binomial (NBD) regression model where $\beta|\alpha$ and $\alpha|\beta$ are drawn with two different random walks.

Usage

```
rnegbinRw(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X)
Prior	list(betabar, A, a, b)
Mcmc	list(R, keep, nprint, s_beta, s_alpha, beta0, alpha)

References

For further discussion, see *Bayesian Statistics and Marketing* by Rossi, Allenby, McCulloch.

See Also

[rhierNegbinRw](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=1000} else {R=10}
set.seed(66)

simnegbin = function(X, beta, alpha) {
  # Simulate from the Negative Binomial Regression
  lambda = exp(X%*%beta)
  y = NULL
  for (j in 1:length(lambda)) { y = c(y, rnbinom(1, mu=lambda[j], size=alpha)) }
  return(y)
}

nobs = 500
nvar = 2 # Number of X variables
alpha = 5
Vbeta = diag(nvar)*0.01

# Construct the regdata (containing X)
simnegbindata = NULL
beta = c(0.6, 0.2)
X = cbind(rep(1,nobs), rnorm(nobs,mean=2,sd=0.5))
simnegbindata = list(y=simnegbin(X,beta,alpha), X=X, beta=beta)

Data1 = simnegbindata
Mcmc1 = list(R=R)

out = rnegbinRw(Data=Data1, Mcmc=list(R=R))

cat("Summary of alpha/beta draw", fill=TRUE)
summary(out$alphadraw, tvalues=alpha)
summary(out$betadraw, tvalues=beta)

## plotting examples
if(0){plot(out$betadraw)}
```

Description

rnmixGibbs implements a Gibbs Sampler for normal mixtures.

Usage

```
rnmixGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y)
Prior	list(Mubar, A, nu, V, a, ncomp)
Mcmc	list(R, keep, nprint, Loglike)

Details

Model and Priors: $y_i \sim N(\mu_{ind_i}, \Sigma_{ind_i})$
 $ind \sim \text{iid multinomial}(p)$ with p an $ncomp \times 1$ vector of probs
 $\mu_j \sim N(mubar, \Sigma_j(x)A^{-1})$ with $mubar = \text{vec}(Mubar)$
 $\Sigma_j \sim IW(nu, V)$
 Note: this is the natural conjugate prior – a special case of multivariate regression

$p \sim \text{Dirchlet}(a)$

Argument Details: Data = list(y)

y: $n \times k$ matrix of data (rows are obs)

Prior = list(Mubar, A, nu, V, a, ncomp) [only ncomp required]

Mubar:	$1 \times k$ vector with prior mean of normal component means (def: 0)
A:	1×1 precision parameter for prior on mean of normal component (def: 0.01)
nu:	d.f. parameter for prior on Sigma (normal component cov matrix) (def: k+3)
V:	$k \times k$ location matrix of IW prior on Sigma (def: nu*I)
a:	$ncomp \times 1$ vector of Dirichlet prior parameters (def: rep(5, ncomp))
ncomp:	number of normal components to be included

Mcmc = list(R, keep, nprint, Loglike) [only R required]

R:	number of MCMC draws
keep:	MCMC thinning parameter – keep every keepth draw (def: 1)
nprint:	print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
LogLike:	logical flag for whether to compute the log-likelihood (def: FALSE)

nmix Details: nmix is a list with 3 components. Several functions in the bayesm package that involve a Dirichlet Process or mixture-of-normals return nmix. Across these functions, a common structure is used for nmix in order to utilize generic summary and plotting functions.

probdraw:	$ncomp \times R/keep$ matrix that reports the probability that each draw came from a particular component
zdraw:	$R/keep \times nobs$ matrix that indicates which component each draw is assigned to
compdraw:	A list of $R/keep$ lists of $ncomp$ lists. Each of the inner-most lists has 2 elemens: a vector of draws for mu and a

Value

A list containing:

ll *R/keepx1* vector of log-likelihood values
 nmix a list containing: probdraw, zdraw, compdraw (see “nmix Details” section)

Note

In this model, the component normal parameters are not-identified due to label-switching. However, the fitted mixture of normals density is identified as it is invariant to label-switching. See chapter 5 of Rossi et al below for details.

Use eMixMargDen or momMix to compute posterior expectation or distribution of various identified parameters.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmixture](#), [rmixGibbs](#), [eMixMargDen](#), [momMix](#), [mixDen](#), [mixDenBi](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

dim = 5
k = 3 # dimension of simulated data and number of "true" components
sigma = matrix(rep(0.5,dim^2), nrow=dim)
diag(sigma) = 1
sigfac = c(1,1,1)
mufac = c(1,2,3)
compsmv = list()
for(i in 1:k) compsmv[[i]] = list(mu=mufac[i]*1:dim, sigma=sigfac[i]*sigma)

# change to "rooti" scale
comps = list()
for(i in 1:k) comps[[i]] = list(mu=compsmv[[i]][[1]], rooti=solve(chol(compsmv[[i]][[2]])))
pvec = (1:k) / sum(1:k)

nobs = 500
dm = rmixture(nobs, pvec, comps)

Data1 = list(y=dm$x)
ncomp = 9
```

```

Prior1 = list(ncomp=ncomp)
Mcmc1 = list(R=R, keep=1)

out = rnmixGibbs(Data=Data1, Prior=Prior1, Mcmc=Mcmc1)

cat("Summary of Normal Mixture Distribution", fill=TRUE)
summary(out$nmix)

tmom = momMix(matrix(pvec,nrow=1), list(comps))
mat = rbind(tmom$mu, tmom$sd)
cat(" True Mean/Std Dev", fill=TRUE)
print(mat)

## plotting examples
if(0){plot(out$nmix,Data=dm$x)}

```

rordprobitGibbs

Gibbs Sampler for Ordered Probit

Description

rordprobitGibbs implements a Gibbs Sampler for the ordered probit model with a RW Metropolis step for the cut-offs.

Usage

```
rordprobitGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X, k)
Prior	list(betabar, A, dstarbar, Ad)
Mcmc	list(R, keep, nprint, s)

Details

Model and Priors: $z = X\beta + e$ with $e \sim N(0, I)$

$y = k$ if $c[k] \leq z < c[k+1]$ with $k = 1, \dots, K$

cutoffs = $\{c[1], \dots, c[k+1]\}$

$\beta \sim N(\text{betabar}, A^{-1})$

$dstar \sim N(\text{dstarbar}, Ad^{-1})$

Be careful in assessing prior parameter Ad: 0.1 is too small for many applications.

Argument Details: Data = list(y, X, k)

y:	$nx1$ vector of observations, $(1, \dots, k)$
X:	$n \times p$ Design Matrix

k: the largest possible value of y

Prior = list(betabar, A, dstarbar, Ad) [optional]

betabar: $px1$ prior mean (def: 0)
 A: pxp prior precision matrix (def: $0.01 \cdot I$)
 dstarbar: $ndstarx1$ prior mean, where $ndstar = k - 2$ (def: 0)
 Ad: $ndstar \times ndstar$ prior precision matrix (def: I)

Mcmc = list(R, keep, nprint, s) [only R required]

R: number of MCMC draws
 keep: MCMC thinning parameter – keep every keepth draw (def: 1)
 nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
 s: scaling parameter for RW Metropolis (def: $2.93/\sqrt{p}$)

Value

A list containing:

betadraw $R/keepxp$ matrix of betadraws
 cutdraw $R/keepx(k - 1)$ matrix of cutdraws
 dstartdraw $R/keepx(k - 2)$ matrix of dstartdraws
 accept acceptance rate of Metropolis draws for cut-offs

Note

set $c[1] = -100$ and $c[k+1] = 100$. $c[2]$ is set to 0 for identification.

The relationship between cut-offs and dstar is:

$c[3] = \exp(\text{dstar}[1])$,
 $c[4] = c[3] + \exp(\text{dstar}[2])$, ...,
 $c[k] = c[k-1] + \exp(\text{dstar}[k-2])$

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

Bayesian Statistics and Marketing by Rossi, Allenby, and McCulloch.

See Also

[rbprobitGibbs](#)

Examples

```

if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

## simulate data for ordered probit model

simordprobit=function(X, betas, cutoff){
  z = X*%betas + rnorm(nobs)
  y = cut(z, br = cutoff, right=TRUE, include.lowest = TRUE, labels = FALSE)
  return(list(y = y, X = X, k=(length(cutoff)-1), betas= betas, cutoff=cutoff ))
}

nobs = 300
X = cbind(rep(1,nobs),runif(nobs, min=0, max=5),runif(nobs,min=0, max=5))
k = 5
betas = c(0.5, 1, -0.5)
cutoff = c(-100, 0, 1.0, 1.8, 3.2, 100)
simout = simordprobit(X, betas, cutoff)

Data=list(X=simout$X, y=simout$y, k=k)

## set Mcmc for ordered probit model

Mcmc = list(R=R)
out = rordprobitGibbs(Data=Data, Mcmc=Mcmc)

cat(" ", fill=TRUE)
cat("acceptance rate= ", accept=out$accept, fill=TRUE)

## outputs of betadraw and cut-off draws

cat(" Summary of betadraws", fill=TRUE)
summary(out$betadraw, tvalues=betas)
cat(" Summary of cut-off draws", fill=TRUE)
summary(out$cutdraw, tvalues=cutoff[2:k])

## plotting examples
if(0){plot(out$cutdraw)}

```

rscaleUsage

*MCMC Algorithm for Multivariate Ordinal Data with Scale Usage
Heterogeneity*

Description

rscaleUsage implements an MCMC algorithm for multivariate ordinal data with scale usage heterogeneity.

Usage

```
rscaleUsage(Data, Prior, Mcmc)
```

Arguments

Data	list(x, k)
Prior	list(nu, V, mubar, Am, gs, Lambdanu, LambdaV)
Mcmc	list(R, keep, nprint, ndghk, e, y, mu, Sigma, sigma, tau, Lambda)

Details

Model and Priors: $n = \text{nrow}(x)$ individuals respond to $p = \text{ncol}(x)$ questions; all questions are on a scale $1, \dots, k$ for respondent i and question j ,

$$x_{ij} = d \text{ if } c_{d-1} \leq y_{ij} \leq c_d \text{ where } d = 1, \dots, k \text{ and } c_d = a + bd + ed^2$$

$$y_i = \mu + \tau_i * \text{iota} + \sigma_i * z_i \text{ with } z_i \sim N(0, \text{Sigma})$$

$$(\tau_i, \ln(\sigma_i)) \sim N(\phi, \text{Lamda})$$

$$\phi = (0, \text{lambda}_{22})$$

$$\mu \sim N(\text{mubar}, \text{Am}^{-1})$$

$$\text{Sigma} \sim \text{IW}(\text{nu}, \text{V})$$

$$\text{Lambda} \sim \text{IW}(\text{Lambdanu}, \text{LambdaV})$$

$$e \sim \text{unif on a grid}$$

It is highly recommended that the user choose the default prior settings. If you wish to change prior settings and/or the grids used, please carefully read the case study listed in the reference below.

Argument Details: Data = list(x, k)

x: $n \times p$ matrix of discrete responses
 k: number of discrete rating scale options

Prior = list(nu, V, mubar, Am, gs, Lambdanu, LambdaV) [optional]

nu: d.f. parameter for Sigma prior (def: p + 3)
 V: scale location matrix for Sigma prior (def: nu*I)
 mubar: $p \times 1$ vector of prior means (def: rep(k/2, p))
 Am: $p \times p$ prior precision matrix (def: 0.01*I)
 gs: grid size for sigma (def: 100)
 Lambdanu: d.f. parameter for Lambda prior (def: 20)
 LambdaV: scale location matrix for Lambda prior (def: (Lambdanu - 3)*Lambda)

Mcmc = list(R, keep, nprint, ndghk, e, y, mu, Sigma, sigma, tau, Lambda) [only R required]

R: number of MCMC draws (def: 1000)
 keep: MCMC thinning parameter – keep every keepth draw (def: 1)
 nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)
 ndghk: number of draws for a GHK integration (def: 100)
 e: initial value (def: 0)
 y: initial values (def: x)
 mu: initial values (def: apply(y, 2, mean), a p-length vector)

Sigma: initial value (def: var(y))
sigma: initial values (def: rep(1,n))
tau: initial values (def: rep(0,n))
Lambda: initial values (def: matrix(c(4,0,0,.5),ncol=2))

Value

A list containing:

Sigmadraw	<i>R/keepxp * p</i> matrix of Sigma draws – each row is the vector form of Sigma
mudraw	<i>R/keepxp</i> matrix of mu draws
taudraw	<i>R/keepxn</i> matrix of tau draws
sigmadraw	<i>R/keepxn</i> matrix of sigma draws
Lambdadraw	<i>R/keepx4</i> matrix of Lamda draws
edraw	<i>R/keepx1</i> vector of e draws

Warning

τ_{i} , σ_{i} are identified from the scale usage patterns in the p questions asked per respondent (# cols of x). Do not attempt to use this on datasets with only a small number of total questions.

Author(s)

Rob McCulloch (Arizona State University) and Peter Rossi (Anderson School, UCLA), <perossichi@gmail.com>.

References

For further discussion, see Case Study 3 on Overcoming Scale Usage Heterogeneity, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=1000} else {R=5}
set.seed(66)

data(customerSat)
surveydat = list(k=10, x=as.matrix(customerSat))

out = rscaleUsage(Data=surveydat, Mcmc=list(R=R))
summary(out$mudraw)
```

rsurGibbs

*Gibbs Sampler for Seemingly Unrelated Regressions (SUR)***Description**

rsurGibbs implements a Gibbs Sampler to draw from the posterior of the Seemingly Unrelated Regression (SUR) Model of Zellner.

Usage

```
rsurGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(regdata)
Prior	list(betabar, A, nu, V)
Mcmc	list(R, keep)

Details

Model and Priors: $y_i = X_i\beta_i + e_i$ with $i = 1, \dots, m$ for m regressions
 $(e(k, 1), \dots, e(k, m))' \sim N(0, \Sigma)$ with $k = 1, \dots, n$

Can be written as a stacked model:

$y = X\beta + e$ where y is a $nobs * m$ vector and $p = \text{length}(\beta) = \sum(\text{length}(\beta_{i_i}))$

Note: must have the same number of observations (n) in each equation but can have a different number of X variables (p_i) for each equation where $p = \sum p_i$.

$\beta \sim N(\text{betabar}, A^{-1})$

$\Sigma \sim IW(\text{nu}, V)$

Argument Details: Data = list(regdata)

regdata: list of lists, regdata[[i]] = list(y=y_i, X=X_i), where y_i is $n \times 1$ and X_i is $n \times p_i$

Prior = list(betabar, A, nu, V) [optional]

betabar:	$p \times 1$ prior mean (def: 0)
A:	$p \times p$ prior precision matrix (def: $0.01 * I$)
nu:	d.f. parameter for Inverted Wishart prior (def: $m+3$)
V:	$m \times m$ scale parameter for Inverted Wishart prior (def: $\text{nu} * I$)

Mcmc = list(R, keep) [only R required]

R:	number of MCMC draws
keep:	MCMC thinning parameter – keep every keepth draw (def: 1)
nprint:	print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)

Value

A list containing:

betadraw *Rxp* matrix of betadraws
 Sigmadraw *Rx(m * m)* array of Sigma draws

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[rmultireg](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=1000} else {R=10}
set.seed(66)

## simulate data from SUR
beta1 = c(1,2)
beta2 = c(1,-1,-2)
nobs = 100
nreg = 2
iota = c(rep(1, nobs))
X1 = cbind(iota, runif(nobs))
X2 = cbind(iota, runif(nobs), runif(nobs))
Sigma = matrix(c(0.5, 0.2, 0.2, 0.5), ncol=2)
U = chol(Sigma)
E = matrix(rnorm(2*nobs), ncol=2)%*%U
y1 = X1*%beta1 + E[,1]
y2 = X2*%beta2 + E[,2]

## run Gibbs Sampler
regdata = NULL
regdata[[1]] = list(y=y1, X=X1)
regdata[[2]] = list(y=y2, X=X2)

out = rsurGibbs(Data=list(regdata=regdata), Mcmc=list(R=R))

cat("Summary of beta draws", fill=TRUE)
summary(out$betadraw, tvalues=c(beta1,beta2))

cat("Summary of Sigmadraws", fill=TRUE)
summary(out$Sigmadraw, tvalues=as.vector(Sigma[upper.tri(Sigma,diag=TRUE)]))
```

```
## plotting examples  
if(0){plot(out$betadraw, tvalues=c(beta1,beta2))}
```

rtrun

Draw from Truncated Univariate Normal

Description

rtrun draws from a truncated univariate normal distribution.

Usage

```
rtrun(mu, sigma, a, b)
```

Arguments

mu	mean
sigma	standard deviation
a	lower bound
b	upper bound

Details

Note that due to the vectorization of the rnorm and qnorm commands in R, all arguments can be vectors of equal length. This makes the inverse CDF method the most efficient to use in R.

Value

Draw (possibly a vector)

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

**Note also that rtrun is currently affected by the numerical accuracy of the inverse CDF function when truncation points are far out in the tails of the distribution, where “far out” means $|a - \mu|/\sigma > 6$ and/or $|b - \mu|/\sigma > 6$. A fix will be implemented in a future version of bayesm.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
set.seed(66)
rtrun(mu=c(rep(0,10)), sigma=c(rep(1,10)), a=c(rep(0,10)), b=c(rep(2,10)))
```

runireg

IID Sampler for Univariate Regression

Description

runireg implements an iid sampler to draw from the posterior of a univariate regression with a conjugate prior.

Usage

```
runireg(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X)
Prior	list(betabar, A, nu, ssq)
Mcmc	list(R, keep, nprint)

Details

Model and Priors: $y = X\beta + e$ with $e \sim N(0, \sigma^2)$

$\beta \sim N(\text{betabar}, \sigma^2 * A^{-1})$

$\sigma^2 \sim (nu * ssq) / \chi_{nu}^2$

Argument Details: Data = list(y, X)

y: $n \times 1$ vector of observations
 X: $n \times k$ design matrix

Prior = list(betabar, A, nu, ssq) *[optional]*

betabar:	$k \times 1$ prior mean (def: 0)
A:	$k \times k$ prior precision matrix (def: $0.01 * I$)
nu:	d.f. parameter for Inverted Chi-square prior (def: 3)
ssq:	scale parameter for Inverted Chi-square prior (def: var(y))

Mcmc = list(R, keep, nprint) *[only R required]*

R:	number of draws
keep:	thinning parameter – keep every keepth draw (def: 1)
nprint:	print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)

Value

A list containing:

betadraw $R \times k$ matrix of betadraws
 sigmasqdraw $R \times 1$ vector of sigma-sq draws

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[runiregGibbs](#)

Examples

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=2000} else {R=10}
set.seed(66)

n = 200
X = cbind(rep(1,n), runif(n))
beta = c(1,2)
sigsq = 0.25
y = X%*%beta + rnorm(n,sd=sqrt(sigsq))

out = runireg(Data=list(y=y,X=X), Mcmc=list(R=R))

cat("Summary of beta and Sigmasq draws", fill=TRUE)
summary(out$betadraw, tvalues=beta)
summary(out$sigmasqdraw, tvalues=sigsq)

## plotting examples
if(0){plot(out$betadraw)}
```

 runiregGibbs

Gibbs Sampler for Univariate Regression

Description

runiregGibbs implements a Gibbs Sampler to draw from posterior of a univariate regression with a conditionally conjugate prior.

Usage

```
runiregGibbs(Data, Prior, Mcmc)
```

Arguments

Data	list(y, X)
Prior	list(betabar, A, nu, ssq)
Mcmc	list(sigmasq, R, keep, nprint)

Details

Model and Priors: $y = X\beta + e$ with $e \sim N(0, \sigma^2)$

$\beta \sim N(\text{betabar}, A^{-1})$

$\sigma^2 \sim (nu * \text{ssq}) / \chi_{nu}^2$

Argument Details: Data = list(y, X)

y: $nx1$ vector of observations

X: nxk design matrix

Prior = list(betabar, A, nu, ssq) *[optional]*

betabar: $kx1$ prior mean (def: 0)

A: kxk prior precision matrix (def: 0.01*I)

nu: d.f. parameter for Inverted Chi-square prior (def: 3)

ssq: scale parameter for Inverted Chi-square prior (def: var(y))

Mcmc = list(sigmasq, R, keep, nprint) *[only R required]*

sigmasq: value for σ^2 for first Gibbs sampler draw of $\beta | \sigma^2$

R: number of MCMC draws

keep: MCMC thinning parameter – keep every keepth draw (def: 1)

nprint: print the estimated time remaining for every nprint'th draw (def: 100, set to 0 for no print)

Value

A list containing:

betadraw Rxk matrix of betadraws

sigmasqdraw $Rx1$ vector of sigma-sq draws

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 3, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also[runireg](#)**Examples**

```
if(nchar(Sys.getenv("LONG_TEST")) != 0) {R=1000} else {R=10}
set.seed(66)

n = 200
X = cbind(rep(1,n), runif(n))
beta = c(1,2)
sigsq = 0.25
y = X%%beta + rnorm(n,sd=sqrt(sigsq))

out = runiregGibbs(Data=list(y=y, X=X), Mcmc=list(R=R))

cat("Summary of beta and Sigmasq draws", fill=TRUE)
summary(out$betadraw, tvalues=beta)
summary(out$sigmasqdraw, tvalues=sigsq)

## plotting examples
if(0){plot(out$betadraw)}
```

rwishart

Draw from Wishart and Inverted Wishart Distribution

Description

rwishart draws from the Wishart and Inverted Wishart distributions.

Usage

```
rwishart(nu, V)
```

Arguments

nu	d.f. parameter
V	pds location matrix

Details

In the parameterization used here, $W \sim W(nu, V)$ with $E[W] = nuV$.

If you want to use an Inverted Wishart prior, you *must invert the location matrix* before calling `rwishart`, e.g.

$\Sigma \sim IW(nu, V); \Sigma^{-1} \sim W(nu, V^{-1})$.

Value

A list containing:

W: Wishart draw
IW: Inverted Wishart draw
C: Upper tri root of W
CI: $\text{inv}(C), W^{-1} = CICI'$

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 2, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
set.seed(66)
rwishart(5,diag(3))$IW
```

Scotch

Survey Data on Brands of Scotch Consumed

Description

Data from Simmons Survey. Brands used in last year for those respondents who report consuming scotch.

Usage

```
data(Scotch)
```

Format

A data frame with 2218 observations on 21 brand variables.
All variables are numeric vectors that are coded 1 if consumed in last year, 0 if not.

Source

Edwards, Yancy and Greg Allenby (2003), "Multivariate Analysis of Multiple Response Data," *Journal of Marketing Research* 40, 321–334.

References

Chapter 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
data(Scotch)
cat(" Frequencies of Brands", fill=TRUE)
mat = apply(as.matrix(Scotch), 2, mean)
print(mat)

## use Scotch data to run Multivariate Probit Model
if(0) {
  y = as.matrix(Scotch)
  p = ncol(y)
  n = nrow(y)
  dimnames(y) = NULL
  y = as.vector(t(y))
  y = as.integer(y)
  I_p = diag(p)
  X = rep(I_p,n)
  X = matrix(X, nrow=p)
  X = t(X)

  R = 2000
  Data = list(p=p, X=X, y=y)
  Mcmc = list(R=R)

  set.seed(66)
  out = rmvpGibbs(Data=Data, Mcmc=Mcmc)

  ind = (0:(p-1))*p + (1:p)
  cat(" Betadraws ", fill=TRUE)
  mat = apply(out$betadraw/sqrt(out$sigmadraw[,ind]), 2, quantile,
    probs=c(0.01, 0.05, 0.5, 0.95, 0.99))
  attributes(mat)$class = "bayesm.mat"
  summary(mat)

  rdraw = matrix(double((R)*p*p), ncol=p*p)
  rdraw = t(apply(out$sigmadraw, 1, nmat))
  attributes(rdraw)$class = "bayesm.var"
  cat(" Draws of Correlation Matrix ", fill=TRUE)
  summary(rdraw)
}
```

Description

simnhlogit simulates from the non-homothetic logit model.

Usage

```
simnhlogit(theta, lnprices, Xexpend)
```

Arguments

theta	coefficient vector
lnprices	$n \times p$ array of prices
Xexpend	$n \times k$ array of values of expenditure variables

Details

For details on parameterization, see `llnhlogit`.

Value

A list containing:

y	$n \times 1$ vector of multinomial outcomes $(1, \dots, p)$
Xexpend	expenditure variables
lnprices	price array
theta	coefficients
prob	$n \times p$ array of choice probabilities

Warning

This routine is a utility routine that does **not** check the input arguments for proper dimensions and type.

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

References

For further discussion, see Chapter 4, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

See Also

[llnhlogit](#)

Examples

```

N = 1000
p = 3
k = 1

theta = c(rep(1,p), seq(from=-1,to=1,length=p), rep(2,k), 0.5)
lnprices = matrix(runif(N*p), ncol=p)
Xexpend = matrix(runif(N*k), ncol=k)

simdata = simnhlogit(theta, lnprices, Xexpend)

```

summary.bayesm.mat *Summarize Mcmc Parameter Draws*

Description

summary.bayesm.mat is an S3 method to summarize marginal distributions given an array of draws

Usage

```

## S3 method for class 'bayesm.mat'
summary(object, names, burnin = trunc(0.1 * nrow(X)),
        tvalues, QUANTILES = TRUE, TRAILER = TRUE,...)

```

Arguments

object	object (hereafter X) is an array of draws, usually an object of class bayesm.mat
names	optional character vector of names for the columns of X
burnin	number of draws to burn-in (def: 0.1 * <i>nrow</i> (X))
tvalues	optional vector of "true" values for use in simulation examples
QUANTILES	logical for should quantiles be displayed (def: TRUE)
TRAILER	logical for should a trailer be displayed (def: TRUE)
...	optional arguments for generic function

Details

Typically, summary.bayesm.nmix will be invoked by a call to the generic summary function as in summary(object) where object is of class bayesm.mat. Mean, Std Dev, Numerical Standard error (of estimate of posterior mean), relative numerical efficiency (see numEff), and effective sample size are displayed. If QUANTILES=TRUE, quantiles of marginal distributions in the columns of X are displayed.

summary.bayesm.mat is also exported for direct use as a standard function, as in summary.bayesm.mat(matrix).

summary.bayesm.mat(matrix) returns (invisibly) the array of the various summary statistics for further use. To assess this array use stats=summary(Drawmat).

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[summary.bayesm.var](#), [summary.bayesm.nmix](#)

Examples

```
## Not run: out=rmnpGibbs(Data,Prior,Mcmc); summary(out$betadraw)
```

summary.bayesm.nmix *Summarize Draws of Normal Mixture Components*

Description

summary.bayesm.nmix is an S3 method to display summaries of the distribution implied by draws of Normal Mixture Components. Posterior means and variance-covariance matrices are displayed.

Note: 1st and 2nd moments may not be very interpretable for mixtures of normals. This summary function can take a minute or so. The current implementation is not efficient.

Usage

```
## S3 method for class 'bayesm.nmix'
summary(object, names, burnin=trunc(0.1*nrow(probdraw)), ...)
```

Arguments

object	an object of class bayesm.nmix, a list of lists of draws
names	optional character vector of names fo reach dimension of the density
burnin	number of draws to burn-in (def: $0.1 * nrow(probdraw)$)
...	parms to send to summary

Details

An object of class bayesm.nmix is a list of three components:

probdraw a matrix of $R/keep$ rows by dim of normal mix of mixture prob draws

second comp not used

compdraw list of list of lists with draws of mixture comp parms

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[summary.bayesm.mat](#), [summary.bayesm.var](#)

Examples

```
## Not run: out=rnmix(Data,Prior,Mcmc); summary(out)
```

summary.bayesm.var *Summarize Draws of Var-Cov Matrices*

Description

summary.bayesm.var is an S3 method to summarize marginal distributions given an array of draws

Usage

```
## S3 method for class 'bayesm.var'
summary(object, names, burnin = trunc(0.1 * nrow(Vard)), tvalues, QUANTILES = FALSE, ...)
```

Arguments

object	object (hereafter, Vard) is an array of draws of a covariance matrix
names	optional character vector of names for the columns of Vard
burnin	number of draws to burn-in (def: $0.1 * nrow(Vard)$)
tvalues	optional vector of "true" values for use in simulation examples
QUANTILES	logical for should quantiles be displayed (def: TRUE)
...	optional arguments for generic function

Details

Typically, summary.bayesm.var will be invoked by a call to the generic summary function as in summary(object) where object is of class bayesm.var. Mean, Std Dev, Numerical Standard error (of estimate of posterior mean), relative numerical efficiency (see numEff), and effective sample size are displayed. If QUANTILES=TRUE, quantiles of marginal distributions in the columns of Vard are displayed.

Vard is an array of draws of a covariance matrix stored as vectors. Each row is a different draw.

The posterior mean of the vector of standard deviations and the correlation matrix are also displayed

Author(s)

Peter Rossi, Anderson School, UCLA, <perossichi@gmail.com>.

See Also

[summary.bayesm.mat](#), [summary.bayesm.nmix](#)

Examples

```
## Not run: out=rmnpGibbs(Data,Prior,Mcmc); summary(out$sigmadraw)
```

tuna

Canned Tuna Sales Data

Description

Volume of canned tuna sales as well as a measure of display activity, log price, and log wholesale price. Weekly data aggregated to the chain level. This data is extracted from the Dominick's Finer Foods database maintained by the Kilts Center for Marketing at the University of Chicago's Booth School of Business. Brands are seven of the top 10 UPCs in the canned tuna product category.

Usage

```
data(tuna)
```

Format

A data frame with 338 observations on 30 variables.

... \$WEEK	a numeric vector
... \$MOVE#	unit sales of brand #
... \$NSALE#	a measure of display activity of brand #
... \$LPRICE#	log of price of brand #
... \$LWHPRIC#	log of wholesale price of brand #
... \$FULLCUST	total customers visits

The brands are:

1. Star Kist 6 oz.
2. Chicken of the Sea 6 oz.
3. Bumble Bee Solid 6.12 oz.
4. Bumble Bee Chunk 6.12 oz.
5. Geisha 6 oz.
6. Bumble Bee Large Cans.
7. HH Chunk Lite 6.5 oz.

Source

Chevalier, Judith, Anil Kashyap, and Peter Rossi (2003), "Why Don't Prices Rise During Periods of Peak Demand? Evidence from Scanner Data," *The American Economic Review*, 93(1), 15–37.

References

Chapter 7, *Bayesian Statistics and Marketing* by Rossi, Allenby, and McCulloch.

Examples

```
data(tuna)
cat(" Quantiles of sales", fill=TRUE)
mat = apply(as.matrix(tuna[,2:5]), 2, quantile)
print(mat)

## example of processing for use with rivGibbs
if(0) {
  data(tuna)
  t = dim(tuna)[1]
  customers = tuna[,30]
  sales = tuna[,2:8]
  lnprice = tuna[,16:22]
  lnwhPrice = tuna[,23:29]
  share = sales/mean(customers)
  shareout = as.vector(1-rowSums(share))
  lnprob = log(share/shareout)

  ## create w matrix
  I1 = as.matrix(rep(1,t))
  I0 = as.matrix(rep(0,t))
  intercept = rep(I1,4)
  brand1 = rbind(I1, I0, I0, I0)
  brand2 = rbind(I0, I1, I0, I0)
  brand3 = rbind(I0, I0, I1, I0)
  w = cbind(intercept, brand1, brand2, brand3)

  ## choose brand 1 to 4
  y = as.vector(as.matrix(lnprob[,1:4]))
  X = as.vector(as.matrix(lnprice[,1:4]))
  lnwhPrice = as.vector(as.matrix(lnwhPrice[1:4]))
  z = cbind(w, lnwhPrice)

  Data = list(z=z, w=w, x=X, y=y)
  Mcmc = list(R=R, keep=1)

  set.seed(66)
  out = rivGibbs(Data=Data, Mcmc=Mcmc)

  cat(" betadraws ", fill=TRUE)
  summary(out$betadraw)

  ## plotting examples
  if(0){plot(out$betadraw)}
}
```

Index

- * **BLP**
 - rbayesBLP, 46
 - * **Dirichlet Process Prior**
 - rhierMnIDP, 66
 - * **Dirichlet Process**
 - rDPGibbs, 54
 - rivDP, 78
 - * **GHK method**
 - ghkvec, 19
 - llmnp, 22
 - * **GHK**
 - mnpProb, 36
 - * **Gibbs Sampler**
 - rivDP, 78
 - rivGibbs, 81
 - rsurGibbs, 105
 - runiregGibbs, 109
 - * **Gibbs Sampling**
 - rbiNormGibbs, 51
 - rbprobitGibbs, 52
 - rDPGibbs, 54
 - rhierLinearMixture, 61
 - rhierLinearModel, 64
 - rmnpGibbs, 88
 - rmvpGibbs, 92
 - rmixGibbs, 97
 - rordprobitGibbs, 100
 - * **Instrumental Variables**
 - rivDP, 78
 - rivGibbs, 81
 - * **Inverted Chi-squared Distribution**
 - lndIChisq, 25
 - * **Inverted Wishart distribution**
 - lndIWishart, 26
 - * **Inverted Wishart**
 - rwishart, 111
 - * **MCMC**
 - eMixMargDen, 18
 - plot.bayesm.hcoef, 42
 - plot.bayesm.mat, 43
 - plot.bayesm.nmix, 45
 - rbiNormGibbs, 51
 - rbprobitGibbs, 52
 - rDPGibbs, 54
 - rhierBinLogit, 58
 - rhierLinearMixture, 61
 - rhierLinearModel, 64
 - rhierMnIDP, 66
 - rhierMnLRwMixture, 71
 - rhierNegbinRw, 75
 - rivDP, 78
 - rivGibbs, 81
 - rmnlIndepMetrop, 86
 - rmnpGibbs, 88
 - rmvpGibbs, 92
 - rnegbinRw, 95
 - rnmixGibbs, 97
 - rordprobitGibbs, 100
 - rscaleUsage, 102
 - rsurGibbs, 105
 - runiregGibbs, 109
- * **MNP**
 - mnpProb, 36
 - * **Metropolis Hasting**
 - rbayesBLP, 46
 - * **Metropolis algorithm**
 - rhierNegbinRw, 75
 - rmnlIndepMetrop, 86
 - rnegbinRw, 95
 - * **Multinomial Logit**
 - rhierMnIDP, 66
 - rhierMnLRwMixture, 71
 - * **Multinomial Probit Model**
 - mnpProb, 36
 - * **NBD regression**
 - rnegbinRw, 95
 - * **Negative Binomial regression**
 - rhierNegbinRw, 75

- * **hierarchical NBD regression**
 - rhierNegbinRw, 75
- * **hierarchical models**
 - rhierBinLogit, 58
 - rhierLinearMixture, 61
 - rhierLinearModel, 64
 - rhierMnLDP, 66
 - rhierMnLRwMixture, 71
 - rscaleUsage, 102
- * **hierarchical model**
 - plot.bayesm.hcoef, 42
- * **hplot**
 - plot.bayesm.hcoef, 42
 - plot.bayesm.mat, 43
 - plot.bayesm.nmix, 45
- * **integral**
 - ghkvec, 19
- * **likelihood**
 - llmnl, 21
 - llmnp, 22
- * **linear model**
 - rhierLinearMixture, 61
 - rhierLinearModel, 64
- * **logit**
 - simnhlogit, 113
- * **marginal distribution**
 - mixDen, 32
 - mixDenBi, 33
- * **marginal likelihood**
 - logMargDenNR, 29
- * **market share simulator**
 - mnpProb, 36
- * **mcmc**
 - momMix, 37
- * **mixture of normals**
 - rhierLinearMixture, 61
 - rhierMnLRwMixture, 71
 - rmixture, 85
- * **models**
 - breg, 6
 - clusterMix, 11
 - eMixMargDen, 18
 - llmnl, 21
 - llmnp, 22
 - llnhlogit, 24
 - mixDen, 32
 - mixDenBi, 33
 - mnLHess, 35
 - mnpProb, 36
 - rbayesBLP, 46
 - rbprobitGibbs, 52
 - rhierBinLogit, 58
 - rhierMnLDP, 66
 - rhierMnLRwMixture, 71
 - rhierNegbinRw, 75
 - rivDP, 78
 - rivGibbs, 81
 - rmnLIndepMetrop, 86
 - rmnpGibbs, 88
 - rmvpGibbs, 92
 - rnegbinRw, 95
 - rordprobitGibbs, 100
 - rscaleUsage, 102
 - simnhlogit, 113
- * **multinomial logit**
 - createX, 14
 - llmnl, 21
 - llnhlogit, 24
 - mnLHess, 35
 - rmnLIndepMetrop, 86
- * **multinomial probit**
 - createX, 14
 - llmnp, 22
 - rmnpGibbs, 88
- * **multivariate normal distribution**
 - ghkvec, 19
 - lndMvn, 27
- * **multivariate probit**
 - rmvpGibbs, 92
- * **multivariate regression**
 - rmultireg, 90
- * **multivariate t distribution**
 - lndMvst, 28
 - rmvst, 94
- * **multivariate**
 - clusterMix, 11
 - eMixMargDen, 18
 - mixDen, 32
 - mixDenBi, 33
 - momMix, 37
 - rDPGibbs, 54
 - rmixGibbs, 83
 - rmixture, 85
 - rmvpGibbs, 92
 - rmvst, 94
 - rmixGibbs, 97

IndMvn, 27, 29
IndMvst, 28, 28, 95
logMargDenNR, 29

margarine, 30
mixDen, 32, 34, 56, 99
mixDenBi, 33, 56, 99
mnlHess, 35
mnpProb, 36
momMix, 37, 56, 99

nmat, 38
numEff, 39

orangeJuice, 40

plot.bayesm.hcoef, 42
plot.bayesm.mat, 43
plot.bayesm.nmix, 45

rbayesBLP, 46
rbiNormGibbs, 51
rbprobitGibbs, 52, 101
rdirichlet, 53
rDPGibbs, 45, 54
rhierBinLogit, 58
rhierLinearMixture, 43, 45, 61, 65
rhierLinearModel, 43, 63, 64
rhierMnIDP, 66
rhierMnIRwMixture, 14, 43, 45, 60, 69, 70, 87
rhierNegbinRw, 43, 75, 97
rivDP, 78
rivGibbs, 81
rmixGibbs, 38, 56, 83, 99
rmixture, 56, 85, 99
rmnlIndepMetrop, 14, 22, 35, 73, 86
rmnpGibbs, 14, 23, 36, 53, 88, 93
rmultireg, 90, 106
rmvpGibbs, 14, 89, 92
rmvst, 94
rnegbinRw, 77, 95
rmixGibbs, 12, 19, 33, 34, 45, 56, 84, 85, 97
rordprobitGibbs, 100
rscaleUsage, 9, 102
rsurGibbs, 105
rtrun, 107
runireg, 108, 111
runiregGibbs, 109, 109
rwishart, 27, 111

Scotch, 112
simnhlogit, 25, 113
summary.bayesm.mat, 115, 117, 118
summary.bayesm.nmix, 116, 116, 118
summary.bayesm.var, 116, 117, 117

tuna, 118