

Package ‘consolechoice’

July 22, 2025

Title An Easy and Quick Way to Loop a Character Vector as a Menu in the Console

Version 1.1.1

Description A fast way to loop a character vector or file names as a menu in the console for the user to choose an option.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.1.2

Suggests covr, testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author John Piper [aut, cre]

Maintainer John Piper <john.piper.using.r@gmail.com>

Repository CRAN

Date/Publication 2022-03-30 22:00:02 UTC

Contents

console_file_menu	1
console_menu	3

Index	5
--------------	-------------------

console_file_menu	<i>Prints out a menu from a list of file names in a folder for user selection</i>
-------------------	-----------------------------------------------------------------------------------

Description

wrapper function to console_menu.

Usage

```
console_file_menu(
  folder_path = ".",
  pattern = NULL,
  instruction_msg = "Type the number in the console your choice and press enter: ",
  quit_key = "q",
  quit_message = paste0("To quit please type ", quit_key, " and press return."),
  return_number = FALSE,
  test_args = list(test_mode = FALSE, test_input = NA_character_)
)
```

Arguments

folder_path	character.
pattern	character. Regex pattern used in list.files.
instruction_msg	character. Message shows under the menu selection.
quit_key	character. Character value for the user to quit the menu.
quit_message	character. Character value to explain how to quit the menu.
return_number	logical. TRUE return number choice. FALSE returns the index of chr_vector.
test_args	list(test_mode logical, test_input character). Only use for testing.

Value

character

Examples

```
## Not run:
console_file_menu("/folder/path/with/files")

console_file_menu("/folder/path/with/files",
  ".bmp",
  instruction_msg = "Please select a file to open")

console_file_menu(folder_path = "/folder/path/with/files",
  pattern = "example_doc",
  instruction_msg = "Choose a excel file to open",
  quit_key = "Q",
  quit_message = "Type in Q and press return to quit",
  return_number = TRUE)

# Example code on how the function could be used
user_choice <- console_file_menu("/folder/path/", ".doc")

switch_result <- switch(
  user_choice,
  "document_one.doc" = # code here,
  "document_two.doc" = # code here,
```

```

    "q" = # exit code here
  )
  # Example code if the function returned the number in the list
  user_choice <- console_file_menu("/folder/path/", ".doc", return_number = FALSE)

  switch_result <- switch(
    user_choice,
    "1" = # code here,
    "2" = # code here,
    "q" = # exit code here
  )

  ## End(Not run)

```

console_menu

Prints out a menu from a character vector and waits for user selection

Description

Prints out a menu from a character vector and waits for user selection

Usage

```

console_menu(
  chr_vector,
  instruction_msg = "Type the number in the console your choice and press enter: ",
  quit_key = "q",
  quit_message = paste0("To quit please type ", quit_key, " and press return."),
  return_number = TRUE,
  test_args = list(test_mode = FALSE, test_input = NA_character_)
)

```

Arguments

chr_vector	character vector.
instruction_msg	character. Message shows under the menu selection
quit_key	character. Character value for the user to quit the menu
quit_message	character. Character value to explain how to quit the menu
return_number	logical. TRUE return number choice. FALSE returns the index of chr_vector
test_args	list(test_mode logical, test_input character). Only use for testing.

Value

character

Examples

```
## Not run:
console_menu(c("Eat", "sleep", "code", "repeat"))

console_menu(c("Eat", "sleep", "code", "repeat"),
             "What would you like to do?",
             "quit",
             "Type quit to exit")

# Example code on how the function could be used
user_choice <- console_menu(c("Eat", "sleep"))

switch_result <- switch(
  user_choice,
  "1" = # code here,
  "2" = # code here,
  "q" = # exit code here
)
# Example code if the function returned the name in the character vector
user_choice <- console_menu(c("Eat", "sleep"), return_number = FALSE)

switch_result <- switch(
  user_choice,
  "Eat" = # code here,
  "sleep" = # code here,
  "q" = # exit code here
)

## End(Not run)
```

Index

console_file_menu, [1](#)

console_menu, [3](#)