

Package ‘psborrow2’

July 23, 2025

Type Package

Title Bayesian Dynamic Borrowing Analysis and Simulation

Version 0.0.4.0

Description Bayesian dynamic borrowing is an approach to incorporating external data to supplement a randomized, controlled trial analysis in which external data are incorporated in a dynamic way (e.g., based on similarity of outcomes); see Viele 2013 <[doi:10.1002/pst.1589](https://doi.org/10.1002/pst.1589)> for an overview. This package implements the hierarchical commensurate prior approach to dynamic borrowing as described in Hobbes 2011 <[doi:10.1111/j.1541-0420.2011.01564.x](https://doi.org/10.1111/j.1541-0420.2011.01564.x)>. There are three main functionalities. First, 'psborrow2' provides a user-friendly interface for applying dynamic borrowing on the study results handles the Markov Chain Monte Carlo sampling on behalf of the user. Second, 'psborrow2' provides a simulation framework to compare different borrowing parameters (e.g. full borrowing, no borrowing, dynamic borrowing) and other trial and borrowing characteristics (e.g. sample size, covariates) in a unified way. Third, 'psborrow2' provides a set of functions to generate data for simulation studies, and also allows the user to specify their own data generation process. This package is designed to use the sampling functions from 'cmdstanr' which can be installed from <<https://stan-dev.r-universe.dev>>.

URL <https://github.com/Genentech/psborrow2>,
<https://genentech.github.io/psborrow2/index.html>

BugReports <https://github.com/Genentech/psborrow2/issues>

License Apache License 2.0

Encoding UTF-8

Depends R (>= 4.1.0)

RoxygenNote 7.3.1

Config/testthat/edition 3

Imports checkmate, glue, methods, graphics, posterior, generics,
Matrix, mvtnorm, future, simsurv

Suggests cmdstanr, survival, flexsurv, eha, testthat (>= 3.0), usethis
(>= 2.1.5), vdiff, tibble, xml2, knitr, rmarkdown, bayesplot,
matrixcalc, WeightIt, MatchIt, BayesPPD, ggsurvfit, gbm,
ggplot2, cobalt, table1, gt, gtsummary

Additional_repositories <https://stan-dev.r-universe.dev>

Language en-US

SystemRequirements cmdstan

Collate 'generics.R' 'prior_class.R' 'covariate_class.R'
 'add_covariates.R' 'prior_normal.R' 'treatment_class.R'
 'borrowing_class.R' 'outcome_class.R' 'analysis_class.R'
 'borrowing_details.R' 'borrowing_full.R'
 'borrowing_hierarchical_commensurate.R' 'borrowing_none.R'
 'cast_mat_to_long_pem.R' 'check_data_matrix_has_columns.R'
 'cmdstan.R' 'create_analysis_obj.R' 'create_data_matrix.R'
 'treatment_details.R' 'sim_treatment_list.R' 'helpers.R'
 'outcome_bin_logistic.R' 'prior_exponential.R'
 'outcome_surv_weibull_ph.R' 'outcome_surv_exponential.R'
 'sim_outcome_list.R' 'sim_borrowing_list.R'
 'sim_covariate_list.R' 'sim_data_list.R' 'simulation_class.R'
 'create_simulation_obj.R' 'data.R'
 'get_prior_string_covariates.R' 'prior_half_cauchy.R'
 'outcome_cont_normal.R' 'outcome_surv_pem.R'
 'load_and_interpolate_stan_model.R' 'load_stan_file.R'
 'make_analysis_object_list.R' 'mcmc_sample.R'
 'mcmc_simulation_result.R' 'package.R'
 'prepare_stan_data_inputs.R' 'prior_bernoulli.R' 'prior_beta.R'
 'prior_cauchy.R' 'prior_gamma.R' 'prior_half_normal.R'
 'prior_poisson.R' 'sim_covariates.R' 'sim_estimate_bias.R'
 'sim_estimate_effect_variance.R' 'sim_estimate_mse.R'
 'sim_is_null_effect_covered.R' 'sim_is_true_effect_covered.R'
 'sim_samplesize.R' 'simulate_data_baseline.R' 'simulate_data.R'
 'simvar_class.R' 'trim_data_matrix.R' 'uniform_prior.R' 'zzz.R'

LazyData true

VignetteBuilder knitr

NeedsCompilation no

Author Matt Secrest [aut, cre] (ORCID:
 <<https://orcid.org/0000-0002-0939-4902>>),
 Isaac Gravestock [aut],
 Craig Gower-Page [ctb],
 Manoj Khanal [ctb],
 Mingyang Shan [ctb],
 Kexin Jin [ctb],
 Zhi Yang [ctb],
 Genentech, Inc. [cph, fnd]

Maintainer Matt Secrest <secrestm@gene.com>

Repository CRAN

Date/Publication 2025-02-12 15:20:02 UTC

Contents

add_covariates	6
Analysis-class	6
as_data_frame	7
BaselineDataFrame-class	8
BaselineDataList-class	8
BaselineObject-class	9
baseline_covariates	9
bernoulli_prior	10
beta_prior	10
BinaryOutcome-class	11
binary_cutoff	11
bin_var	12
Borrowing-class	13
BorrowingFull-class	14
BorrowingHierarchicalCommensurate-class	14
BorrowingNone-class	15
borrowing_details	15
borrowing_full	16
borrowing_hierarchical_commensurate	17
borrowing_none	18
build_model_string	19
c	20
cauchy_prior	20
check_cmdstanr	21
check_data_matrix_has_columns	21
check_fixed_external_data	22
ContinuousOutcome-class	23
cont_var	23
covariance_matrix	24
Covariates-class	25
create_alpha_string	25
create_analysis_obj	26
create_baseline_object	27
create_data_matrix	28
create_data_simulation	29
create_event_dist	30
create_simulation_obj	32
create_tau_string	33
custom_enrollment	34
cut_off_funs	35
DataSimCutOff-class	36
DataSimEnrollment-class	36
DataSimEvent-class	36
DataSimFixedExternalData-class	37
DataSimObject-class	37
enrollment_constant	38

eval_constraints	38
example_matrix	39
example_surv	39
exponential_prior	40
exp_surv_dist	41
gamma_prior	41
generate	42
generate,BaselineObject-method	42
generate,DataSimObject-method	43
get_cmd_stan_models	44
get_data	44
get_prior_string_covariates	45
get_quantiles	45
get_results	46
get_stan_code	46
get_vars	47
half_cauchy_prior	48
half_normal_prior	49
load_and_interpolate_stan_model	49
load_stan_file	50
logistic_bin_outcome	50
MCMCSimulationResult-class	51
mcmc_sample	51
normal_prior	54
Outcome-class	55
OutcomeBinaryLogistic-class	55
OutcomeContinuousNormal-class	56
OutcomeSurvExponential-class	56
OutcomeSurvPEM-class	57
OutcomeSurvWeibullPH-class	58
outcome_bin_logistic	58
outcome_cont_normal	59
outcome_surv_exponential	60
outcome_surv_pem	62
outcome_surv_weibull_ph	63
plot	64
plot_pdf	66
plot_pmf	67
poisson_prior	67
possible_data_sim_vars	68
Prior-class	68
PriorBernoulli-class	69
PriorBeta-class	69
PriorCauchy-class	70
PriorExponential-class	70
PriorGamma-class	71
PriorHalfCauchy-class	71
PriorHalfNormal-class	72

PriorNormal-class	72
PriorPoisson-class	73
prior_bernoulli	73
prior_beta	74
prior_cauchy	75
prior_exponential	75
prior_gamma	76
prior_half_cauchy	77
prior_half_normal	77
prior_normal	78
prior_poisson	79
rename_draws_covariates	80
set_cut_off	81
set_dropout	81
set_enrollment	82
set_transformations	83
set_transformations,BaselineObject-method	84
show_guide	85
SimBorrowingList-class	85
SimCovariateList-class	85
SimCovariates-class	86
SimDataList-class	86
SimOutcomeList-class	87
SimSampleSize-class	87
SimTreatmentList-class	87
Simulation-class	88
SimVar-class	88
SimVarBin-class	88
SimVarCont-class	89
sim_borrowing_list	90
sim_covariates	91
sim_covariates_summ	92
sim_covariate_list	92
sim_data_list	93
sim_outcome_list	95
sim_samplesize	96
sim_treatment_list	97
TimeToEvent-class	97
Treatment-class	98
treatment_details	99
trim_cols	99
trim_rows	100
UniformPrior-class	100
uniform_prior	101
variable_dictionary	102
weib_ph_surv_dist	102

add_covariates	<i>Add Covariates for Model Adjustment</i>
----------------	--

Description

Specify column names for adjustment variables in model matrix and prior distributions for the model parameters for these covariates (i.e., betas)

Usage

```
add_covariates(covariates, priors)
```

Arguments

- `covariates` character. Names of columns in the data matrix containing covariates to be adjusted for in the outcome model. Note: the external and treatment flags should not go here.
- `priors` Either a single object of class Prior specifying the prior distribution to apply to all covariates or a named list of distributions of class Prior, one for each covariate

Value

Object of class `Covariates`.

Examples

```
add_covariates(  
  covariates = c("a", "b"),  
  priors = list(  
    "a" = prior_normal(0, 1),  
    "b" = prior_normal(0, 2)  
  )  
)
```

Analysis-class	<i>Analysis Class</i>
----------------	-----------------------

Description

A class for defining Analysis details. Objects of class Analysis should not be created directly but by the constructor `create_analysis_obj()`.

Slots

`data_matrix` `matrix`. The data matrix, including all covariates to be adjusted for, all relevant outcome variables, and treatment arm and external control arm flags.

`covariates` `Covariate`. Object of class `Covariate` as output by the function `covariate_details()`.

`outcome` `Outcome`. Object of class `Outcome` as output by `outcome_surv_exponential()`, `outcome_surv_weibull_ph()`, or `outcome_bin_logistic()`.

`borrowing` `Borrowing`. Object of class `Borrowing` as output by `borrowing_full()`, `borrowing_none()`, or `borrowing_hierarchical_commensurate()`.

`treatment` `Treatment`. Object of class `Treatment` as output by `treatment_details()`.

`model_string` `character`. The string that contains the full Stan model code to be compiled.

`model` `CmdStanModel`. The compiled Stan model as output by `cmdstanr::cmdstan_model()`

`ready_to_sample` `logical`. Is the object ready to sample?

as_data_frame

Coerce a psborrow2 object to a data frame

Description

Creates `data.frame` objects from various classes in `psborrow2`

Usage

```
## S3 method for class 'BaselineDataList'
as.data.frame(x, ...)
```

Arguments

`x` object of type: [BaselineDataList](#)

`...` Optional arguments for passed to [data.frame](#)

Value

A `data.frame`

BaselineDataFrame-class

Baseline Data Frame Object

Description

Contains a generated baseline dataset for a single arm.

Value

A BaselineDataFrame

Slots

cov_names character contains the names of covariates generated from the multivariate normal distribution

means numeric contains the means of generating distribution for the covariates in cov_names

variances numeric contains the marginal variances of generating distribution for the covariates in cov_names.

BaselineDataList-class

Baseline Data Frame List

Description

A named list of BaselineDataFrames with generated data for internal_treated/internal_control/external_control groups

Value

A BaselineDataList

Slots

baseline_object Simulated covariates definitions as BaselineObject. See [create_baseline_object\(\)](#)

BaselineObject-class	BaselineObject <i>class for data simulation</i>
----------------------	---

Description

BaselineObject class for data simulation

Slots

n_trt_int integer. Number of internal treated patients
 n_ctrl_int integer. Number of internal control patients
 n_ctrl_ext integer. Number of external control patients
 covariates list. List of correlated covariates objects, see [baseline_covariates\(\)](#)
 transformations list. List of named transformation functions.

baseline_covariates	<i>Specify Correlated Baseline Covariates</i>
---------------------	---

Description

Set parameters to generate correlated multivariate normal data for internal and external patients.

Usage

```
baseline_covariates(
  names,
  means_int,
  means_ext = means_int,
  covariance_int,
  covariance_ext = covariance_int
)
```

Arguments

names	character vector of variable names.
means_int	numeric vector of means for internal patients. Must have same length as names
means_ext	numeric vector of means for external patients. Must have same length as names
covariance_int	variance-covariance matrix for generating multivariate normal for internal patients. Must be square matrix with same number of rows and length(names)
covariance_ext	variance-covariance matrix for generating multivariate normal data for external patients. Must be square matrix with same number of rows and length(names)

Value

[BaselineObject](#) to build simulated dataset

Examples

```
corr_covs <- baseline_covariates(  
  names = c("b1", "b2"),  
  means_int = c(5, 25),  
  covariance_int = covariance_matrix(diag = c(1, 1), upper_tri = 0.4)  
)
```

bernoulli_prior	<i>Legacy function for the bernoulli prior</i>
-----------------	--

Description

Please use `prior_bernoulli()` instead.

Usage

```
bernoulli_prior(...)
```

Arguments

... Deprecated arguments to `bernoulli_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `bernoulli_prior()` is deprecated and that `prior_bernoulli()` should be used instead.

beta_prior	<i>Legacy function for the beta prior</i>
------------	---

Description

Please use `prior_beta()` instead.

Usage

```
beta_prior(...)
```

Arguments

... Deprecated arguments to `beta_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `beta_prior()` is deprecated and that `prior_beta()` should be used instead.

BinaryOutcome-class	BinaryOutcome <i>class</i>
---------------------	----------------------------

Description

BinaryOutcome class

Slots

- `n_param` integer. Number of ancillary parameters for the model to estimate.
- `param_priors` list. Named list of prior distributions on the ancillary parameters in the model.
- `binary_var` character. Variable used for outcome in BinaryOutcome objects.
- `baseline_prior` Prior. Object of class Prior specifying prior distribution for the baseline outcome.
- `name_beta_trt`. Named vector for `beta_trt`.
- `name_exp_trt`. Named vector for exponentiated `beta_trt`
- `alpha_type`. How to interpret alpha.
- `name_addnl_params`. Named vector for additional parameters.

See Also

Other outcome: [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

binary_cutoff	Binary Cut-Off Transformation
---------------	-------------------------------

Description

Binary Cut-Off Transformation

Usage

`binary_cutoff(name, int_cutoff, ext_cutoff)`

Arguments

name	variable to transform
int_cutoff	cut-off for internal patients, numeric between 0 and 1
ext_cutoff	cut-off for external patients, numeric between 0 and 1

Value

Transformation function to be used in `create_baseline_object()`. Sets quantile values larger than cut-off value to TRUE otherwise FALSE.

Examples

```
# Creates a simple function, where `data` is a `BaselineDataFrame`:
function(data) {
  ext <- data$ext == 0
  q <- get_quantiles(data, name)
  ifelse(ext, q > int_cutoff, q > ext_cutoff)
}
```

bin_var

*Create binary covariate***Description**

Create an object of class `SimVarBin` to hold proportions of binary variables specified in a simulation study.

Usage

```
bin_var(
  probb_internal,
  probb_external,
  mu_internal_before_bin = 0,
  mu_external_before_bin = 0
)
```

Arguments

probb_internal	numeric. Proportion for the internal arms.
probb_external	numeric. Proportion for the external arm.
mu_internal_before_bin	numeric. Mean value of the covariate before binarization for the internal arms. The default is 0. See details for more information.
mu_external_before_bin	numeric. Mean value of the covariate before binarization for the external arm. The default is 0. See details for more information.

Details

This function contains information necessary to create binary covariates as part of a simulation study. The binary covariates are created by binarizing multivariate normal distributions to achieve the probabilities specified in `prob_internal` and `prob_external`. The user may choose to change the default mean value of each variable prior to binarization by specifying `mu_internal_before_bin` or `mu_external_before_bin` to ensure the correct scales are used in the covariance matrix, though the ultimate proportions will depend on `prob_internal` and `prob_external`. The default values for `mu_internal_before_bin` and `mu_external_before_bin` are 0, and it is not recommended to change these without good reason.

Value

Object of class `SimVarBin`.

See Also

Other simvar: `cont_var()`

Examples

```
cv1 <- bin_var(0.50, 0.80)
cv2 <- bin_var(.95, .92)
```

Borrowing-class

Borrowing Class

Description

A class for defining borrowing details. Objects of class `Borrowing` should not be created directly but by the constructors `borrowing_hierarchical_commensurate()`, `borrowing_none()`, `borrowing_full()`.

Slots

`method_name` string. The name of the method.

`ext_flag_col` character. Name of the external flag column in the matrix.

See Also

Prior constructor functions: `borrowing_full()`, `borrowing_hierarchical_commensurate()`, `borrowing_none()`

Other borrowing classes: `BorrowingFull-class`, `BorrowingHierarchicalCommensurate-class`, `BorrowingNone-class`

BorrowingFull-class	BorrowingFull <i>class</i>
---------------------	----------------------------

Description

A class for defining details for "Full Borrowing" methods. Objects of class BorrowingFull should not be created directly but by the constructor [borrowing_full\(\)](#).

Slots

`method_name` string. The name of the method.

`ext_flag_col` character. Name of the external flag column in the matrix.

`name_tau` named vector for hierarchical commensurability parameter hyperprior.

See Also

Other borrowing classes: [Borrowing-class](#), [BorrowingHierarchicalCommensurate-class](#), [BorrowingNone-class](#)

BorrowingHierarchicalCommensurate-class	BorrowingHierarchicalCommensurate <i>class</i>
---	--

Description

A class for defining details of dynamic borrowing using the hierarchical Bayesian model with a commensurability parameter. Objects of class BorrowingHierarchicalCommensurate should not be created directly but by the constructor [borrowing_hierarchical_commensurate\(\)](#).

Slots

`method_name` string. The name of the method.

`ext_flag_col` character. Name of the external flag column in the matrix.

`tau_prior` Prior. Prior for the commensurability parameter.

See Also

Other borrowing classes: [Borrowing-class](#), [BorrowingFull-class](#), [BorrowingNone-class](#)

BorrowingNone-class	BorrowingNone <i>class</i>
---------------------	----------------------------

Description

A class for defining details for "No borrowing" methods. Objects of class BorrowingNone should not be created directly but by the constructor [borrowing_none\(\)](#).

Slots

- method_name string. The name of the method.
- ext_flag_col character. Name of the external flag column in the matrix.

See Also

Other borrowing classes: [Borrowing-class](#), [BorrowingFull-class](#), [BorrowingHierarchicalCommensurate-class](#)

borrowing_details	<i>Legacy function for specifying borrowing details</i>
-------------------	---

Description

Please use one of [borrowing_hierarchical_commensurate\(\)](#), [borrowing_none\(\)](#), or [borrowing_full\(\)](#) instead.

Usage

[borrowing_details](#)(...)

Arguments

... Deprecated arguments to [borrowing_details](#).

Value

This function does not return a value. When called, it triggers an error message indicating that [borrowing_details\(\)](#) is deprecated and that one of [borrowing_hierarchical_commensurate\(\)](#), [borrowing_none\(\)](#), or [borrowing_full\(\)](#) should be used instead.

borrowing_full	<i>Full borrowing</i>
----------------	-----------------------

Description

Full borrowing

Usage

```
borrowing_full(ext_flag_col)
```

Arguments

`ext_flag_col` character. Name of the external flag column in the matrix.

Details

Method:

This method does not distinguish between internal and external arms, effectively pooling patients.

External Control:

The `ext_flag_col` argument refers to the column in the data matrix that contains the flag indicating a patient is from the external control cohort.

Value

Object of class `BorrowingFull`.

See Also

Other borrowing: [borrowing_none\(\)](#)

Examples

```
fb <- borrowing_full("ext")
```

`borrowing_hierarchical_commensurate`*Hierarchical commensurate borrowing*

Description

Hierarchical commensurate borrowing

Usage

```
borrowing_hierarchical_commensurate(ext_flag_col, tau_prior)
```

Arguments

<code>ext_flag_col</code>	character. Name of the external flag column in the matrix.
<code>tau_prior</code>	Prior. Prior for the commensurability parameter.

Details

Method:

In Bayesian dynamic borrowing using the hierarchical commensurate prior approach, external control information is borrowed to the extent that the outcomes (i.e., log hazard rates or log odds) are similar between external and internal control populations. See Viele 2014 [doi:10.1002/pst.1589](https://doi.org/10.1002/pst.1589) and Hobbs 2011 [doi:10.1111/j.15410420.2011.01564.x](https://doi.org/10.1111/j.15410420.2011.01564.x) for details.

External Control:

The `ext_flag_col` argument refers to the column in the data matrix that contains the flag indicating a patient is from the external control cohort.

Tau Prior:

The `tau_prior` argument specifies the hyperprior on the precision parameter commonly referred to as the commensurability parameter. See Viele 2014 [doi:10.1002/pst.1589](https://doi.org/10.1002/pst.1589) for more details. This hyperprior determines (along with the comparability of the outcomes between internal and external controls) how much borrowing of the external control group will be performed. Example hyperpriors include largely uninformative inverse gamma distributions [e.g., `prior_gamma(alpha = .001, beta = .001)`] as well as more informative distributions [e.g., `prior_gamma(alpha = 1, beta = .001)`], though any distribution $x \in (0, \infty)$ can be used. Distributions with more density at higher values of x (i.e., higher precision) will lead to more borrowing.

Value

Object of class `BorrowingHierarchicalCommensurate`.

References

Viele, K., Berry, S., Neuenschwander, B., Amzal, B., Chen, F., Enas, N., Hobbs, B., Ibrahim, J.G., Kinnersley, N., Lindborg, S., Micallef, S., Roychoudhury, S. and Thompson, L. (2014), Use of historical control data for assessing treatment effects in clinical trials. **Pharmaceut. Statist.**, **13**: 41–54. doi:10.1002/pst.1589

Hobbes, B.P., Carlin, B.P., Mandrekar, S.J. and Sargent, D.J. (2011), Hierarchical commensurate and power prior models for adaptive incorporation of historical information in clinical trials. **Biometrics**, **67**: 1047–1056. doi:10.1111/j.15410420.2011.01564.x

Examples

```
db <- borrowing_hierarchical_commensurate(
  ext_flag_col = "ext",
  tau_prior = prior_gamma(0.0001, 0.0001)
)
```

borrowing_none	<i>No borrowing</i>
----------------	---------------------

Description

No borrowing

Usage

```
borrowing_none(ext_flag_col)
```

Arguments

`ext_flag_col` character. Name of the external flag column in the matrix.

Details

Method:

This method evaluates only the internal comparison, ignoring historical controls. Note that this method will filter the model matrix based on values in `ext_flag_col`.

External Control:

The `ext_flag_col` argument refers to the column in the data matrix that contains the flag indicating a patient is from the external control cohort.

Value

Object of class `BorrowingNone`.

See Also

Other borrowing: `borrowing_full()`

Examples

```
db <- borrowing_none(  
  ext_flag_col = "ext"  
)
```

build_model_string	<i>Build the model string by interpolating the Stan template</i>
--------------------	--

Description

Build the model string by interpolating the Stan template

Usage

```
build_model_string(  
  template_domain,  
  template_filename,  
  outcome,  
  borrowing,  
  analysis_obj,  
  ...  
)
```

Arguments

template_domain	Character string specifying the domain of the template (e.g., "surv", "bin", "cont")
template_filename	Character string specifying the filename of the Stan template
outcome	Outcome object
borrowing	Borrowing object
analysis_obj	Analysis object
...	Additional named arguments to be passed for interpolation

Value

String containing the interpolated Stan model

c	<i>Combine objects in psborrow2</i>
---	-------------------------------------

Description

Creates `data.frame` objects from various classes in `psborrow2`

Usage

```
## S4 method for signature 'SimDataList'
c(x, ...)
```

Arguments

x	object of type: SimDataList
...	additional objects to combine

Value

A combined object
list of [SimDataList](#) objects.

cauchy_prior	<i>Legacy function for the cauchy prior</i>
--------------	---

Description

Please use `prior_cauchy()` instead.

Usage

```
cauchy_prior(...)
```

Arguments

...	Deprecated arguments to <code>cauchy_prior()</code> .
-----	---

Value

This function does not return a value. When called, it triggers an error message indicating that `cauchy_prior()` is deprecated and that `prior_cauchy()` should be used instead.

check_cmdstanr	<i>Check Stan</i>
----------------	-------------------

Description

Check whether cmdstanr is available and prints version and logistic example.

Usage

```
check_cmdstanr(check_sampling = FALSE)

check_cmdstanr()
```

Arguments

check_sampling Compile and sample from the "logistic" example model.

Value

check_cmdstanr() prints results from checks.
 check_cmdstanr() returns TRUE if CmdStan seems to be installed, otherwise FALSE

Functions

- check_cmdstanr(): Check if the CmdStan command line tools are available.

Examples

```
check_cmdstanr()
```

check_data_matrix_has_columns	<i>Check Data Matrix for Required Columns</i>
-------------------------------	---

Description

Check that an Analysis object's data_matrix has all the required variables.

Usage

```
check_data_matrix_has_columns(object)
```

Arguments

object Analysis. Object to check.

Value

stop() if some columns are missing.

Examples

```
anls <- create_analysis_obj(
  data_matrix = example_matrix,
  covariates = add_covariates(
    covariates = c("cov1", "cov2"),
    priors = prior_normal(0, 1000)
  ),
  outcome = outcome_surv_exponential(
    "time",
    "cnsr",
    baseline_prior = prior_normal(0, 1000)
  ),
  borrowing = borrowing_hierarchical_commensurate(
    "ext",
    prior_exponential(.001)
  ),
  treatment = treatment_details(
    "trt",
    prior_normal(0, 1000)
  )
)

check_data_matrix_has_columns(anls)
```

check_fixed_external_data

Create a Fixed External Data Object

Description

Create a Fixed External Data Object

Usage

```
check_fixed_external_data(data, req_cols)
```

Arguments

data	A data.frame containing external control data
req_cols	A character vector of required covariate columns

Value

A DataSimObject with updated enrollment_internal and enrollment_external slots.

ContinuousOutcome-class
ContinuousOutcome class

Description

ContinuousOutcome class

Slots

- n_param integer. Number of ancillary parameters for the model to estimate.
- param_priors list. Named list of prior distributions on the ancillary parameters in the model.
- continuous_var character. Variable used for outcome in ContinuousOutcome objects.
- baseline_prior Prior. Object of class Prior specifying prior distribution for the baseline outcome.
- name_beta_trt. Named vector for beta_trt.
- alpha_type. How to interpret alpha.
- name_addnl_params. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

cont_var	Create continuous covariate
----------	-----------------------------

Description

Create an object of class SimVarCont to hold mean values of of continuous variables specified in a simulation study.

Usage

cont_var(mu_internal, mu_external)

Arguments

- mu_internal numeric. Mean covariate value for the internal arms.
- mu_external numeric. Mean covariate value for the external arm.

Value

Object of class [SimVarCont](#).

See Also

Other simvar: `bin_var()`

Examples

```
cv1 <- cont_var(0.5, 1)
cv2 <- cont_var(10, 10)
```

covariance_matrix	<i>Create Covariance Matrix</i>
-------------------	---------------------------------

Description

Create Covariance Matrix

Usage

```
covariance_matrix(diag, upper_tri)
```

Arguments

diag	Diagonal entries of the covariance matrix
upper_tri	Upper triangle entries of the matrix, specified column wise.

Value

A symmetric matrix with diag values on the main diagonal and upper_tri values in the lower and upper triangles.

Examples

```
m1 <- covariance_matrix(c(1, 1, 1, 1), c(.8, .3, .8, 0, 0, 0))
m1
rmvnorm::rmvnorm(5, mean = c(0, 0, 0, 0), sigma = m1)

# No correlation
covariance_matrix(c(1, 2, 3))
```

Covariates-class	Covariate Class
------------------	-----------------

Description

A class for defining covariate details. Objects of class Covariate should not be created directly but by the constructor `add_covariates()`.

Slots

`covariates` character. Names of columns in the data matrix containing covariates to be adjusted for in the outcome model. Note: the external and treatment flags should not go here.

`priors`. Either a single object of class Prior specifying the prior distribution to apply to all covariates or a named list of distributions of class Prior, one for each covariate

`name_betas`. Names for the beta parameters in the STAN model.

<code>create_alpha_string</code>	Create alpha string
----------------------------------	---------------------

Description

Create alpha string

Usage

```
create_alpha_string(borrowing_object, outcome_object)

## S4 method for signature 'Borrowing'
create_alpha_string(borrowing_object, outcome_object)

## S4 method for signature 'BorrowingHierarchicalCommensurate'
create_alpha_string(borrowing_object, outcome_object)
```

Arguments

`borrowing_object` borrowing object

`outcome_object` outcome object

create_analysis_obj *Compile MCMC sampler using STAN and create analysis object*

Description

Compile MCMC sampler using STAN and create analysis object

Usage

```
create_analysis_obj(
  data_matrix,
  outcome,
  borrowing,
  treatment,
  covariates = NULL,
  quiet = FALSE
)
```

Arguments

data_matrix	matrix. The data matrix, including all covariates to be adjusted for, all relevant outcome variables, and treatment arm and external control arm flags.
outcome	Outcome. Object of class Outcome as output by outcome_surv_exponential() , outcome_surv_weibull_ph() , or outcome_bin_logistic() .
borrowing	Borrowing. Object of class Borrowing as output by borrowing_full() , borrowing_none() , and borrowing_hierarchical_commensurate() .
treatment	Treatment. Object of class Treatment as output by treatment_details() .
covariates	Covariates. Object of class Covariates as output by the function add_covariates() .
quiet	logical. Whether to suppress messages (TRUE) or not (FALSE, the default)

Value

Object of class [Analysis](#).

Examples

```
if (check_cmdstan()) {
  anls <- create_analysis_obj(
    data_matrix = example_matrix,
    outcome = outcome_surv_exponential(
      "time",
      "cnsr",
      baseline_prior = prior_normal(0, 1000)
    ),
    borrowing = borrowing_hierarchical_commensurate(
      "ext",
      prior_exponential(.001)
    )
  )
}
```

```

    ),
    treatment = treatment_details(
      "trt",
      prior_normal(0, 1000)
    ),
    covariates = add_covariates(
      covariates = c("cov1", "cov2"),
      priors = prior_normal(0, 1000)
    )
  )
}

```

create_baseline_object

Create Baseline Data Simulation Object

Description

Create Baseline Data Simulation Object

Usage

```

create_baseline_object(
  n_trt_int,
  n_ctrl_int,
  n_ctrl_ext,
  covariates,
  transformations
)

```

Arguments

n_trt_int	Number of internal treated patients
n_ctrl_int	Number of internal control patients
n_ctrl_ext	Number of external control patients
covariates	List of correlated covariates objects, see baseline_covariates()
transformations	List of named transformation functions.

Details

Transformation functions are evaluated in order and create or overwrite a column in the data.frame with that name. The function should take a data.frame (specifically a BaselineDataFrame object from generate(BaselineObject)) and return a vector with length identical to the total number of patients. The @BaselineObject slot may be accessed directly or with [get_quantiles\(\)](#) to create transformations. See [binary_cutoff\(\)](#)

Value

A [BaselineObject](#)

Examples

```
bl_no_covs <- create_baseline_object(
  n_trt_int = 100,
  n_ctrl_int = 50,
  n_ctrl_ext = 100
)

bl_biomarkers <- create_baseline_object(
  n_trt_int = 100,
  n_ctrl_int = 50,
  n_ctrl_ext = 100,
  covariates = baseline_covariates(
    c("b1", "b2", "b3"),
    means_int = c(0, 0, 0),
    covariance_int = covariance_matrix(c(1, 1, 1), c(.8, .3, .8))
  ),
  transformations = list(
    exp_b1 = function(data) exp(data$b1),
    b2 = binary_cutoff("b2", int_cutoff = 0.7, ext_cutoff = 0.5)
  )
)
```

create_data_matrix	<i>Create Data Matrix</i>
--------------------	---------------------------

Description

Creates a matrix suitable for [create_analysis_obj\(\)](#). Creates dummy variables for factors and allows transformations of covariates specified with a formula.

Usage

```
create_data_matrix(
  data,
  outcome,
  trt_flag_col,
  ext_flag_col,
  covariates = NULL,
  weight_var = NULL
)
```

Arguments

data	data.frame. Data containing all variables
outcome	character. The outcome variable for binary outcomes or the time and censoring variables.
trt_flag_col	character. The treatment indicator variable.
ext_flag_col	character. The external cohort indicator.
covariates	character or formula. The covariates for model adjustment.
weight_var	character. An optional weight variable.

Value

Invisibly returns a matrix containing all variables to pass to `create_analysis_obj()`. Prints names of covariates columns to use with `add_covariates()`.

Examples

```
dat <- survival::diabetic
dat$ext <- dat$trt == 0 & dat$id > 1000
data_mat <- create_data_matrix(
  dat,
  outcome = c("time", "status"),
  trt_flag_col = "trt",
  ext_flag_col = "ext",
  covariates = ~ age + laser + log(risk)
)
data_mat
```

```
create_data_simulation
```

Data Simulation

Description

Data Simulation

Usage

```
create_data_simulation(
  baseline,
  coefficients = numeric(),
  treatment_hr = 1,
  drift_hr = 1,
  event_dist,
  fixed_external_data
)
```

Arguments

baseline	BaselineObject from create_baseline_object()
coefficients	Named vector of coefficients for linear predictor. Must correspond to variables in baseline object
treatment_hr	Default treatment hazard ratio for simulations. Alternative simulation settings can be specified in generate .
drift_hr	Default drift hazard ratio between internal and external arms. Alternative simulation settings can be specified in generate .
event_dist	Specify time to event distribution with SimDataEvent object from create_event_dist()
fixed_external_data	A data.frame containing external control data. It must contain columns eventtime, status and all of the variables named in coefficients. If present, trt must be 0 and ext must be 1 for all rows.

Value

DataSimObject

Examples

```
baseline_obj <- create_baseline_object(
  n_trt_int = 100,
  n_ctrl_int = 50,
  n_ctrl_ext = 10,
  covariates = baseline_covariates(
    names = c("age", "score"),
    means_int = c(55, 5),
    means_ext = c(60, 5),
    covariance_int = covariance_matrix(c(5, 1))
  )
)
sim_obj <- create_data_simulation(
  baseline_obj,
  coefficients = c(age = 0.001, score = 1.5),
  event_dist = create_event_dist(dist = "exponential", lambdas = 1 / 36)
)
data_sim_list <- generate(sim_obj, treatment_hr = c(0.5, 1), drift_hr = 0.5)
```

create_event_dist	<i>Specify a Time to Event Distribution</i>
-------------------	---

Description

Uses [simsurv::simsurv](#) to generate time to event data. See `simsurv` help for more details.

Usage

```

create_event_dist(
  dist = NULL,
  lambdas = NULL,
  gammas = NULL,
  mixture = FALSE,
  pmix = 0.5,
  hazard = NULL,
  loghazard = NULL,
  cumhazard = NULL,
  logcumhazard = NULL,
  ...
)

null_event_dist()

```

Arguments

dist	Specify the distribution "exponential"
lambdas	Scale parameter
gammas	Second parameter needed for Weibull or Gompertz distributions
mixture	Use mixture model?
pmix	Proportion of mixtures
hazard	A user defined hazard function
loghazard	Alternatively, a user defined log hazard function
cumhazard	Alternatively, a user defined cumulative hazard function
logcumhazard	Alternatively, a user defined log cumulative hazard function
...	Other simsurv parameters

Value

A SimDataEvent object

null_event_dist returns an object with no parameters specified that does not simulate event times.

Examples

```

weibull_surv <- create_event_dist(dist = "weibull", lambdas = 1 / 200, gammas = 1)
exp_event_dist <- create_event_dist(dist = "exponential", lambdas = 1 / 36)
null_event_dist()

```

create_simulation_obj *Compile MCMC sampler using STAN and create simulation object*

Description

Compile MCMC sampler using STAN and create simulation object

Usage

```
create_simulation_obj(
  data_matrix_list,
  covariate = NULL,
  outcome,
  borrowing,
  treatment,
  quiet = TRUE
)
```

Arguments

data_matrix_list	SimDataList. The list of lists of data matrices created with <code>sim_data_list()</code> .
covariate	SimCovariateList or Covariate or NULL. List of Covariate objects created with <code>sim_covariate()</code> , a single Covariate object created by <code>add_covariates()</code> , or NULL (no covariate adjustment).
outcome	SimOutcomeList or Outcome. List of Outcome objects created with <code>sim_outcome()</code> , or single Outcome object (e.g., created by <code>outcome_surv_exponential()</code>).
borrowing	SimBorrowingList or Borrowing. List of Borrowing objects created with <code>sim_borrowing()</code> , or a single Borrowing object created by <code>borrowing_full()</code> , <code>borrowing_none()</code> , or <code>borrowing_hierarchical_commensurate()</code> .
treatment	SimTreatmentList or Treatment. List of Treatment objects created with <code>sim_treatment()</code> or a single Treatment object created by <code>treatment_details()</code> .
quiet	logical. Whether to print messages (quiet = FALSE) or not (quiet = TRUE, the default)

Value

Object of class [Simulation](#).

Examples

```
base_mat <- matrix(
  c(
    rep(0, 200), rep(0, 200), rep(1, 200),
    rep(1, 200), rep(0, 200), rep(0, 200),
    rep(0, 600)
  )
```



```

    ),
    ncol = 3,
    dimnames = list(NULL, c("ext", "trt", "driftOR"))
  )

  add_binary_endpoint <- function(odds_ratio,
                                   base_matrix = base_mat) {
    linear_predictor <- base_matrix[, "trt"] * log(odds_ratio)
    prob <- 1 / (1 + exp(-linear_predictor))

    bin_endpoint <- rbinom(
      NROW(base_matrix),
      1,
      prob
    )

    cbind(base_matrix, matrix(bin_endpoint, ncol = 1, dimnames = list(NULL, "ep")))
  }

  data_list <- list(
    list(add_binary_endpoint(1.5), add_binary_endpoint(1.5)),
    list(add_binary_endpoint(2.5), add_binary_endpoint(2.5))
  )

  guide <- data.frame(
    trueOR = c(1.5, 2.5),
    driftOR = c(1.0, 1.0),
    index = 1:2
  )

  sdl <- sim_data_list(
    data_list = data_list,
    guide = guide,
    effect = "trueOR",
    drift = "driftOR",
    index = "index"
  )

  if (check_cmdstan()) {
    sim_object <- create_simulation_obj(
      data_matrix_list = sdl,
      outcome = outcome_bin_logistic("ep", prior_normal(0, 1000)),
      borrowing = sim_borrowing_list(list(
        full_borrowing = borrowing_full("ext"),
        bdb = borrowing_hierarchical_commensurate("ext", prior_exponential(0.0001))
      )),
      treatment = treatment_details("trt", prior_normal(0, 1000))
    )
  }
}

```

Description

Create tau string

Usage

```
create_tau_string(borrowing_object)

## S4 method for signature 'Borrowing'
create_tau_string(borrowing_object)

## S4 method for signature 'BorrowingHierarchicalCommensurate'
create_tau_string(borrowing_object)
```

Arguments

borrowing_object
borrowing object

custom_enrollment	<i>Create a DataSimEnrollment Object</i>
-------------------	--

Description

Create a DataSimEnrollment Object

Usage

```
custom_enrollment(fun, label)
```

Arguments

fun	A function that takes one argument n the number of enrollment times to observe and returns a vector of times.
label	A user-friendly label

Value

A [DataSimEnrollment](#) object

Examples

```
custom_enrollment(
  fun = function(n) rpois(n, lambda = 5),
  label = "Poisson enrollment distribution"
)
```

`cut_off_funs`*Cut Off Functions*

Description

Cut Off Functions

Usage

```
cut_off_none()
cut_off_after_first(time)
cut_off_after_last(time)
cut_off_after_events(n)
```

Arguments

<code>time</code>	Time to cut off
<code>n</code>	Number of events

Value

A DataSimCutOff object containing a cut-off function

Functions

- `cut_off_none()`: No cut off is specified
- `cut_off_after_first()`: Cut off at time after first enrolled patient
- `cut_off_after_last()`: Cut off at time after last enrolled patient
- `cut_off_after_events()`: Cut off after the time of the n-th event

Examples

```
cut_off_none()
cut_off_after_first(time = 36)
cut_off_after_last(time = 36)
cut_off_after_events(n = 20)
```

DataSimCutOff-class *Cut Off Object*

Description

Cut Off Object

Slots

`cut_off_fun` A function that takes a `data.frame` with columns of enrollment time, survival time and outcome. The function returns a modified `data.frame` after applied the cut-off rule.

DataSimEnrollment-class
 Enrollment Object

Description

Enrollment Object

Slots

`fun` A function that takes one argument `n` the number of enrollment times to observe and returns a vector of times.

`label` A user-friendly label

DataSimEvent-class *Event Time Distribution Object*

Description

Event Time Distribution Object

Slots

`params` Parameters used for simulating event times with `simSurv::simSurv()`.

`label` Description of the distribution.

DataSimFixedExternalData-class

Fixed External Control Data Object

Description

Fixed External Control Data Object

Value

A FixedExternalData

Slots

data data.frame containing external control data

n Number of observations

DataSimObject-class

Data Simulation Object Class

Description

Data Simulation Object Class

Value

A DataSimObject

Slots

baseline BaselineObject from [create_baseline_object](#)

coefficients Named numeric vector of beta coefficients for survival model. See beta at ?simurv::simurv

treatment_hr numeric treatment effect as a hazard ration. log(treatment_hr) is included in beta with coefficients and log(drift_hr). This default is overridden by [generate](#) arguments

drift_hr numeric hazard ratio between internal and external arms. Included as log(drift_hr).

fixed_external_data data.frame for external data. Currently unused.

event_dist DataSimEvent parameters for outcome distribution from [create_event_dist\(\)](#)

enrollment DataSimEnrollment object.

cut_off DataSimCutOff

enrollment_constant	<i>Constant Enrollment Rates</i>
---------------------	----------------------------------

Description

Constant Enrollment Rates

Usage

```
enrollment_constant(rate, for_time = rep(1, length(rate)))
```

Arguments

rate	Number of patients to enroll per unit time
for_time	Number of time periods for each rate. Must be equal length to rate

Value

An object of class [DataSimEnrollment](#) to be passed to [create_data_simulation\(\)](#)

Examples

```
# 10 patients/month for 6 months, then 5/month for 6 months
enroll_obj <- enrollment_constant(rate = c(10, 5), for_time = c(6, 6))
enroll_obj@fun(n = 80)
```

eval_constraints	<i>Evaluate constraints</i>
------------------	-----------------------------

Description

Evaluate constraints when these are called

Usage

```
eval_constraints(object)

## S4 method for signature 'Prior'
eval_constraints(object)
```

Arguments

object	Prior object
--------	--------------

example_matrix	<i>Example data matrix</i>
----------------	----------------------------

Description

A matrix containing data from a clinical trial with a treatment arm and a control arm, as well as data from an external control. In this simulated dataset, the true hazard ratio (HR) for the time-to-event endpoint comparing the experimental treatment to the control treatment is 0.70. The true odds ratio (OR) for the binary response endpoint comparing the experimental treatment to the control treatment is 1.20.

Usage

```
example_matrix
```

Format

A data frame with 500 rows and 11 columns. The distributions of patients is: 50 internal control patients, 100 internal experimental patients, 350 external control patients.

id patient identifier

ext 0/1, flag for external controls

trt 0/1, flag for treatment arm

cov1 0/1, baseline covariate

cov2 0/1, baseline covariate

cov3 0/1, baseline covariate

cov4 0/1, baseline covariate

time numeric >0, survival time

status 0/1, indicator for event status (1 = had event, 0 = did not have event)

cnsr 0/1, censoring indicator (1 = was censored, 0 = was not censored). This value is 1 - status.

resp 0/1, indicator for response outcome (1 = had a response, 0 = did not have a response)

example_surv	<i>Simulated Survival Data</i>
--------------	--------------------------------

Description

A data frame containing simulated data from a clinical trial with a treatment arm (n=200) and a control arm (n=158), as well as data from an external control (n=242).

Usage

```
example_surv
```

Format

A data frame with 600 rows and 6 variables:

trt 0/1, flag for treatment arm

ext 0/1, flag for external controls

eventtime numeric >0, survival time

status 0/1, event indicator

censor 0/1, censoring indicator

cov1 0/1, binary baseline covariate 1

cov2 integer in [0, 15], baseline covariate 2

cov3 continuous numeric, baseline covariate 3

exponential_prior	<i>Legacy function for the exponential prior</i>
-------------------	--

Description

Please use `prior_exponential()` instead.

Usage

```
exponential_prior(...)
```

Arguments

... Deprecated arguments to `exponential_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `exponential_prior()` is deprecated and that `prior_exponential()` should be used instead.

exp_surv_dist	<i>Legacy function for the exponential survival distribution</i>
---------------	--

Description

Please use `outcome_surv_exponential()` instead.

Usage

```
exp_surv_dist(...)
```

Arguments

... Deprecated arguments to `exp_surv_dist()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `exp_surv_dist()` is deprecated and that `outcome_surv_exponential()` should be used instead.

gamma_prior	<i>Legacy function for the gamma prior</i>
-------------	--

Description

Please use `prior_gamma()` instead.

Usage

```
gamma_prior(...)
```

Arguments

... Deprecated arguments to `gamma_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `gamma_prior()` is deprecated and that `prior_gamma()` should be used instead.

generate	<i>Generate Data from Object</i>
----------	----------------------------------

Description

Generate Data from Object

Usage

generate(x, ...)

Arguments

- x object
- ... Other arguments passed to methods

Value

Object of class [SimDataList](#).

generate,BaselineObject-method
<i>Generate Data for a BaselineObject</i>

Description

Generate Data for a BaselineObject

Usage

```
## S4 method for signature 'BaselineObject'  
generate(x, ...)
```

Arguments

- x a BaselineObject object created by [create_baseline_object](#)
- ... additional parameters are ignored

Value

A [BaselineDataFrame](#) object

Examples

```
bl_biomarkers <- create_baseline_object(
  n_trt_int = 100,
  n_ctrl_int = 50,
  n_ctrl_ext = 100,
  covariates = baseline_covariates(
    c("b1", "b2", "b3"),
    means_int = c(0, 0, 0),
    covariance_int = covariance_matrix(c(1, 1, 1), c(.8, .3, .8))
  ),
  transformations = list(
    exp_b1 = function(data) exp(data$b1),
    b2 = binary_cutoff("b2", int_cutoff = 0.7, ext_cutoff = 0.5)
  )
)
generate(bl_biomarkers)
```

generate,DataSimObject-method

Generate Data for a DataSimObject

Description

Generate Data for a DataSimObject

Usage

```
## S4 method for signature 'DataSimObject'
generate(x, n = 1, treatment_hr = NULL, drift_hr = NULL)
```

Arguments

x	a DataSimObject object created by create_data_simulation
n	number of data sets to simulate
treatment_hr	vector of numeric treatment effects
drift_hr	vector of numeric drift effects

Value

A [SimDataList](#) object for use with [create_simulation_obj\(\)](#).

Examples

```
baseline_obj <- create_baseline_object(
  n_trt_int = 100,
  n_ctrl_int = 50,
  n_ctrl_ext = 10,
  covariates = baseline_covariates(
```

```

      names = c("age", "score"),
      means_int = c(55, 5),
      means_ext = c(60, 5),
      covariance_int = covariance_matrix(c(5, 1))
    )
  )
  sim_obj <- create_data_simulation(
    baseline_obj,
    coefficients = c(age = 0.001, score = 1.5),
    event_dist = create_event_dist(dist = "exponential", lambdas = 1 / 36)
  )
  data_sim_list <- generate(sim_obj, treatment_hr = c(0, 1), drift_hr = 0.5)

```

get_cmd_stan_models	<i>Get CmdStanModel objects for MCMCSimulationResults</i>
---------------------	---

Description

Show the CmdStanModel objects from MCMCSimulationResults objects.

Usage

```

get_cmd_stan_models(object)

## S4 method for signature 'MCMCSimulationResult'
get_cmd_stan_models(object)

```

Arguments

object MCMCSimulationResults object

Value

List of lists of CmdStanModel objects for each model.

get_data	<i>Get Simulated Data from SimDataList object</i>
----------	---

Description

Retrieves the simulated data from a SimDataList object by index.

Usage

```

get_data(object, index = 1, dataset = 1)

## S4 method for signature 'SimDataList'
get_data(object, index = NULL, dataset = NULL)

```

Arguments

object	SimDataList object
index	the index of the scenario (see guide with print(SimDataList))
dataset	the dataset out of n_datasets_per_param

Value

Simulated data as a data frame if the index is specified, else as a list

```
get_prior_string_covariates
```

Get prior string for all covariates

Description

Get prior string for all covariates

Usage

```
get_prior_string_covariates(covariates)
```

Arguments

covariates	Covariates object
------------	-------------------

```
get_quantiles
```

Get Quantiles of Random Data

Description

Helper for use within transformation functions for [create_baseline_object\(\)](#).

Usage

```
get_quantiles(object, var)
```

Arguments

object	a BaselineDataFrame
var	character string name of the variable

Value

A numeric vector containing quantiles based on the data generating distribution.

get_results	<i>Get results for MCMCSimulationResults objects</i>
-------------	--

Description

Get the results data.frame from MCMCSimulationResults objects.

Usage

```
get_results(object)

## S4 method for signature 'MCMCSimulationResult'
get_results(object)
```

Arguments

object MCMCSimulationResults object

Value

data.frame with simulation results.

get_stan_code	<i>Get method for Stan model</i>
---------------	----------------------------------

Description

Get method for Stan model

Usage

```
get_stan_code(object)

## S4 method for signature 'Analysis'
get_stan_code(object)
```

Arguments

object Analysis object

Value

String containing the Stan model

`get_vars`*Get Variables*

Description

Gets the data variable names from an object.

Usage

```
get_vars(object)

## S4 method for signature 'Covariates'
get_vars(object)

## S4 method for signature 'Treatment'
get_vars(object)

## S4 method for signature 'Borrowing'
get_vars(object)

## S4 method for signature 'TimeToEvent'
get_vars(object)

## S4 method for signature 'BinaryOutcome'
get_vars(object)

## S4 method for signature 'ContinuousOutcome'
get_vars(object)

## S4 method for signature 'Analysis'
get_vars(object)

## S4 method for signature 'NULL'
get_vars(object)

## S4 method for signature 'SimTreatmentList'
get_vars(object)

## S4 method for signature 'SimOutcomeList'
get_vars(object)

## S4 method for signature 'SimBorrowingList'
get_vars(object)

## S4 method for signature 'SimCovariateList'
get_vars(object)
```

```
## S4 method for signature 'Simulation'
get_vars(object)

## S4 method for signature 'BaselineObject'
get_vars(object)
```

Arguments

object Object

Value

A character vector containing variable names

Examples

```
get_vars(treatment_details(
  trt_flag_col = "treat_fl",
  trt_prior = prior_normal(0, 1000)
))
```

half_cauchy_prior	<i>Legacy function for the half-cauchy prior</i>
-------------------	--

Description

Please use `prior_half_cauchy()` instead.

Usage

```
half_cauchy_prior(...)
```

Arguments

... Deprecated arguments to `half_cauchy_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `half_cauchy_prior()` is deprecated and that `prior_half_cauchy()` should be used instead.

half_normal_prior	<i>Legacy function for the normal half prior</i>
-------------------	--

Description

Please use prior_half_normal() instead.

Usage

```
half_normal_prior(...)
```

Arguments

... Deprecated arguments to half_normal_prior().

Value

This function does not return a value. When called, it triggers an error message indicating that half_normal_prior() is deprecated and that prior_half_normal() should be used instead.

load_and_interpolate_stan_model	<i>Load and interpolate Stan model</i>
---------------------------------	--

Description

Load and interpolate Stan model

Usage

```
load_and_interpolate_stan_model(outcome, borrowing, analysis_obj)
```

Arguments

outcome	Outcome object
borrowing	Borrowing object
analysis_obj	Analysis object

Value

String containing the interpolated Stan model

load_stan_file	<i>Load a Stan psborrow2 template</i>
----------------	---------------------------------------

Description

This function loads a Stan template file from the package's 'inst/stan' directory.

Usage

```
load_stan_file(...)
```

Arguments

... subdirectories

Value

template string

logistic_bin_outcome	<i>Legacy function for binary logistic regression</i>
----------------------	---

Description

Please use outcome_bin_logistic() instead.

Usage

```
logistic_bin_outcome(...)
```

Arguments

... Deprecated arguments to logistic_bin_outcome.

Value

This function does not return a value. When called, it triggers an error message indicating that logistic_bin_outcome() is deprecated and that outcome_bin_logistic() should be used instead.

```
MCMCSimulationResult-class
      MCMCSimulationResult Class
```

Description

A class for defining Simulation study results. Objects of class `MCMCSimulationResult` should not be created directly but by `mcmc_sample()`.

Slots

`results` `data.frame`. The results of the simulation study summarized in a `data.frame`
`cmd_stan_models` `list`. List of lists of `CmdStanmodels` corresponding to the different parameters in `Simulation@guide` and different datasets in `Simulation@data_matrix_list`.

```
mcmc_sample      Sample from Stan model
```

Description

Method to sample from compiled Stan model and return a `CmdStanMCMC` object with draws.

Usage

```
mcmc_sample(x, ...)
```

S4 method for signature 'ANY'

```
mcmc_sample(x, ...)
```

S4 method for signature 'Analysis'

```
mcmc_sample(
  x,
  iter_warmup = 1000L,
  iter_sampling = 10000L,
  chains = 4L,
  verbose = FALSE,
  ...
)
```

S4 method for signature 'Simulation'

```
mcmc_sample(
  x,
  posterior_quantiles = c(0.025, 0.975),
  iter_warmup = 1000L,
  iter_sampling = 10000L,
```

```

chains = 4L,
verbose = FALSE,
keep_cmdstan_models = FALSE,
...
)

```

Arguments

<code>x</code>	object to sample, such as Analysis (created with <code>create_analysis_obj()</code>) or Simulation.
<code>...</code>	additional arguments passed to the <code>\$sample()</code> method of a <code>cmdstanr</code> Stan model. See https://mc-stan.org/cmdstanr/reference/model-method-sample.html
<code>iter_warmup</code>	integer. The number of warm up iterations to run per chain. The default is 1000.
<code>iter_sampling</code>	integer. The number of post-warm up iterations to run per chain. The default is 10000.
<code>chains</code>	integer. The number of Markov chains to run. The default is 4.
<code>verbose</code>	logical. Whether to print sampler updates (TRUE) or not (FALSE)
<code>posterior_quantiles</code>	numeric vector of length two. The posterior quantiles used for summarizing simulation results. The default is <code>c(0.025, 0.975)</code> See details.
<code>keep_cmdstan_models</code>	logical. Whether to keep the <code>CmdStanModel</code> objects from the <code>mcmc_sampler</code> (TRUE, discouraged in most scenarios) or not (FALSE). The default is FALSE.

Details

Simulation objects:

This function takes draws from an MCMC sampler and summarizes results.

Value

An object of class `CmdStanMCMC`

An object of class `MCMCSimulationResult`

Examples

```

## Analysis objects
if (check_cmdstan()) {
  anls <- create_analysis_obj(
    data_matrix = example_matrix,
    covariates = add_covariates(
      covariates = c("cov1", "cov2"),
      priors = prior_normal(0, 1000)
    ),
    outcome = outcome_surv_weibull_ph(
      "time",
      "cnsr",
      shape_prior = prior_normal(0, 1000),

```

```

        baseline_prior = prior_normal(0, 1000)
      ),
      borrowing = borrowing_hierarchical_commensurate(
        "ext",
        prior_exponential(.001)
      ),
      treatment = treatment_details("trt", prior_normal(0, 1000))
    )

mcmc_results <- mcmc_sample(anls, chains = 1, iter_warmup = 500L, iter_sampling = 1000L)
}

## Simulation objects
base_mat <- matrix(
  c(
    rep(0, 200), rep(0, 200), rep(1, 200),
    rep(1, 200), rep(0, 200), rep(0, 200),
    rep(0, 600)
  ),
  ncol = 3,
  dimnames = list(NULL, c("ext", "trt", "driftOR"))
)

add_binary_endpoint <- function(odds_ratio,
                                base_matrix = base_mat) {
  linear_predictor <- base_matrix[, "trt"] * log(odds_ratio)
  prob <- 1 / (1 + exp(-linear_predictor))

  bin_endpoint <- rbinom(
    NROW(base_matrix),
    1,
    prob
  )

  cbind(base_matrix, matrix(bin_endpoint, ncol = 1, dimnames = list(NULL, "ep")))
}

data_list <- list(
  list(add_binary_endpoint(1.5), add_binary_endpoint(1.5)),
  list(add_binary_endpoint(2.5), add_binary_endpoint(2.5))
)

guide <- data.frame(
  trueOR = c(1.5, 2.5),
  driftOR = c(1.0, 1.0),
  index = 1:2
)

sdl <- sim_data_list(
  data_list = data_list,
  guide = guide,
  effect = "trueOR",
  drift = "driftOR",

```

```

    index = "index"
  )

  if (check_cmdstan()) {
    sim_object <- create_simulation_obj(
      data_matrix_list = sdl,
      outcome = outcome_bin_logistic("ep", prior_normal(0, 1000)),
      borrowing = sim_borrowing_list(list(
        full_borrowing = borrowing_full("ext"),
        bdb = borrowing_hierarchical_commensurate("ext", prior_exponential(0.0001))
      )),
      treatment = treatment_details("trt", prior_normal(0, 1000))
    )

    mcmc_sample(sim_object, chains = 1, iter_warmup = 500L, iter_sampling = 1000L)
  }
## Not run:
library(future)
# Use two separate R processes
plan("multisession", workers = 2)

# and two parallel threads in each.
mcmc_sample(sim_object, chains = 1, iter_warmup = 500L, iter_sampling = 1000L, parallel_chains = 2)

# Tidy up processes when finished
plan("sequential")

## End(Not run)

```

normal_prior

Legacy function for the normal prior

Description

Please use `prior_normal()` instead.

Usage

```
normal_prior(...)
```

Arguments

... Deprecated arguments to `normal_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `normal_prior()` is deprecated and that `prior_normal()` should be used instead.

Outcome-class	Outcome <i>class</i>
---------------	----------------------

Description

Outcome class

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

OutcomeBinaryLogistic-class	OutcomeBinaryLogistic <i>class</i>
-----------------------------	------------------------------------

Description

A class for defining a logistic regression with a binary outcome to be translated to Stan code. Objects of class OutcomeBinaryLogistic should not be created directly but by the constructor [outcome_bin_logistic\(\)](#).

Slots

- n_param integer. Number of ancillary parameters for the model to estimate (0).
- param_priors list. Named list of prior distributions on the ancillary parameters in the model. Empty for OutcomeBinaryLogistic.
- binary_var character. Variable used for outcome in OutcomeBinaryLogistic objects.
- baseline_prior Prior. Object of class Prior specifying prior distribution for the baseline outcome.
- name_beta_trt. Named vector for beta_trt.
- name_exp_trt. Named vector for exponentiated beta_trt
- alpha_type. How to interpret alpha.
- name_addnl_params. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

OutcomeContinuousNormal-class
OutcomeContinuousNormal *class*

Description

A class for defining a regression with a normal outcome to be translated to Stan code. Objects of class OutcomeContinuousNormal should not be created directly but by the constructor [outcome_cont_normal\(\)](#).

Slots

`n_param` integer. Number of ancillary parameters for the model to estimate (0).
`param_priors` list. Named list of prior distributions on the ancillary parameters in the model.
 Empty for OutcomeContinuousNormal.
`continuous_var` character. Variable used for outcome in OutcomeContinuousNormal objects.
`baseline_prior` Prior. Object of class Prior specifying prior distribution for the baseline outcome.
`name_beta_trt`. Named vector for beta_trt.
`alpha_type`. How to interpret alpha.
`name_addnl_params`. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

OutcomeSurvExponential-class
OutcomeSurvExponential *Class*

Description

A class for defining a time-to-event survival analysis with an exponential survival distribution. Objects of class OutcomeSurvExponential should not be created directly but by the constructor [outcome_surv_exponential\(\)](#).

Slots

`n_param` integer. Number of ancillary parameters for the model to estimate (0).
`param_priors` list. Named list of prior distributions on the ancillary parameters in the model.
 Empty for OutcomeSurvExponential.
`time_var` character. Variable used for time in TimeToEvent objects.
`cens_var` character. Variable used for censoring in TimeToEvent objects.

baseline_prior Prior. Object of class Prior specifying prior distribution for the baseline outcome.

name_beta_trt. Named vector for beta_trt.

name_exp_trt. Named vector for exponentiated beta_trt

alpha_type. How to interpret alpha.

name_addnl_params. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

OutcomeSurvPEM-class	OutcomeSurvPEM Class
----------------------	----------------------

Description

A class for defining a time-to-event survival analysis with a piecewise survival distribution. Objects of class OutcomeSurvPEM should not be created directly but by the constructor [outcome_surv_pem\(\)](#).

Slots

function_stan_code character. stan function code block containing text to interpolate into stan model. Empty string for OutcomeSurvPEM.

param_stan_code character. stan parameter code block containing text to interpolate into stan model. Empty string for OutcomeSurvPEM.

n_param integer. Number of ancillary parameters for the model to estimate (0).

param_priors list. Named list of prior distributions on the ancillary parameters in the model. Empty for OutcomeSurvPEM.

time_var character. Variable used for time in TimeToEvent objects.

cens_var character. Variable used for censoring in TimeToEvent objects.

baseline_prior Prior. Object of class Prior specifying prior distribution for the baseline outcome.

name_beta_trt. Named vector for beta_trt.

name_exp_trt. Named vector for exponentiated beta_trt

alpha_type. How to interpret alpha.

name_addnl_params. Named vector for additional parameters.

n_periods. Number of periods.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvWeibullPH-class](#), [TimeToEvent-class](#)

OutcomeSurvWeibullPH-class

OutcomeSurvWeibullPH Class

Description

A class for defining a time-to-event survival analysis with a Weibull proportional hazards survival distribution. Objects of class OutcomeSurvWeibullPH should not be created directly but by the constructor `outcome_surv_weibull_ph()`.

Slots

`n_param` integer. Number of ancillary parameters for the model to estimate (1).
`param_priors` list. Named list of prior distributions on the ancillary parameters in the model.
`time_var` character. Variable used for time in TimeToEvent objects.
`cens_var` character. Variable used for censoring in TimeToEvent objects.
`baseline_prior` Prior. Object of class Prior specifying prior distribution for the baseline outcome.
`name_beta_trt`. Named vector for beta_trt.
`name_exp_trt`. Named vector for exponentiated beta_trt
`alpha_type`. How to interpret alpha.
`name_addnl_params`. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [TimeToEvent-class](#)

outcome_bin_logistic *Bernoulli distribution with logit parametrization*

Description

Bernoulli distribution with logit parametrization

Usage

```
outcome_bin_logistic(binary_var, baseline_prior, weight_var = "")
```

Arguments

binary_var	character. Name of binary (1/0 or TRUE/FALSE) outcome variable in the model matrix
baseline_prior	Prior. Object of class Prior specifying prior distribution for the baseline outcome. See Details for more information.
weight_var	character. Optional name of variable in model matrix for weighting the log likelihood.

Details**Baseline Prior:**

The baseline_prior argument specifies the prior distribution for the baseline log odds. The interpretation of the baseline_prior differs slightly between borrowing methods selected.

- *Dynamic borrowing using* borrowing_hierarchical_commensurate(): the baseline_prior for Bayesian Dynamic Borrowing refers to the log odds of the external control arm.
- *Full borrowing or No borrowing using* borrowing_full() or borrowing_none(): the baseline_prior for these borrowing methods refers to the log odds for the internal control arm.

Value

Object of class [OutcomeBinaryLogistic](#).

See Also

Other outcome models: [outcome_cont_normal\(\)](#), [outcome_surv_exponential\(\)](#), [outcome_surv_pem\(\)](#), [outcome_surv_weibull_ph\(\)](#)

Examples

```
lg <- outcome_bin_logistic(
  binary_var = "response",
  baseline_prior = prior_normal(0, 1000)
)
```

outcome_cont_normal	<i>Normal Outcome Distribution</i>
---------------------	------------------------------------

Description

Normal Outcome Distribution

Usage

```
outcome_cont_normal(
  continuous_var,
  baseline_prior,
  std_dev_prior,
  weight_var = ""
)
```

Arguments

continuous_var	character. Name of continuous outcome variable in the model matrix
baseline_prior	Prior. Object of class Prior specifying prior distribution for the baseline outcome. See Details for more information.
std_dev_prior	Prior. Object of class Prior specifying prior distribution for the standard deviation of the outcome distribution (i.e. "sigma").
weight_var	character. Optional name of variable in model matrix for weighting the log likelihood.

Details**Baseline Prior:**

The baseline_prior argument specifies the prior distribution for the intercept of the linear model. The interpretation of the baseline_prior differs slightly between borrowing methods selected.

- *Dynamic borrowing using* borrowing_hierarchical_commensurate(): the baseline_prior for Bayesian Dynamic Borrowing refers to the intercept of the external control arm.
- *Full borrowing or No borrowing using* borrowing_full() or borrowing_none(): the baseline_prior for these borrowing methods refers to the intercept for the internal control arm.

Value

Object of class [OutcomeContinuousNormal](#).

See Also

Other outcome models: [outcome_bin_logistic\(\)](#), [outcome_surv_exponential\(\)](#), [outcome_surv_pem\(\)](#), [outcome_surv_weibull_ph\(\)](#)

Examples

```
norm <- outcome_cont_normal(
  continuous_var = "tumor_size",
  baseline_prior = prior_normal(0, 100),
  std_dev_prior = prior_half_cauchy(1, 5)
)
```

outcome_surv_exponential

Exponential survival distribution

Description

Exponential survival distribution

Usage

```
outcome_surv_exponential(time_var, cens_var, baseline_prior, weight_var = "")
```

Arguments

time_var	character. Name of time variable column in model matrix
cens_var	character. Name of the censorship variable flag in model matrix
baseline_prior	Prior. Object of class Prior specifying prior distribution for the baseline outcome. See Details for more information.
weight_var	character. Optional name of variable in model matrix for weighting the log likelihood.

Details**Baseline Prior:**

The `baseline_prior` argument specifies the prior distribution for the baseline log hazard rate. The interpretation of the `baseline_prior` differs slightly between borrowing methods selected.

- *Dynamic borrowing using* `borrowing_hierarchical_commensurate()`: the `baseline_prior` for Bayesian Dynamic Borrowing refers to the log hazard rate of the external control arm.
- *Full borrowing or No borrowing using* `borrowing_full()` or `borrowing_none()`: the `baseline_prior` for these borrowing methods refers to the log hazard rate for the internal control arm.

Value

Object of class `OutcomeSurvExponential`.

See Also

Other outcome models: `outcome_bin_logistic()`, `outcome_cont_normal()`, `outcome_surv_pem()`, `outcome_surv_weibull_ph()`

Examples

```
es <- outcome_surv_exponential(  
  time_var = "time",  
  cens_var = "cens",  
  baseline_prior = prior_normal(0, 1000)  
)
```

outcome_surv_pem	<i>Piecewise exponential survival distribution</i>
------------------	--

Description

Piecewise exponential survival distribution

Usage

```
outcome_surv_pem(
  time_var,
  cens_var,
  baseline_prior,
  weight_var = "",
  cut_points
)
```

Arguments

time_var	character. Name of time variable column in model matrix
cens_var	character. Name of the censorship variable flag in model matrix
baseline_prior	Prior. Object of class Prior specifying prior distribution for each cut point. See Details for more information.
weight_var	character. Optional name of variable in model matrix for weighting the log likelihood.
cut_points	numeric. Vector of internal cut points for the piecewise exponential model. Note: the choice of cut points will impact the amount of borrowing between arms when dynamic borrowing methods are selected. It is recommended to choose cut points that contain an equal number of events within each interval. Please include only internal cut points in the vector. For instance, for cut points of [0, 15], (15, 20], (20, Inf), the vector should be c(15, 20). If you pass cut-points beyond the follow-up of the data, you will receive an informative warning when calling create_analysis_object() and these cut points will be ignored.

Details

Baseline Prior:

The baseline_prior argument specifies the prior distribution for the baseline log hazard rate within each cutpoint. Currently, there is no option to consider different baseline priors within each cut point. The interpretation of the baseline_prior differs slightly between borrowing methods selected.

- *Dynamic borrowing using* borrowing_hierarchical_commensurate(): the baseline_prior for Bayesian Dynamic Borrowing refers to the log hazard rate of the external control arm.
- *Full borrowing or No borrowing using* borrowing_full() or borrowing_none(): the baseline_prior for these borrowing methods refers to the log hazard rate for the internal control arm.

Value

Object of class `OutcomeSurvPEM`.

See Also

Other outcome models: `outcome_bin_logistic()`, `outcome_cont_normal()`, `outcome_surv_exponential()`, `outcome_surv_weibull_ph()`

Examples

```
es <- outcome_surv_pem(
  time_var = "time",
  cens_var = "cens",
  baseline_prior = prior_normal(0, 1000),
  cut_points = c(10, 15, 30)
)
```

`outcome_surv_weibull_ph`

Weibull survival distribution (proportional hazards formulation)

Description

Weibull survival distribution (proportional hazards formulation)

Usage

```
outcome_surv_weibull_ph(
  time_var,
  cens_var,
  shape_prior,
  baseline_prior,
  weight_var = ""
)
```

Arguments

<code>time_var</code>	character. Name of time variable column in model matrix
<code>cens_var</code>	character. Name of the censorship variable flag in model matrix
<code>shape_prior</code>	Prior class object for the Weibull shape parameter. Default is <code>prior_exponential(beta = 0.0001)</code> .
<code>baseline_prior</code>	Prior. Object of class <code>Prior</code> specifying prior distribution for the baseline outcome. See Details for more information.
<code>weight_var</code>	character. Optional name of variable in model matrix for weighting the log likelihood.

Details

Baseline Prior:

The `baseline_prior` argument specifies the prior distribution for the baseline log hazard rate. The interpretation of the `baseline_prior` differs slightly between borrowing methods selected.

- *Dynamic borrowing using* `borrowing_hierarchical_commensurate()`: the `baseline_prior` for Bayesian Dynamic Borrowing refers to the log hazard rate of the external control arm.
- *Full borrowing or No borrowing* using `borrowing_full()` or `borrowing_none()`: the `baseline_prior` for these borrowing methods refers to the log hazard rate for the internal control arm.

Value

Object of class `OutcomeSurvWeibullPH`.

See Also

Other outcome models: `outcome_bin_logistic()`, `outcome_cont_normal()`, `outcome_surv_exponential()`, `outcome_surv_pem()`

Examples

```
ws <- outcome_surv_weibull_ph(
  time_var = "time",
  cens_var = "cens",
  shape_prior = prior_exponential(1),
  baseline_prior = prior_normal(0, 1000)
)
```

plot

Plot Prior Objects

Description

Plot prior distributions as densities. Continuous distributions are plotted as curves and discrete distributions as bar plots.

Usage

```
## S4 method for signature 'Prior,missing'
plot(
  x,
  y,
  default_limits,
  dist_type = c("continuous", "discrete"),
  density_fun,
  add,
  ...
)
```



```
## S4 method for signature 'PriorNormal,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorExponential,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorHalfCauchy,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorBernoulli,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorBeta,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorCauchy,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorGamma,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorHalfNormal,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'PriorPoisson,missing'
plot(x, y, add = FALSE, ...)

## S4 method for signature 'UniformPrior,missing'
plot(x, y, add = FALSE, ...)
```

Arguments

<code>x</code>	Object inheriting from Prior
<code>y</code>	Not used.
<code>default_limits</code>	Numeric range to plot distribution over.
<code>dist_type</code>	Plot a continuous or discrete distribution.
<code>density_fun</code>	Function which takes a vector of values and returns a vector of density values.
<code>add</code>	logical. Add density to existing plot.
<code>...</code>	Optional arguments for plotting.

Details

Plot ranges are selected by default to show 99% of the density for unbounded distributions. The limits can be changed by specifying `xlim = c(lower, upper)`.

Colors, line types, and other typical `par()` parameters can be used.

Value

No return value, this function generates a plot in the current graphics device.

Examples

```
plot(prior_normal(1, 2))
plot(prior_exponential(0.1))
plot(prior_half_cauchy(0, 1), xlim = c(-20, 20))
plot(prior_half_cauchy(0, 2), xlim = c(-20, 20), col = 2, add = TRUE)
plot(prior_bernoulli(0.4), xlim = c(0, 15))
plot(prior_beta(2, 2))
plot(prior_cauchy(0, 1), xlim = c(-20, 20))
plot(prior_cauchy(0, 2), xlim = c(-20, 20), col = 2, add = TRUE)
plot(prior_gamma(0.1, 0.1))
plot(prior_half_normal(0, 1), xlim = c(-20, 20))
plot(prior_half_normal(0, 2), xlim = c(-20, 20), col = 2, add = TRUE)
plot(prior_poisson(5), xlim = c(0, 15))
plot(uniform_prior(1, 2), xlim = c(0, 3))
```

plot_pdf

Plot Probability Density Function Values

Description

Plot Probability Density Function Values

Usage

```
plot_pdf(x, y, ...)
```

Arguments

x	values
y	probability density values $y = f(x)$
...	passed to <code>plot()</code>

Plots the density values as a curve with the lower vertical limit set to 0.

Value

No return value, this function generates a plot in the current graphics device.

Examples

```
x <- seq(-2, 2, len = 100)
y <- dnorm(x)
plot_pdf(x, y)
```

plot_pmf	<i>Plot Probability Mass Function Values</i>
----------	--

Description

Plot Probability Mass Function Values

Usage

```
plot_pmf(x, y, ..., col = "grey", add = FALSE)
```

Arguments

x	values
y	probability mass values $y = f(x)$
...	passed to <code>plot()</code> and <code>rect()</code>
col	Fill color of bars.
add	Add bars to existing plot. Plots the probability values as a barplot.

Value

No return value, this function generates a plot in the current graphics device.

Examples

```
x <- seq(0, 5)
y <- dpois(x, lambda = 2)
plot_pmf(x, y)
```

poisson_prior	<i>Legacy function for the poisson prior</i>
---------------	--

Description

Please use `prior_poisson()` instead.

Usage

```
poisson_prior(...)
```

Arguments

... Deprecated arguments to `poisson_prior()`.

Value

This function does not return a value. When called, it triggers an error message indicating that `poisson_prior()` is deprecated and that `prior_poisson()` should be used instead.

<code>possible_data_sim_vars</code>
<i>Get All Variable Names in Simulated Data Model Matrix</i>

Description

Get All Variable Names in Simulated Data Model Matrix

Usage

```
possible_data_sim_vars(object)
```

Arguments

`object` `BaselineObject`

Value

A vector of variable names

<code>Prior-class</code>	<i>Prior Class</i>
--------------------------	--------------------

Description

A class for defining priors to be translated to Stan code. Objects of class `Prior` should not be created directly but by one of the specific prior class constructors.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for parameters surrounded with `{{` and `}}` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters.
`constraint` character. Support of prior distribution expressed as a Stan constraint, e.g. `"<lower=0, upper=1>"`.

See Also

Prior constructor functions: `prior_bernoulli()`, `prior_beta()`, `prior_cauchy()`, `prior_half_cauchy()`, `prior_gamma()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`
Other prior classes: `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorBernoulli-class	PriorBernoulli <i>Class</i>
----------------------	-----------------------------

Description

A class for defining bernoulli priors to be translated to Stan code. Objects of class PriorBernoulli should not be created directly but by the constructor `prior_bernoulli()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for bernoulli stan function parameters surrounded with `{ {` and `}}` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (1).
`constraint` character. Support of prior distribution, "`<lower=0, upper=1>`".
`theta` numeric. Probability (in `[0, 1]`).

See Also

Other prior classes: [Prior-class](#), [PriorBeta-class](#), [PriorCauchy-class](#), [PriorExponential-class](#), [PriorGamma-class](#), [PriorHalfCauchy-class](#), [PriorHalfNormal-class](#), [PriorNormal-class](#), [PriorPoisson-class](#), [UniformPrior-class](#)

PriorBeta-class	PriorBeta <i>Class</i>
-----------------	------------------------

Description

A class for defining beta priors to be translated to Stan code. Objects of class PriorBeta should not be created directly but by the constructor `prior_beta()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for beta stan function parameters surrounded with `{ {` and `}}` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution, "`<lower=0, upper=1>`".
`alpha` numeric. Shape (`>=0`).
`beta` numeric. Shape (`>=0`).

See Also

Other prior classes: [Prior-class](#), [PriorBernoulli-class](#), [PriorCauchy-class](#), [PriorExponential-class](#), [PriorGamma-class](#), [PriorHalfCauchy-class](#), [PriorHalfNormal-class](#), [PriorNormal-class](#), [PriorPoisson-class](#), [UniformPrior-class](#)

PriorCauchy-class	PriorCauchy Class
-------------------	-------------------

Description

A class for defining the cauchy priors to be translated to Stan code. Objects of class PriorCauchy should not be created directly but by the constructor `prior_cauchy()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for cauchy stan function parameters surrounded with `{ { }` and `}` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution, (all values allowed in cauchy distribution).
`mu` numeric. Location.
`sigma` numeric. Scale (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorExponential-class	PriorExponential Class
------------------------	------------------------

Description

A class for defining exponential priors to be translated to Stan code. Objects of class PriorExponential should not be created directly but by the constructor `prior_exponential()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for exponential Stan function parameters surrounded with `{ { }` and `}` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (1).
`constraint` character. Support of prior distribution, "`<lower=0>`".
`beta` numeric. Inverse scale (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorGamma-class	PriorGamma Class
------------------	------------------

Description

A class for defining gamma priors to be translated to Stan code. Objects of class PriorGamma should not be created directly but by the constructor `prior_gamma()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for gamma stan function parameters surrounded with `{ { }` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution, "`<lower=0>`".
`alpha` numeric. Shape (>0).
`beta` numeric. Inverse scale (≥ 0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorHalfCauchy-class	PriorHalfCauchy Class
-----------------------	-----------------------

Description

A class for defining half cauchy priors to be translated to Stan code. Objects of class PriorHalfCauchy should not be created directly but by the constructor `prior_half_cauchy()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for the half cauchy stan function parameters surrounded with `{ { }` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution. In a half cauchy prior, constraint is mu
`mu` numeric. Location.
`sigma` numeric. Scale (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorHalfNormal-class PriorHalfNormal *Class*

Description

A class for defining half normal priors to be translated to Stan code. Objects of class PriorHalfNormal should not be created directly but by the constructor `prior_half_normal()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for the half normal stan function parameters surrounded with `{ { }` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution. In a half normal prior, constraint is mu
`mu` numeric. Location.
`sigma` numeric. Scale (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorNormal-class PriorNormal *Class*

Description

A class for defining normal priors to be translated to Stan code. Objects of class PriorNormal should not be created directly but by the constructor `prior_normal()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for normal stan function parameters surrounded with `{ { }` to be replaced with `glue::glue()`.
`n_param` integer. Number of prior parameters (2).
`constraint` character. Support of prior distribution, (all values allowed in normal distribution).
`mu` numeric. Location.
`sigma` numeric. Scale (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorPoisson-class`, `UniformPrior-class`

PriorPoisson-class	PriorPoisson Class
--------------------	--------------------

Description

A class for defining poisson priors to be translated to Stan code. Objects of class PriorPoisson should not be created directly but by the constructor `prior_poisson()`.

Slots

`stan_code` character. Stan implementation of the prior, with placeholders for poisson stan function parameters surrounded with `{{` and `}}` to be replaced with `glue::glue()`.

`n_param` integer. Number of prior parameters (1).

`constraint` character. Support of prior distribution, "`<lower=0>`".

`lambda` numeric. Rate (>0).

See Also

Other prior classes: `Prior-class`, `PriorBernoulli-class`, `PriorBeta-class`, `PriorCauchy-class`, `PriorExponential-class`, `PriorGamma-class`, `PriorHalfCauchy-class`, `PriorHalfNormal-class`, `PriorNormal-class`, `UniformPrior-class`

<code>prior_bernoulli</code>	<i>Prior bernoulli distribution</i>
------------------------------	-------------------------------------

Description

Prior bernoulli distribution

Usage

```
prior_bernoulli(theta)
```

Arguments

`theta` numeric. Probability (in $[0, 1]$).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/bernoulli-distribution.html>

Value

Object of class `PriorBernoulli`.

See Also

Other priors: [prior_beta\(\)](#), [prior_cauchy\(\)](#), [prior_exponential\(\)](#), [prior_gamma\(\)](#), [prior_half_cauchy\(\)](#), [prior_half_normal\(\)](#), [prior_normal\(\)](#), [prior_poisson\(\)](#), [uniform_prior\(\)](#)

Examples

```
bp <- prior_bernoulli(0.23)
```

prior_beta	<i>Prior beta distribution</i>
------------	--------------------------------

Description

Prior beta distribution

Usage

```
prior_beta(alpha, beta)
```

Arguments

alpha	numeric. Shape (≥ 0).
beta	numeric. Shape (≥ 0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/beta-distribution.html>

Value

Object of class [PriorBeta](#)

See Also

Other priors: [prior_bernoulli\(\)](#), [prior_cauchy\(\)](#), [prior_exponential\(\)](#), [prior_gamma\(\)](#), [prior_half_cauchy\(\)](#), [prior_half_normal\(\)](#), [prior_normal\(\)](#), [prior_poisson\(\)](#), [uniform_prior\(\)](#)

Examples

```
bp <- prior_beta(9, 235)
```

prior_cauchy	<i>Prior cauchy distribution</i>
--------------	----------------------------------

Description

Prior cauchy distribution

Usage

```
prior_cauchy(mu, sigma)
```

Arguments

mu	numeric. Location.
sigma	numeric. Scale (>0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/cauchy-distribution.html>

Value

Object of class `PriorCauchy`.

See Also

Other priors: `prior_bernoulli()`, `prior_beta()`, `prior_exponential()`, `prior_gamma()`, `prior_half_cauchy()`, `prior_half_normal()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`

Examples

```
cp <- prior_cauchy(1, 1)
```

prior_exponential	<i>Prior exponential distribution</i>
-------------------	---------------------------------------

Description

Prior exponential distribution

Usage

```
prior_exponential(beta)
```

Arguments

beta	numeric. Inverse scale (>0).
------	------------------------------

Details

Stan reference <https://mc-stan.org/docs/functions-reference/exponential-distribution.html>

Value

Object of class `PriorExponential`.

See Also

Other priors: `prior_bernoulli()`, `prior_beta()`, `prior_cauchy()`, `prior_gamma()`, `prior_half_cauchy()`, `prior_half_normal()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`

Examples

```
ep <- prior_exponential(1)
```

prior_gamma	<i>Prior gamma distribution</i>
-------------	---------------------------------

Description

Prior gamma distribution

Usage

```
prior_gamma(alpha, beta)
```

Arguments

alpha	numeric. Shape (>0).
beta	numeric. Inverse scale (≥ 0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/gamma-distribution.html>

Value

Object of class `PriorGamma`.

See Also

Other priors: `prior_bernoulli()`, `prior_beta()`, `prior_cauchy()`, `prior_exponential()`, `prior_half_cauchy()`, `prior_half_normal()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`

Examples

```
gp <- prior_gamma(0.001, 0.001)
```

prior_half_cauchy	<i>Prior half-cauchy distribution</i>
-------------------	---------------------------------------

Description

Prior half-cauchy distribution

Usage

```
prior_half_cauchy(mu, sigma)
```

Arguments

mu	numeric. Location.
sigma	numeric. Scale (>0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/cauchy-distribution.html>

Value

Object of class `PriorHalfCauchy`.

See Also

Other priors: `prior_bernoulli()`, `prior_beta()`, `prior_cauchy()`, `prior_exponential()`, `prior_gamma()`, `prior_half_normal()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`

Examples

```
hcp <- prior_half_cauchy(1, 1)
```

prior_half_normal	<i>Prior half-normal distribution</i>
-------------------	---------------------------------------

Description

Prior half-normal distribution

Usage

```
prior_half_normal(mu, sigma)
```

Arguments

mu numeric. Location.
sigma numeric. Scale (>0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/normal-distribution.html>

Value

Object of class `PriorHalfNormal`.

See Also

Other priors: `prior_bernoulli()`, `prior_beta()`, `prior_cauchy()`, `prior_exponential()`, `prior_gamma()`, `prior_half_cauchy()`, `prior_normal()`, `prior_poisson()`, `uniform_prior()`

Examples

```
hcp <- prior_half_normal(1, 1)
```

prior_normal	<i>Prior normal distribution</i>
--------------	----------------------------------

Description

Prior normal distribution

Usage

```
prior_normal(mu, sigma)
```

Arguments

mu numeric. Location.
sigma numeric. Scale (>0).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/normal-distribution.html>

Value

Object of class `PriorNormal`.

See Also

Other priors: [prior_bernoulli\(\)](#), [prior_beta\(\)](#), [prior_cauchy\(\)](#), [prior_exponential\(\)](#), [prior_gamma\(\)](#), [prior_half_cauchy\(\)](#), [prior_half_normal\(\)](#), [prior_poisson\(\)](#), [uniform_prior\(\)](#)

Examples

```
np <- prior_normal(1, 1)
```

prior_poisson	<i>Prior poisson distribution</i>
---------------	-----------------------------------

Description

Prior poisson distribution

Usage

```
prior_poisson(lambda)
```

Arguments

lambda	numeric. Rate (>0).
--------	---------------------

Details

Stan reference <https://mc-stan.org/docs/functions-reference/poisson.html>

Value

Object of class [PriorPoisson](#).

See Also

Other priors: [prior_bernoulli\(\)](#), [prior_beta\(\)](#), [prior_cauchy\(\)](#), [prior_exponential\(\)](#), [prior_gamma\(\)](#), [prior_half_cauchy\(\)](#), [prior_half_normal\(\)](#), [prior_normal\(\)](#), [uniform_prior\(\)](#)

Examples

```
pp <- prior_poisson(100)
```

```
rename_draws_covariates
```

Rename Covariates in draws Object

Description

Rename Covariates in draws Object

Usage

```
rename_draws_covariates(draws, analysis)
```

Arguments

<code>draws</code>	draws created from sampled analysis object. See example.
<code>analysis</code>	Analysis as created by <code>create_analysis_obj()</code> .

Value

A `draws[posterior::draws]` object with covariate names.

Examples

```
if (check_cmdstan()) {
  analysis_object <- create_analysis_obj(
    data_matrix = example_matrix,
    covariates = add_covariates(
      covariates = c("cov1", "cov2"),
      priors = prior_normal(0, 1000)
    ),
    outcome = outcome_surv_exponential(
      "time",
      "cnsr",
      baseline_prior = prior_normal(0, 1000)
    ),
    borrowing = borrowing_hierarchical_commensurate(
      "ext",
      prior_exponential(.001)
    ),
    treatment = treatment_details(
      "trt",
      prior_normal(0, 1000)
    )
  )
  samples <- mcmc_sample(analysis_object, 200, 400, 1)
  draws <- samples$draws()
  renamed_draws <- rename_draws_covariates(draws, analysis_object)
  summary(renamed_draws)
}
```

set_cut_off	<i>Set Clinical Cut Off Rule</i>
-------------	----------------------------------

Description

Set Clinical Cut Off Rule

Usage

```
set_cut_off(object, internal = cut_off_none(), external = cut_off_none())
```

Arguments

object	DataSimObject
internal	DataSimCutoff object specified by one of the cut off functions: cut_off_after_events(), cut_off_after_first(), cut_off_after_last(), cut_off_none().
external	DataSimCutoff for the external data.

Value

A DataSimObject with updated cut_off_internal and cut_off_external slots.

Examples

```
data_sim <- create_data_simulation(
  create_baseline_object(10, 10, 10),
  event_dist = create_event_dist(dist = "exponential", lambdas = 1 / 36)
)
set_cut_off(
  data_sim,
  cut_off_after_events(n = 10),
  cut_off_after_first(time = 30)
)
```

set_dropout	<i>Set Drop Out Distribution</i>
-------------	----------------------------------

Description

Set Drop Out Distribution

Usage

```
set_dropout(object, internal_treated, internal_control, external_control)
```

Arguments

object	DataSimObject
internal_treated	DataSimEvent object specifying distribution for internal treated patients.
internal_control	DataSimEvent object specifying distribution for internal control patients.
external_control	DataSimEvent object specifying distribution for external control patients.

Details

DataSimEvent objects can be specified with `create_event_dist()`. Currently no beta parameters can be used in drop out distributions (unlike for the survival outcome).

Value

A DataSimObject with updated internal_treated, internal_control and external_control slots.

Examples

```
data_sim <- create_data_simulation(
  create_baseline_object(10, 10, 10),
  event_dist = create_event_dist(dist = "exponential", lambdas = 1 / 36)
)
set_dropout(
  data_sim,
  internal_treated = create_event_dist(dist = "exponential", lambdas = 1 / 55),
  internal_control = create_event_dist(dist = "exponential", lambdas = 1 / 50),
  external_control = create_event_dist(dist = "exponential", lambdas = 1 / 40)
)
```

set_enrollment	<i>Set Enrollment Rates for Internal and External Trials</i>
----------------	--

Description

Set Enrollment Rates for Internal and External Trials

Usage

```
set_enrollment(object, internal, external = internal)
```

Arguments

object	A DataSimObject from <code>create_data_simulation</code>
internal	DataSimEnrollment object to define the enrollment times for internal data
external	DataSimEnrollment object to define the enrollment times for external data. Defaults to be the same as internal.

Value

A DataSimObject with updated enrollment_internal and enrollment_external slots.

Examples

```
data_sim <- create_data_simulation(  
  create_baseline_object(10, 10, 10),  
  event_dist = create_event_dist(dist = "exponential", lambdas = 1 / 36)  
)  
set_enrollment(  
  data_sim,  
  internal = enrollment_constant(rate = c(10, 5), for_time = c(6, 6)),  
  external = enrollment_constant(rate = c(5), for_time = c(20))  
)
```

set_transformations	<i>Set transformations in BaselineObject objects</i>
---------------------	--

Description

Set transformations in BaselineObject objects

Usage

```
set_transformations(object, ..., overwrite = FALSE)
```

Arguments

object	BaselineObject object
...	Additional arguments passed to methods
overwrite	logical. Overwrite existing transformations?

Value

BaselineObject object with transformations

set_transformations,BaselineObject-method

Set Transformations in Baseline Objects

Description

Set Transformations in Baseline Objects

Usage

```
## S4 method for signature 'BaselineObject'
set_transformations(object, ..., overwrite = FALSE)
```

Arguments

object	BaselineObject created by create_baseline_object .
...	named transformation functions. See details for more information.
overwrite	If TRUE overwrite existing transformation list and only include newly specified transformations.

Details

Transformation functions are evaluated in order and create or overwrite a column in the data.frame with that name. The function should have signature `function(data)`, taking a `data.frame` (specifically a `BaselineDataFrame` object from `generate(BaselineObject)`) and return a vector with length identical to the total number of patients. The `@BaselineObject` slot of the [BaselineDataFrame](#) may be accessed directly or with [get_quantiles\(\)](#) to create transformations. See [binary_cutoff\(\)](#).

Value

An updated `BaselineObject`

Examples

```
baseline <- create_baseline_object(
  100, 50, 100,
  covariates = baseline_covariates(
    names = "age", means_int = 55,
    covariance_int = covariance_matrix(5)
  )
)
set_transformations(baseline, age_scaled = function(data) scale(data$age))
```

show_guide	<i>Show guide for objects with guides</i>
------------	---

Description

Show the guide in Simulation objects.

Usage

```
show_guide(object)

## S4 method for signature 'Simulation'
show_guide(object)
```

Arguments

object Simulation object

Value

A data.frame showing all simulation scenarios.

SimBorrowingList-class	
	<i>SimBorrowingList Class</i>

Description

A class for borrowing details as part of a simulation study. Objects of class `SimBorrowingList` should not be created directly but by the constructor `sim_borrowing_list()`.

Slots

`borrowing_list` named list of object of class `Borrowing`, one object for each parameter variation.

SimCovariateList-class	
	<i>SimCovariateList Class</i>

Description

A class for covariate details as part of a simulation study. Objects of class `SimCovariateList` should not be created directly but by the constructor `sim_covariate_list()`.

Slots

`covariate_list` named list of object of class `Covariate`, one object for each parameter variation.

SimCovariates-class	SimCovariates <i>Class</i>
---------------------	----------------------------

Description

A class for specifying covariate distributions and covariance for simulation studies.

Slots

`covariates` list. List of covariate mean values or probabilities as generated through `bin_var()` (class `SimVarBin` or `cont_var()` (class `SimVarCont`).

`covariance_internal` matrix. Covariance matrix before binarization for internal patients.

`covariance_external` matrix. Covariance matrix before binarization for external patients.

SimDataList-class	SimDataList <i>Class</i>
-------------------	--------------------------

Description

A class for defining generated data for use as part of a simulation study. Objects of class `SimDataList` should not be created directly but by the constructor `sim_data_list()`.

Slots

`data_list` list of lists of matrices. The lists at the highest level differ in that the parameters used to generate the data. The matrices at lowest level are different iterations of the same data generation parameters.

`guide` data.frame. `guide` contains information on the parameters that differ at the highest level of `data_list`.

`effect` character. The column in `guide` that corresponds to the true treatment effect estimate (hazard ratio or odds ratio).

`drift` character. The column in `guide` that corresponds to the drift between external and internal control arms. A drift >1 means the external arm experiences greater effects.

`index` character. The column in `guide` that corresponds to the index of the parameter situations in `data_list`.

SimOutcomeList-class *SimOutcomeList Class*

Description

A class for outcome details as part of a simulation study. Objects of class `SimOutcomeList` should not be created directly but by the constructor `sim_outcome_list()`.

Slots

`outcome_list` named list of object of class `Outcome`, one object for each parameter variation.

SimSampleSize-class *SimSampleSize Class*

Description

A class for creating matrices for simulation studies containing flags specifying whether the patient is from the concurrent trial or not (`ext = 0` for concurrent trial, `ext = 1` for historical data) and whether the patient is on the experimental therapy or not (`trt = 0` for no experimental therapy, `trt = 1` for experimental therapy).

Slots

`n_internal_control` integer. Number of patients to be simulated in the internal control arm.

`n_external_control` integer. Number of patients to be simulated in the external control arm.

`n_internal_experimental` integer. Number of patients to be simulated in the internal experimental arm.

`mat` matrix. Matrix with two columns, `ext` (flag for being from external data source) and `trt` (flag for receiving experimental treatment)

SimTreatmentList-class
 SimTreatmentList Class

Description

A class for treatment details as part of a simulation study. Objects of class `SimTreatmentList` should not be created directly but by the constructor `sim_treatment_list()`.

Slots

`treatment_list` named list of object of class `Treatment`, one object for each parameter variation.

Simulation-class	Simulation <i>Class</i>
------------------	-------------------------

Description

A class for defining Simulation study details. Objects of class Simulation should not be created directly but by the constructor `create_simulation_obj()`.

Slots

- `data_matrix_list` SimDataList. The list of lists of data matrices created with `sim_data_list()`.
- `outcome` SimOutcomeList. List of Outcome objects created with `sim_outcome_list()`.
- `borrowing` SimBorrowingList. List of Borrowing objects created with `sim_borrowing_list()`.
- `covariate` SimCovariateList or NULL. List of Covariate objects created with `sim_covariate_list()` or NULL (no covariate adjustment).
- `treatment` SimTreatmentList. List of Treatment objects created with `sim_treatment_list()`.
- `guide` data.frame. Data.frame containing information on all combinations evaluated.
- `n_combos` integer. Number of combinations of parameters to be evaluated.
- `n_analyses` integer. Number of analyses (combos x datasets to be performed).
- `'analysis_obj_list'` list. List of analysis objects indexed according to guide.

SimVar-class	SimVar <i>Class</i>
--------------	---------------------

Description

A parent class for defining covariates to be created in the simulation study calls to `add_covariates()`.

SimVarBin-class	SimVarBin <i>class</i>
-----------------	------------------------

Description

A constructor for making objects of class SimVarBin. Objects of class SimVarBin are used to hold proportions of binary variables specified in a simulation study.

Slots

prob_internal numeric. Proportion for the internal arms.
 prob_external numeric. Proportion for the external arm.
 mu_internal_before_bin numeric. Mean value of covariate before binarization for the internal arms.
 mu_external_before_bin numeric. Mean value of covariate before binarization for the external arm.
 printval_int numeric. Value to print to summarize internal arms.
 printval_ext numeric. Value to print to summarize external arm.
 type_string character. 'binary'

See Also

Other simvar classes: [SimVarCont-class](#)

 SimVarCont-class

 SimVarCont *class*

Description

A constructor for making objects of class SimVarCont. Objects of class SimVarCont are used to hold mean values of continuous variables specified in a simulation study.

Slots

mu_internal numeric. Mean covariate value for the internal arms.
 mu_external numeric. Mean covariate value for the external arm.
 printval_int numeric. Value to print to summarize internal arms.
 printval_ext numeric. Value to print to summarize external arm.
 type_string character. 'continuous'

See Also

Other simvar classes: [SimVarBin-class](#)

sim_borrowing_list	<i>Input borrowing details for a simulation study</i>
--------------------	---

Description

A function for defining which borrowing scenarios should be evaluated as part of a simulation study.

Usage

```
sim_borrowing_list(borrowing_list)
```

Arguments

`borrowing_list` named list of objects of class `Borrowing` created by `borrowing_full()`, `borrowing_none()`, or `borrowing_hierarchical_commensurate()`.

Value

Object of class `SimBorrowingList`.

See Also

Other simulation classes: `sim_covariate_list()`, `sim_data_list()`, `sim_outcome_list()`, `sim_treatment_list()`

Examples

```
borrow_scenarios <- sim_borrowing_list(
  list(
    "No borrowing" = borrowing_none("ext"),
    "Full borrowing" = borrowing_full("ext"),
    "BDB, uninformative prior" = borrowing_hierarchical_commensurate(
      "ext",
      prior_gamma(0.001, 0.001)
    ),
    "BDB, informative prior" = borrowing_hierarchical_commensurate(
      "ext",
      prior_gamma(1, 0.001)
    )
  )
)
```

sim_covariates	<i>Specify covariates for simulation study</i>
----------------	--

Description

Provide details on the desired covariate distributions and covariance for for a simulation study.

Usage

```
sim_covariates(
  covariates,
  covariance_internal,
  covariance_external = covariance_internal
)
```

Arguments

covariates	list. Named list of covariate mean values or probabilities as generated through <code>bin_var()</code> (class <code>SimVarBin</code> or <code>cont_var()</code> (class <code>SimVarCont</code>). See details for more information.
covariance_internal	matrix. Covariance matrix before binarization for internal patients.
covariance_external	matrix. Covariance matrix before binarization for external patients. Defaults to the internal covariance.

Details

This function is intended to specify the number of covariates and relationships between them for the purposes of designing a simulation study in `psborrow2`. Because the outcome model does not necessarily need to adjust for covariates, this function is not necessary in `create_simulation_obj()`. The relationship between the treatment and the outcome is specified elsewhere (i.e, in `sim_survival()` or `sim_binary_event()`).

We need a few things to

Value

Object of class `SimCovariates`

See Also

Other simulation: [sim_samplesize\(\)](#)

Examples

```

set.seed(123)
covmat <- matrix(rWishart(1, 2, diag(2)), ncol = 2)

covset1 <- sim_covariates(
  covariates = list(
    cov1 = bin_var(0.5, 0.5),
    cov2 = cont_var(100, 130)
  ),
  covariance_internal = covmat
)

```

sim_covariates_summ	<i>Summarize the number of continuous and binary covariates in a SimCovariates object created by sim_covariates()</i>
---------------------	---

Description

Summarize the number of continuous and binary covariates in a SimCovariates object created by sim_covariates()

Usage

```
sim_covariates_summ(sim_covariates_obj)
```

Arguments

sim_covariates_obj
SimCovariates. Object returned by sim_covariates().

Value

data.frame showing covariate names and types as well as counts of binary and continuous covariates.

sim_covariate_list	<i>Input covariate adjustment details for a simulation study</i>
--------------------	--

Description

A function for defining which covariate adjustment scenarios should be evaluated as part of a simulation study.

Usage

```
sim_covariate_list(covariate_list)
```

Arguments

`covariate_list` named list of objects of class `Covariate` created by `add_covariates()`.

Details

This function allows the user to specify covariate adjustment details that will be included as part of a simulation study. It is often of interest to compare several adjustment methods to no adjustment. To specify no adjustment, pass `NULL` as a list item to `covariate_list`.

Value

Object of class `SimCovariateList`.

See Also

Other simulation classes: `sim_borrowing_list()`, `sim_data_list()`, `sim_outcome_list()`, `sim_treatment_list()`

Examples

```
covariates <- sim_covariate_list(
  list(
    "No adjustment" = NULL,
    "Covariates 1 and 2" = add_covariates(c("cov1", "cov2"), prior_normal(0, 1000))
  )
)
```

`sim_data_list`

Input generated data for a simulation study

Description

A function for defining generated data for use as part of a simulation study.

Usage

```
sim_data_list(data_list, guide, effect, drift, index)
```

Arguments

<code>data_list</code>	list of lists of matrices. The lists at the highest level differ in that the parameters used to generate the data. The matrices at lowest level are different iterations of the same data generation parameters. See details.
<code>guide</code>	data.frame. <code>guide</code> contains information on the parameters that differ at the highest level of <code>data_list</code> . See details.
<code>effect</code>	character. The column in <code>guide</code> that corresponds to the true treatment effect estimate (hazard ratio or odds ratio).

drift	character. The column in guide that corresponds to the true drift effect estimate (hazard ratio or odds ratio). A drift >1 means the external arm experiences greater effects.
index	character. The column in guide that corresponds to the index column.

Details

In this function, you are providing generated data for analysis in a simulation study in `psborrow2`. Note that this function does not do any data generation on your behalf; it assumes that you have generated the data already. For a full working example, refer to the relevant vignette: `vignette('simulation_study', package = 'psborrow2')`.

More information on the inputs is provided below.

Matrix requirements in `data_list`:

Each matrix embedded in `data_list` must have:

1. a flag for whether the patient is an external control
2. a flag for whether the patient is in the experimental treatment arm
3. outcome information (time and censorship for survival, flag for outcome in binary endpoints)

Optionally, the matrices may also contain covariates. See examples.

`data_list`:

Each set of distinct data generation parameters should be represented by a single list of matrices. Because multiple scenarios may want to be compared, a list of list of matrices is preferred. See examples.

`guide`:

The guide should be a `data.frame` with one row per scenario. As a consequence of this, the length of the list should equal the number of rows in the guide. See examples.

Value

Object of class `SimDataList`.

See Also

Other simulation classes: `sim_borrowing_list()`, `sim_covariate_list()`, `sim_outcome_list()`, `sim_treatment_list()`

Examples

```
base_mat <- matrix(
  c(
    rep(0, 200), rep(0, 200), rep(1, 200),
    rep(1, 200), rep(0, 200), rep(0, 200),
    rep(0, 600)
  ),
  ncol = 3,
  dimnames = list(NULL, c("ext", "trt", "driftOR"))
)
```

```

add_binary_endpoint <- function(odds_ratio,
                                base_matrix = base_mat) {
  linear_predictor <- base_matrix[, "trt"] * log(odds_ratio)
  prob <- 1 / (1 + exp(-linear_predictor))

  bin_endpoint <- rbinom(
    NROW(base_matrix),
    1,
    prob
  )

  cbind(base_matrix, matrix(bin_endpoint, ncol = 1, dimnames = list(NULL, "ep")))
}

data_list <- list(
  list(add_binary_endpoint(1.5), add_binary_endpoint(1.5)),
  list(add_binary_endpoint(2.5), add_binary_endpoint(2.5))
)

guide <- data.frame(
  trueOR = c(1.5, 2.5),
  driftOR = c(1.0, 1.0),
  ind = c(1, 2)
)

sdl <- sim_data_list(
  data_list = data_list,
  guide = guide,
  effect = "trueOR",
  drift = "driftOR",
  index = "ind"
)

```

sim_outcome_list	<i>Input outcome details for a simulation study</i>
------------------	---

Description

A function for defining which outcome scenarios should be evaluated as part of a simulation study.

Usage

```
sim_outcome_list(outcome_list)
```

Arguments

`outcome_list` named list of objects of class Outcome created by `outcome_details()`.

Value

Object of class `SimOutcomeList`.

See Also

Other simulation classes: `sim_borrowing_list()`, `sim_covariate_list()`, `sim_data_list()`, `sim_treatment_list()`

Examples

```
outcome_scenarios <- sim_outcome_list(
  list(
    "Exponential" = outcome_surv_exponential("time", "cnsr", prior_normal(0, 10000))
  )
)
```

sim_samplesize	<i>Set simulation study parameters for sample size</i>
----------------	--

Description

Set simulation study parameters for sample size

Usage

```
sim_samplesize(n_internal_control, n_external_control, n_internal_experimental)
```

Arguments

`n_internal_control`
integer. Number of patients to be simulated in the internal control arm.

`n_external_control`
integer. Number of patients to be simulated in the external control arm.

`n_internal_experimental`
integer. Number of patients to be simulated in the internal experimental arm.

Value

Object of class `SimSampleSize`

See Also

Other simulation: `sim_covariates()`

Examples

```
ss <- sim_samplesize(200, 200, 500)
```

sim_treatment_list	<i>Input treatment details for a simulation study</i>
--------------------	---

Description

A function for defining which treatment scenarios should be evaluated as part of a simulation study.

Usage

```
sim_treatment_list(treatment_list)
```

Arguments

`treatment_list` named list of objects of class `Treatment` created by `treatment_details()`.

Value

Object of class `SimTreatmentList`.

See Also

Other simulation classes: `sim_borrowing_list()`, `sim_covariate_list()`, `sim_data_list()`, `sim_outcome_list()`

Examples

```
treatment_scenarios <- sim_treatment_list(  
  list(  
    "Standard" = treatment_details("trt", prior_normal(0, 1000))  
  )  
)
```

TimeToEvent-class	TimeToEvent <i>class</i>
-------------------	--------------------------

Description

TimeToEvent class

Slots

- n_param integer. Number of ancillary parameters for the model to estimate.
- param_priors list. Named list of prior distributions on the ancillary parameters in the model.
- time_var character. Variable used for time in TimeToEvent objects.
- cens_var character. Variable used for censoring in TimeToEvent objects.
- baseline_prior Prior. Object of class Prior specifying prior distribution for the baseline outcome.
- name_beta_trt. Named vector for beta_trt.
- name_exp_trt. Named vector for exponentiated beta_trt
- alpha_type. How to interpret alpha.
- name_addnl_params. Named vector for additional parameters.

See Also

Other outcome: [BinaryOutcome-class](#), [ContinuousOutcome-class](#), [Outcome-class](#), [OutcomeBinaryLogistic-class](#), [OutcomeContinuousNormal-class](#), [OutcomeSurvExponential-class](#), [OutcomeSurvPEM-class](#), [OutcomeSurvWeibullPH-class](#)

Treatment-class	Treatment <i>Class</i>
-----------------	------------------------

Description

A class for defining treatment details. Objects of class Treatment should not be created directly but by the constructor [treatment_details\(\)](#).

Slots

- trt_flag_col character. Character specifying the name of the column in the model matrix that corresponds to the treatment flag (1/0 or TRUE/FALSE). This identifies patients as belonging to the experimental treatment arm.
- trt_prior Prior. Object of class Prior specifying the prior distribution of the log effect estimate (log hazard ratio for time to event endpoints and log odds ratio for binary endpoints).

treatment_details	<i>Specify Treatment Details</i>
-------------------	----------------------------------

Description

Specify the treatment arm column name in the model matrix and set a prior distribution for the treatment effect (log hazard ratio or log odds ratio)

Usage

```
treatment_details(trt_flag_col, trt_prior)
```

Arguments

trt_flag_col	character. The name of the column in the model matrix that corresponds to the treatment flag (1/0 or TRUE/FALSE). This identifies patients as belonging to the experimental treatment arm.
trt_prior	Object of class Prior specifying the prior distribution of the log effect estimate (log hazard ratio for time to event endpoints and log odds ratio for binary endpoints).

Value

Object of class [Treatment](#).

Examples

```
sta <- treatment_details(
  trt_flag_col = "trt",
  trt_prior = prior_normal(0, 1000)
)
```

trim_cols	<i>Trim columns from Data Matrix Based on Borrowing object type</i>
-----------	---

Description

Trim columns from Data Matrix Based on Borrowing object type

Usage

```
trim_cols(borrowing_object, analysis_object)

## S4 method for signature 'Borrowing'
trim_cols(borrowing_object, analysis_object)

## S4 method for signature 'BorrowingHierarchicalCommensurate'
trim_cols(borrowing_object, analysis_object)
```


See Also

Other prior classes: [Prior-class](#), [PriorBernoulli-class](#), [PriorBeta-class](#), [PriorCauchy-class](#), [PriorExponential-class](#), [PriorGamma-class](#), [PriorHalfCauchy-class](#), [PriorHalfNormal-class](#), [PriorNormal-class](#), [PriorPoisson-class](#)

uniform_prior	<i>Prior uniform distribution</i>
---------------	-----------------------------------

Description

Prior uniform distribution

Usage

```
uniform_prior(alpha, beta)
```

Arguments

alpha	numeric. Lower bound.
beta	numeric. Upper bound (>alpha).

Details

Stan reference <https://mc-stan.org/docs/functions-reference/uniform-distribution.html>

Value

Object of class [UniformPrior](#).

See Also

Other priors: [prior_bernoulli\(\)](#), [prior_beta\(\)](#), [prior_cauchy\(\)](#), [prior_exponential\(\)](#), [prior_gamma\(\)](#), [prior_half_cauchy\(\)](#), [prior_half_normal\(\)](#), [prior_normal\(\)](#), [prior_poisson\(\)](#)

Examples

```
up <- uniform_prior(0, 1)
```

variable_dictionary	<i>Create Variable Dictionary</i>
---------------------	-----------------------------------

Description

Create Variable Dictionary

Usage

```
variable_dictionary(analysis_obj)
```

Arguments

analysis_obj Analysis. Object to describe variable names.

Value

A data.frame with the names of Stan variables and the descriptions.

weib_ph_surv_dist	<i>Legacy function for the Weibull proportional Hazards survival distribution</i>
-------------------	---

Description

Please use outcome_surv_weibull_ph() instead.

Usage

```
weib_ph_surv_dist(...)
```

Arguments

... Deprecated arguments to weib_ph_surv_dist().

Value

This function does not return a value. When called, it triggers an error message indicating that weib_ph_surv_dist() is deprecated and that outcome_surv_weibull_ph() should be used instead.

Index

- * **borrowing classes**
 - Borrowing-class, [13](#)
 - BorrowingFull-class, [14](#)
 - BorrowingHierarchicalCommensurate-class, [14](#)
 - BorrowingNone-class, [15](#)
- * **borrowing**
 - borrowing_full, [16](#)
 - borrowing_none, [18](#)
- * **datasets**
 - example_matrix, [39](#)
 - example_surv, [39](#)
- * **outcome models**
 - outcome_bin_logistic, [58](#)
 - outcome_cont_normal, [59](#)
 - outcome_surv_exponential, [60](#)
 - outcome_surv_pem, [62](#)
 - outcome_surv_weibull_ph, [63](#)
- * **outcome**
 - BinaryOutcome-class, [11](#)
 - ContinuousOutcome-class, [23](#)
 - Outcome-class, [55](#)
 - OutcomeBinaryLogistic-class, [55](#)
 - OutcomeContinuousNormal-class, [56](#)
 - OutcomeSurvExponential-class, [56](#)
 - OutcomeSurvPEM-class, [57](#)
 - OutcomeSurvWeibullPH-class, [58](#)
 - TimeToEvent-class, [97](#)
- * **prior classes**
 - Prior-class, [68](#)
 - PriorBernoulli-class, [69](#)
 - PriorBeta-class, [69](#)
 - PriorCauchy-class, [70](#)
 - PriorExponential-class, [70](#)
 - PriorGamma-class, [71](#)
 - PriorHalfCauchy-class, [71](#)
 - PriorHalfNormal-class, [72](#)
 - PriorNormal-class, [72](#)
 - PriorPoisson-class, [73](#)
 - UniformPrior-class, [100](#)
- * **priors**
 - prior_bernoulli, [73](#)
 - prior_beta, [74](#)
 - prior_cauchy, [75](#)
 - prior_exponential, [75](#)
 - prior_gamma, [76](#)
 - prior_half_cauchy, [77](#)
 - prior_half_normal, [77](#)
 - prior_normal, [78](#)
 - prior_poisson, [79](#)
 - uniform_prior, [101](#)
- * **simulation classes**
 - sim_borrowing_list, [90](#)
 - sim_covariate_list, [92](#)
 - sim_data_list, [93](#)
 - sim_outcome_list, [95](#)
 - sim_treatment_list, [97](#)
- * **simulation**
 - sim_covariates, [91](#)
 - sim_samplesize, [96](#)
- * **simvar classes**
 - SimVarBin-class, [88](#)
 - SimVarCont-class, [89](#)
- * **simvar**
 - bin_var, [12](#)
 - cont_var, [23](#)
- .analysis_obj (Analysis-class), [6](#)
- .baseline_data_list
 - (BaselineDataList-class), [8](#)
- .baseline_dataframe
 - (BaselineDataFrame-class), [8](#)
- .baseline_object
 - (BaselineObject-class), [9](#)
- .bin_var (SimVarBin-class), [88](#)
- .borrowing_full (BorrowingFull-class), [14](#)
- .borrowing_hierarchical_commensurate
 - (BorrowingHierarchicalCommensurate-class),

- 14
- .borrowing_none (BorrowingNone-class), 15
- .cont_var (SimVarCont-class), 89
- .covariate_class (Covariates-class), 25
- .datasim_cut_off (DataSimCutOff-class), 36
- .datasim_enrollment (DataSimEnrollment-class), 36
- .datasim_event (DataSimEvent-class), 36
- .datasim_fixed_external_data (DataSimFixedExternalData-class), 37
- .datasim_object (DataSimObject-class), 37
- .mcmc_simulation_result (MCMCSimulationResult-class), 51
- .outcome_bin_logistic (OutcomeBinaryLogistic-class), 55
- .outcome_cont_normal (OutcomeContinuousNormal-class), 56
- .outcome_surv_exponential (OutcomeSurvExponential-class), 56
- .outcome_surv_pem (OutcomeSurvPEM-class), 57
- .outcome_surv_weibull_ph (OutcomeSurvWeibullPH-class), 58
- .prior_bernoulli (PriorBernoulli-class), 69
- .prior_beta (PriorBeta-class), 69
- .prior_cauchy (PriorCauchy-class), 70
- .prior_exponential (PriorExponential-class), 70
- .prior_gamma (PriorGamma-class), 71
- .prior_half_cauchy (PriorHalfCauchy-class), 71
- .prior_half_normal (PriorHalfNormal-class), 72
- .prior_normal (PriorNormal-class), 72
- .prior_poisson (PriorPoisson-class), 73
- .sim_borrowing_list (SimBorrowingList-class), 85
- .sim_covariate_list (SimCovariateList-class), 85
- .sim_covariates (SimCovariates-class), 86
- .sim_data_list (SimDataList-class), 86
- .sim_outcome_list (SimOutcomeList-class), 87
- .sim_sample_size (SimSampleSize-class), 87
- .sim_treatment_list (SimTreatmentList-class), 87
- .simulation_obj (Simulation-class), 88
- .treatment_class (Treatment-class), 98
- .uniform_prior (UniformPrior-class), 100
- add_covariates, 6
- add_covariates(), 25, 26, 29
- Analysis, 26
- Analysis-class, 6
- as.data.frame.BaselineDataList (as_data_frame), 7
- as_data_frame, 7
- baseline_covariates, 9
- baseline_covariates(), 9, 27
- BaselineDataFrame, 42, 84
- BaselineDataFrame-class, 8
- BaselineDataList, 7
- BaselineDataList-class, 8
- BaselineObject, 10, 28
- BaselineObject-class, 9
- bernoulli_prior, 10
- beta_prior, 10
- bin_var, 12, 24
- binary_cutoff, 11
- binary_cutoff(), 27, 84
- BinaryOutcome-class, 11
- Borrowing, 26
- Borrowing-class, 13
- borrowing_details, 15
- borrowing_full, 16, 18
- borrowing_full(), 13, 14, 26
- borrowing_hierarchical_commensurate, 17
- borrowing_hierarchical_commensurate(), 13, 14, 26
- borrowing_none, 16, 18
- borrowing_none(), 13, 15, 26
- BorrowingFull, 16
- BorrowingFull-class, 14

- BorrowingHierarchicalCommensurate, [17](#)
- BorrowingHierarchicalCommensurate-class, [14](#)
- BorrowingNone, [18](#)
- BorrowingNone-class, [15](#)
- build_model_string, [19](#)
- c, [20](#)
- c, SimDataList-method (c), [20](#)
- cauchy_prior, [20](#)
- check_cmdstan (check_cmdstanr), [21](#)
- check_cmdstanr, [21](#)
- check_data_matrix_has_columns, [21](#)
- check_fixed_external_data, [22](#)
- cont_var, [13](#), [23](#)
- ContinuousOutcome-class, [23](#)
- covariance_matrix, [24](#)
- Covariates, [6](#), [26](#)
- Covariates-class, [25](#)
- create_alpha_string, [25](#)
- create_alpha_string, Borrowing-method (create_alpha_string), [25](#)
- create_alpha_string, BorrowingHierarchicalCommensurate-method (create_alpha_string), [25](#)
- create_analysis_obj, [26](#)
- create_analysis_obj(), [28](#), [29](#), [52](#), [80](#)
- create_baseline_object, [27](#), [37](#), [42](#), [84](#)
- create_baseline_object(), [8](#), [12](#), [30](#), [45](#)
- create_data_matrix, [28](#)
- create_data_simulation, [29](#), [43](#), [82](#)
- create_data_simulation(), [38](#)
- create_event_dist, [30](#)
- create_event_dist(), [30](#), [37](#), [82](#)
- create_simulation_obj, [32](#)
- create_simulation_obj(), [43](#)
- create_tau_string, [33](#)
- create_tau_string, Borrowing-method (create_tau_string), [34](#)
- create_tau_string, BorrowingHierarchicalCommensurate-method (create_tau_string), [34](#)
- custom_enrollment, [34](#)
- cut_off_after_events (cut_off_funs), [35](#)
- cut_off_after_first (cut_off_funs), [35](#)
- cut_off_after_last (cut_off_funs), [35](#)
- cut_off_funs, [35](#)
- cut_off_none (cut_off_funs), [35](#)
- data.frame, [7](#)
- DataSimCutOff-class, [36](#)
- DataSimEnrollment, [34](#), [38](#)
- DataSimEnrollment-class, [36](#)
- DataSimEvent-class, [36](#)
- DataSimFixedExternalData-class, [37](#)
- DataSimObject-class, [37](#)
- enrollment_constant, [38](#)
- eval_constraints, [38](#)
- eval_constraints, Prior-method (eval_constraints), [38](#)
- example_matrix, [39](#)
- example_surv, [39](#)
- exp_surv_dist, [41](#)
- exponential_prior, [40](#)
- gamma_prior, [41](#)
- generate, [30](#), [37](#), [42](#)
- generate, BaselineObject-method, [42](#)
- generate, DataSimObject-method, [43](#)
- get_cmdstan_models, [44](#)
- get_cmdstan_models, MCMCSimulationResult-method (get_cmdstan_models), [44](#)
- get_data, [44](#)
- get_data, SimDataList-method (get_data), [44](#)
- get_prior_string_covariates, [45](#)
- get_quantiles, [45](#)
- get_quantiles(), [27](#), [84](#)
- get_results, [46](#)
- get_results, MCMCSimulationResult-method (get_results), [46](#)
- get_stan_code, [46](#)
- get_stan_code, Analysis-method (get_stan_code), [46](#)
- get_vars, [47](#)
- get_vars, Analysis-method (get_vars), [47](#)
- get_vars, BaselineObject-method (get_vars), [47](#)
- get_vars, BinaryOutcome-method (get_vars), [47](#)
- get_vars, Borrowing-method (get_vars), [47](#)
- get_vars, ContinuousOutcome-method (get_vars), [47](#)
- get_vars, Covariates-method (get_vars), [47](#)
- get_vars, NULL-method (get_vars), [47](#)
- get_vars, SimBorrowingList-method (get_vars), [47](#)

- get_vars, SimCovariateList-method
(get_vars), 47
- get_vars, SimOutcomeList-method
(get_vars), 47
- get_vars, SimTreatmentList-method
(get_vars), 47
- get_vars, Simulation-method (get_vars),
47
- get_vars, TimeToEvent-method (get_vars),
47
- get_vars, Treatment-method (get_vars), 47
- glue::glue(), 68–73, 100
- half_cauchy_prior, 48
- half_normal_prior, 49
- load_and_interpolate_stan_model, 49
- load_stan_file, 50
- logistic_bin_outcome, 50
- mcmc_sample, 51
- mcmc_sample, Analysis-method
(mcmc_sample), 51
- mcmc_sample, ANY-method (mcmc_sample), 51
- mcmc_sample, Simulation-method
(mcmc_sample), 51
- MCMCSimulationResult-class, 51
- normal_prior, 54
- null_event_dist (create_event_dist), 30
- Outcome, 26
- Outcome-class, 55
- outcome_bin_logistic, 58, 60, 61, 63, 64
- outcome_bin_logistic(), 26, 55
- outcome_cont_normal, 59, 59, 61, 63, 64
- outcome_cont_normal(), 56
- outcome_surv_exponential, 59, 60, 60, 63,
64
- outcome_surv_exponential(), 26, 56
- outcome_surv_pem, 59–61, 62, 64
- outcome_surv_pem(), 57
- outcome_surv_weibull_ph, 59–61, 63, 63
- outcome_surv_weibull_ph(), 26, 58
- OutcomeBinaryLogistic, 59
- OutcomeBinaryLogistic-class, 55
- OutcomeContinuousNormal, 60
- OutcomeContinuousNormal-class, 56
- OutcomeSurvExponential, 61
- OutcomeSurvExponential-class, 56
- OutcomeSurvPEM, 63
- OutcomeSurvPEM-class, 57
- OutcomeSurvWeibullPH, 64
- OutcomeSurvWeibullPH-class, 58
- par(), 65
- plot, 64
- plot(), 66, 67
- plot, Prior, missing-method (plot), 64
- plot, PriorBernoulli, missing-method
(plot), 64
- plot, PriorBeta, missing-method (plot), 64
- plot, PriorCauchy, missing-method (plot),
64
- plot, PriorExponential, missing-method
(plot), 64
- plot, PriorGamma, missing-method (plot),
64
- plot, PriorHalfCauchy, missing-method
(plot), 64
- plot, PriorHalfNormal, missing-method
(plot), 64
- plot, PriorNormal, missing-method (plot),
64
- plot, PriorPoisson, missing-method
(plot), 64
- plot, UniformPrior, missing-method
(plot), 64
- plot_pdf, 66
- plot_pmf, 67
- poisson_prior, 67
- possible_data_sim_vars, 68
- posterior::draws, 80
- Prior-class, 68
- prior_bernoulli, 73, 74–79, 101
- prior_bernoulli(), 68, 69
- prior_beta, 74, 74, 75–79, 101
- prior_beta(), 68, 69
- prior_cauchy, 74, 75, 76–79, 101
- prior_cauchy(), 68, 70
- prior_exponential, 74, 75, 75, 76–79, 101
- prior_exponential(), 70
- prior_gamma, 74–76, 76, 77–79, 101
- prior_gamma(), 68, 71
- prior_half_cauchy, 74–76, 77, 78, 79, 101
- prior_half_cauchy(), 68, 71
- prior_half_normal, 74–77, 77, 79, 101
- prior_half_normal(), 72

- prior_normal, [74–78, 78, 79, 101](#)
- prior_normal(), [68, 72](#)
- prior_poisson, [74–79, 79, 101](#)
- prior_poisson(), [68, 73](#)
- PriorBernoulli, [73](#)
- PriorBernoulli-class, [69](#)
- PriorBeta, [74](#)
- PriorBeta-class, [69](#)
- PriorCauchy, [75](#)
- PriorCauchy-class, [70](#)
- PriorExponential, [76](#)
- PriorExponential-class, [70](#)
- PriorGamma, [76](#)
- PriorGamma-class, [71](#)
- PriorHalfCauchy, [77](#)
- PriorHalfCauchy-class, [71](#)
- PriorHalfNormal, [78](#)
- PriorHalfNormal-class, [72](#)
- PriorNormal, [78](#)
- PriorNormal-class, [72](#)
- PriorPoisson, [79](#)
- PriorPoisson-class, [73](#)
- rect(), [67](#)
- rename_draws_covariates, [80](#)
- set_cut_off, [81](#)
- set_dropout, [81](#)
- set_enrollment, [82](#)
- set_transformations, [83](#)
- set_transformations, BaselineObject-method, [84](#)
- show_guide, [85](#)
- show_guide, Simulation-method (show_guide), [85](#)
- sim_borrowing_list, [90, 93, 94, 96, 97](#)
- sim_covariate_list, [90, 92, 94, 96, 97](#)
- sim_covariates, [91, 96](#)
- sim_covariates_summ, [92](#)
- sim_data_list, [90, 93, 93, 96, 97](#)
- sim_outcome_list, [90, 93, 94, 95, 97](#)
- sim_samplesize, [91, 96](#)
- sim_treatment_list, [90, 93, 94, 96, 97](#)
- SimBorrowingList, [90](#)
- SimBorrowingList-class, [85](#)
- SimCovariateList, [93](#)
- SimCovariateList-class, [85](#)
- SimCovariates-class, [86](#)
- SimDataList, [20, 42, 43, 94](#)
- SimDataList-class, [86](#)
- SimOutcomeList, [96](#)
- SimOutcomeList-class, [87](#)
- SimSampleSize-class, [87](#)
- simSurv::simSurv, [30](#)
- simSurv::simSurv(), [36](#)
- SimTreatmentList, [97](#)
- SimTreatmentList-class, [87](#)
- Simulation, [32](#)
- Simulation-class, [88](#)
- SimVar-class, [88](#)
- SimVarBin, [13](#)
- SimVarBin-class, [88](#)
- SimVarCont, [23](#)
- SimVarCont-class, [89](#)
- TimeToEvent-class, [97](#)
- Treatment, [26, 99](#)
- Treatment-class, [98](#)
- treatment_details, [99](#)
- treatment_details(), [26, 98](#)
- trim_cols, [99](#)
- trim_cols, Borrowing-method (trim_cols), [99](#)
- trim_cols, BorrowingHierarchicalCommensurate-method (trim_cols), [99](#)
- trim_rows, [100](#)
- trim_rows, Borrowing-method (trim_rows), [100](#)
- trim_rows, BorrowingNone-method (trim_rows), [100](#)
- uniform_prior, [74–79, 101](#)
- uniform_prior(), [68, 100](#)
- UniformPrior, [101](#)
- UniformPrior-class, [100](#)
- variable_dictionary, [102](#)
- weib_ph_surv_dist, [102](#)