

Package ‘redistverse’

July 23, 2025

Title Easily Install and Load Redistricting Software

Version 0.1.0

Description Easy installation, loading, and control of packages for redistricting data downloading, spatial data processing, simulation, analysis, and visualization. This package makes it easy to install and load multiple 'redistverse' packages at once. The 'redistverse' is developed and maintained by the Algorithm-Assisted Redistricting Methodology (ALARM) Project. For more details see <<https://alarm-redist.org>>.

Depends R (>= 4.0.0)

Imports redist, redistmetrics, geomander, ggredist, sf, censable, tinytiger, easycensus, PL94171, alarmdata, cli, birdie

Suggests wacolors, testthat (>= 3.0.0), spelling

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.1

URL <https://github.com/alarm-redist/redistverse>,
<https://alarm-redist.org/redistverse/>

BugReports <https://github.com/alarm-redist/redistverse/issues>

Config/testthat/edition 3

Language en-US

NeedsCompilation no

Author Christopher T. Kenny [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-9386-6860>>),
Cory McCartan [aut] (ORCID: <<https://orcid.org/0000-0002-6251-669X>>),
tidyverse contributors [ctb] (attach code adapted from tidyverse.)

Maintainer Christopher T. Kenny <christopherkenny@fas.harvard.edu>

Repository CRAN

Date/Publication 2024-06-18 15:10:02 UTC

Contents

redistverse_logo	2
use_redistverse_r_universe	2

Index	3
--------------	----------

redistverse_logo	<i>Print the 'redistverse' logo using ASCII characters</i>
------------------	--

Description

Print the 'redistverse' logo using ASCII characters

Usage

redistverse_logo()

Value

NULL, invisibly

Examples

redistverse_logo()

use_redistverse_r_universe	<i>Use r-universe Packages for redistverse</i>
----------------------------	--

Description

Use r-universe Packages for redistverse

Usage

use_redistverse_r_universe()

Value

formatted code to use r-universe

Examples

use_redistverse_r_universe()

Index

`redistverse_logo`, [2](#)

`use_redistverse_r_universe`, [2](#)